EPIDEMIOLOGICAL AND BACTERIOLOGICAL FEATURES OF IMPETIGO IN INFANTS AND CHILDREN

Thesis

Submitted for partial fulfillment of Master Degree in Dermatology and Venereology

V.S Presented by

Nermeen Samy Abd Allah Abd El Fattah (M.B.,B.CH.)

Under Supervision of

Prof.Dr.Mohammed Hassan El Hefnawi

Professor of Dermatology and Venereology Faculty of Medicine, Ain Shams University

Assist. Prof. Dr. Elham Abd El Zaher Mabrouk

Assistant Professor of Dermatology and Venereology Faculty of Medicine, Ain Shams University

Faculty of Medicine Ain Shams University 1999



Acknowledgement

I would like to express my profound gratitude and appreciation to Prof. Dr. Mohammed Hasan El Hefnawy, Professor of Dermatology and Venereology, for giving me the privilege to work under his supervision, and for his patience, encouragement and eminent guidance.

I am also deeply grateful to Assist. Prof. Dr. **Elham Abd El Zaher,** Assistant Professor of Dermatology and Venereology, who devoted her time, effort and experience to facilitate the production of this study.

I would like also to express my gratitude to Prof. Dr. Ibrahim Khalil, Head of Bacteriology unit, Clinical Pathology Department for his help in conducting the bacteriological part in this thesis.

List of Figures:

	Page
Figure (1):	(8)
Streptococcal and staphylococcal	sequences of spread
Figure (2):	(19)
Electron micrograph of S.aureus	
Figure (3):	(23)
Electron micrograph of β-hemolyti	c streptococci
Figure (4):	(29)
Impetigo contagiosa on the face	
Figure (5):	(31)
Impetigo of the scalp	
Figure (6):	(32)
Bullous impetigo	
Figure (7):	(34)
Bockhart's impetigo	

Figure (8):(36)
Ecthyma
Figure (9):(63)
Social class in patients and controls
Figure (10): (63)
Cutaneous diseases in patients and controls
Figure (11):(64)
Cutaneous diseases found in the patients
figure (12): (64)
Cutaneous diseases found in the controls
figure (13):(65)
Crowding index in patients and controls
igure (14): (66)
Hygienic condition in patients and controls
igure (15):(67)
PH of impetigo in patients and controls
igure (16): (68)
FH of impetigo in patients and controls

Figure (17): (68)
Hemoglobin level in patient and controls
Figure (18):(69)
Urine analysis in patients and controls
Figure (19):(70)
Stool analysis in patients and controls
Figure (20):(71)
Forms of impetigo
Figure (21): (72)
Forms of Non bullous impetigo
Figure (22):(73)
Age distribution in bullous and non bullous impetigo
Figure (23): (74)
Sex distribution in bullous and non bullous impetigo
Figure (24): (74)
Social class in bullous and non bullous impetigo
Figure (25): (75)
Associated diseases in bullous and non bullous impetigo

Figure (26): (76)
Crowding index in bullous and non bullous impetigo
Figure (27): (78)
Sex distribution in skin and scalp impetigo
Figure (28): (79)
Associated diseases in skin and scalp impetigo
Figure (29): (80)
Hygienic condition in skin and scalp impetigo
Figure (30): (81)
FH of similar attacks in skin and scalp impetigo
Figure (31):(82)
PH of similar attacks in skin and scalp impetigo
Figure (32): (82)
Organisms isolated from impetigo lesions
Figure (33):(83)
Staphylococci among pus cells
Figure (34):(84)
Gram stained film suggestive of staphylococci

Figure (35): (85)
Blood agar plate showing S.aureus
Figure (36): (86)
Streptococci among pus cells
Figure (37): (87)
Gram stained film suggestive of streptococci
Figure (38):(88)
Blood agar plate showing β -hemolytic streptococci
Figure (39): (89)
Blood agar plate showing S.aureus and β-hemolytic streptococci
Blood agar plate showing S. aureus and β -hemolytic streptococci Figure (40):
•
Figure (40): (90)
Figure (40):
Figure (40):
Figure (40):
Figure (40):

Figure (44): (94)
MacConkey agar plate Showing non lactose fermenter organisms
Figure (45): (95)
Relation between the associated diseases and the organisms
Figure (46): (97)
Associated diseases in streptococcal and S.aureus infected
Lesions
Figure (47):(98)
Urine analysis in strentococcal and S aureus infected lesions

List of Tables

	Page
Table (1):	(11)
Predisposing factors of impetigo	
Table (2):	(21)
Properties distinguishing between S.aureus, S.epiderm	idis
and S. saprophyticus	
Table (3):	(49)
Antibiotics for treatment of impetigo	
Table (4):	(62)
Age and sex distribution of the patients	
Table (5):	(96)
Antibiotic sensitivity for the causative organisms of im	petigo

List of Abbreviations

S.aureus : Staphylococci aureus

S. epidermidis : Staphylococci epidermidis

S.saprophyticus : Staphylococci saprophyticus

MIC : Minimal inhibitory concentration

C3 : Complement three

FH : Family history

PH : Past history

Hb : Hemoglobin level