

EVALUATION OF CELLULAR IMMUNE RESPONSE AND SUBSETS OF INTRAHEPATIC VERSUS PERIPHERAL T-LYMPHOCYTES IN PATIENTS WITH CHRONIC HEPATITIS (C)


Thesis

Submitted for Partial Fulfillment of
Master Degree in Internal Medicine

By

Hassan Mohammed Shocib
(M.B., B.Ch.)

Supervisors

Prof.Dr. Mohammed Awad-Allah Sallam

FRCP (L&G), FACP (USA)

Prof. of Internal Medicine, Ain Shams University

Dr. Nehad Ahmed Amer (MD)


Assist. Prof. of Internal Medicine, Ain Shams University

Dr. Hanaa Ahmed Amer (MD)

Lecturer in Clinical Pathology, Ain Shams University

**Faculty of Medicine
Ain Shams University
1997**







ACKNOWLEDGEMENT

I would like to start by thanking **GOD** for his help during this work as a little part of his generous help through out my life.

I would like to express my deep gratitude to **Prof.Dr. Mohammed Awad-Allah Sallam**, professor of Internal Medicine, Ain Shams University for his supervision and support.

I wish to express my sincere thanks to **Prof.Dr. Nehad Amer**, Assistant Professor of Internal medicine, Ain Shams University for her instructive supervision, ultimated support and encouragement.

I am greatly indebted to **Dr. Hanaa Amer**, Lecturer in Clinical Pathology, Ain Shams University who gave me much of her time, experience, effort and support.

LIST OF TABLES

Table (1):	(11)
Hepatitis C virus genotyping methods	
Table (2):	(27)
Pathological findings in 100 patients with chronic liver disease according to the presence of anti-hepatitis c virus or HBsAg in serum samples.	
Table (3):	(50)
The different types and proteins of interferons	
Table (4):	(71)
Shows Descriptive data of the patients group.	
Table (5):	(72)
Shows descriptive data of the control group.	
Table (6):	(72)
Shows comparison between the age of patients and and control.	
Table (7):	(73)
Shows comparison between the Liver function tests of patients and control groups.	

Lists of tables and figures

Table (8):	(74)
Shows comparison between the blood picture in the patients and control groups.	
Table (9):	(75)
Shows comparison between peripheral IFN-gamma in both the patients and control groups.	
Table (10):	(75)
Shows comparison between peripheral and tissue IFN-gamma in the patients group.	
Table (11):	(76)
Shows correlation coefficients between IFN-gamma in both serum and tissue of patients group.	
Table (12):	(76)
Shows correlation coefficients between blood IFN-gamma and blood CD4 and CD8 in the patients group.	
Table (13):	(77)
Shows correlation coefficients between Tissue IFN-gamma and Tissue CD8 and CD4 in the patients group.	

Table (14):	(77)
Shows comparison between peripheral CD4, CD8 and CD4/CD8 ratio in both patients and control groups	
Table (15):	(78)
Shows comparison between CD4, CD8 and CD4/CD8 ratio in both blood and tissue in the patients group.	
Table (16):	(79)
Shows correlation between IFN-gamma, CD4 and CD8 in both blood and tissue versus Liver function tests in patients group.	

LIST OF FIGURES

- Figure (1):** (8)
A simplified description of the
hepatitis C virus genome
- Figure (2):** (12)
Number and percentage of patients with
hepatitis C virus genotypes (1-4).
- Figure (3):** (18)
Association of hepatitis C virus
genotypes with the risk factors.
- Figure (4):** (80)
Mean level of IFN-gamma in blood of
both patients and control groups
- Figure (5):** (81)
Positive correlation between IFN-gamma
in the tissue and in the blood in
patients group
- Figure (6):** (82)
Positive correlation between IFN-gamma
in the tissue and CD8 in the tissue
- Figure (7):** (83)
Mean level of CD4 in blood of
both patients and control groups

Lists of tables and figures

Figure (8):	(84)
Mean level of CD8 in blood of both patients and control groups	
Figure (9):	(85)
Mean level of CD4/CD8 ratio in blood of both patients and control groups	