Evaluation of Thallium-201 (TL-201) Stress-Immediate Reinjection SPECT Scintigraphy In The Detection Of Myocardial Viability

رسم ا

Thesis

Submitted for Partial Fulfillment of

M.D. Degree in

RADIODIAGNOSIS

By

Gehan Fawzy Mohamed

M.B.,B.Ch., M.Se., Radiodiagnosis Faculty of Medicine, Ain Shams University

Supervisors

Prof. Dr. Yossef hamed Zaki

Prof. of Radiodiagnosis Faculty of Medicine Ain Shams University

Prof. Dr. Ahmed Talaat Khairy

Prof. of Radiodiagnosis Faculty of Medicine Ain Shams University

Faculty of Medicine
Gin Shams University
1999

ما سر کابی حاصر کابی کابی







To... TY Samily Gehan



Acknowledgement

I find great pleasure in expressing my gratitude towards all those sincerely participated in completing this work. The greatest credit must go to Prof. Dr. Yossef hamed Zaki, Prof. of Radiodiagnosis, Ain Shams University, for his valuable assistance, supervision, guidance and help in presenting this work.

I would like also to thank Prof. Dr. Ahmed Talaat Khairy, Prof. of Radiodiagnosis, Ain Shams University, for his generous help and kind advises.

Last; but not least, special thanks are given to Prof. Dr. Abdel Zahar Hassan, Prof. and Wead of Radiodiagnosis Department, and all the staff of Radiodiagnosis Department, Ain Shams University and my colleagues for all the facilities and support they offered.



CONTENTS

Page
Introduction and aim of the work1
Review of Literature3
Physiological considerations of myocardial
blood supply3
Pathology of coronary artery disease16
Review of various techniques for TL-20l
SPECT studies35
Materials and Methods42
Results and Illustrative Cases50
Discussion80
Summary and Conclusion 95
References98
Arabic Summary



LIST OF TABLES

Tab.	No. Page
1	Clinical subgroups in which painless ischemia is likely to be important
2	Clinical characteristics of the patient population of this study
3	Relationship between immediate- reinjection and 24-hr redistribution imaging in assessment of myocardial viability (patient analysis)
4	Agreement between exercise/immediate reinjection and exercise/24 hour redistribution scans in terms of patients analysis (cell content = no. of patients)
5	Relationship between immediate- reinjection and 24-hour redistribution imaging in assessment of myocardial viability
6	Agreement between exercise (immediate reinjection and exercise/24 hour redistribution scans in terms of segmental analysis (cell content = no. of segments)



LIST OF FIGURES

Fig.	No. Page
1	Anatomy of th coronary vessels3
2	Phasic flow of blood through the coronary capillaries of the human left ventricle (as extrapolated from studies in dogs)
3	Coronary vessels A. anterior veiw B. posterior view
4	Plaques in coronary arteries23
5	Patterns of myocardial infarction
6	Site of myocardial infarction and vessel involvement
7	Nomogram of 116 patients with perfusion defects immediately after exercise
8	Nomogram of 323 perfusion defects immediately after exercise
9	Examples of scans with reversible defects only on 1-hour immediate reinjection images, which showed no change on 24-hour redistribution images
10	Examples of scans with reversible defects only on 1-hour immediate reinjection images, which showed no change on 24-hour redistribution images
11	Examples of scans with reversible and persistent defects on 1-hour immediate

	reinjection study, which showed no change in 24-hr redistribution images
12	Examples of scans with reversible and persistent defects on 1-hour immediate reinjection study, which showed no change in 24-hr redistribution images
13	Example of scans with persistent defects on 1-hr immediate reinjection images that showed no change on the 24-hr redistribution images
14	Example of scans with reversible defects on 1-hr immediate reinjection images, which showed additional fill-in on 24-hr redistribution images, yet this didn't change the final conclusions
15	Example of scans with reversible and persistent defects, where some of the persistent defects showed additional fill-in on the 24-hour redistribution images
16	Example of scans with reversible and persistent defects on 1-hr immediate reinjection images, where the persistent defects showed fill-in on the 24-hour redistribution images
17	Example of scans with reversible and persistent defects on 1-hr immediate reinjection images, where the persistent