



Ontogeny of gut microflora in neonates: Clinical determinants

6/8.9201 A. J.

Thesis



Submitted for the partial fulfillment of master degree(M.Sc.)in pediatrics

51359

By

Ashraf Ibraheem Seleem M.B; B.CH. STATE OF THE STATE

Under Supervision of

Prof. Dr./ Gilan Abd-EL-Hamid Osman

Professor of Pediatrics
Ain Shams University

Mino

Assist.Prof.Dr/ Mostafa Abd-EL-Aziz El-Hodhod



Assist. Prof. of Pediatrics
Ain Shams University

Faculty of Medicine
Ain Shams University





ACKNOWLEDGEMENT

I would like to express my deep thanks

and gratitude to my advisor and my teacher Dr. GILAN ABD-EL-HAMID OSMAN,

Professor of Pediatrics, Faculty of Medicine,

Ain Shams University for her continuous
guidance, unfailing support and
encouragement throughout this work.

I am extremely grateful to Kindness of Dr. Mostafa Abd-El-Aziz El-Hodhod, Assistant Professor of Pediatrics, Ain Shams University, for his great help, keen supervision, generous co-operation and valuable suggestions.

special thanks to prof Dr Mob. Faugy And AL Ftown and prof Dr. 12ms 1 52. 16 mit for a crepting



List of Abbreviations

A/S : Apgar score.

B.F : Breast-fed.

CBC : Complete blood count.

CFU : Colony forming units.

C.S : Cesarean section.

E.coli : Escherichia coli.

Fig. : Figure.

G. : Gram.

H. : Heur.

G.A : Gestational age.

G/dl : Gram per deciliter.

GIT : Gastrointestinal tract.

Hb. : Hemoglobin.

:Human immune-deficiency virus HIV.

H.S. : Highly significant.

Ig. : Immunoglobulin.

Min. : Minute.

MMC : Migration motor complex.

MMNG : Methyl-nitroso-guanidin.

 Mm^3 : Cubic millimeter.

Mmol/L : Millimol per liter.

NEC

: Neonatal intensive care unit.

: Necrotizing enterocolitis.

NICU

 O_2 : Oxygen molecule. % : Percent.

PPM : Part per million.

PROM :Pre mature rupture of membrane

RBCs : Red blood cells.

S. : Significant.

S.D. : Standard deviation.

Sec. : Second.

V.D : Vaginal delivery.

Wt. : Weight.

Contents

	Page
Introduction and aim of the work	1-6
Review of literature	7
*Normal enteric flora	7
* Microflora in newborn infants	10
- Colonization of the gastro-intestinal tract.	10
* Benefits of Microflora	13
- Nutritional benefits of Microflora	13
-Therapeutic benefits of microflora	17
* Functions of microflora	20
- Production of nutrients	20
-Cholesterol lowering	22
-Anti-cancer probiotics	22
-Enhancement of immunlogical properties	24
-Production of hormones and other agents	25
-Treatment of hepatic encephalopathy	26
-Treatment of hypercholesterolaemia	28

The ability of microflora to increase the	
tolerance for lactose in lactase-deficient	
individuals	30
* Factors affecting the probiotics functions	36
- Survivability	36
- Bile-resistance	37
- Adhesion	38
- Anti microbial Production	39
* Control of the intestinal microflora	41
-Motility	42
- Gastric acid secretion	43
- Ileocecal valve	45
- Immune mechanisms	45
- Environmental factors	46

* Bacterial interactions	48
* Relation between intestinal microflora and	
certain diseases	50
Intestinal infections	50
-Protein energy malnutrition (PEM)	53
-Necrotizing enterocolitis (NEC)	53
* Techniques for probiotic modification	56
-Natural selection and mutagenesis	56
-Genetic Engineering	56
* Subjects and methods	59
* Daggilda	

* Discussion.....

* Summary and conclusion......

* Recommendations.....

* References.....

* Arabic summary.....

66

82

87

90

91

List of Tables

Table (I)	Non pathogenic organisms used as	
	probiotics in food.	14
Table(II)	Antimicrobial substances.	40
Table (1)	Descriptive statistics of some	
	clinical parameters among all infants	66
Table (2)	Frequency of +ve lactulose breath	
	hydrogen test, mean peak and S.D of	
	positive cases for intestinal	
	colonization according to the day of	
	осситенсе.	67
Table (3)	Comparison between all positive	
	days according to the onset of	
	colonization.	68

Table (4)	Relation of culture results to breath	
	hydrogen test (BH) results in the	
	diagnosis of intestinal colonization	
	in the 1 st day.	70
Table (5)	Relation of culture result to breath	
	hydrogen test (BH) result in the	
	diagnosis of intestinal colonization	
	in the 2 nd day.	71

Frequency of different bacterial

agents according to stool culture of

Comparison of mean value of some

of the clinical parameters among

studied newborn infants according to

the time of bacterial colonization.

Table (6)

Table (7)

all cases.

73

73

Table (8)	Mean values of serial readings of	
	lactulose breath hydrogen test	
	(BHT) of neonates according to the	
	time of intestinal colonization.	•
Table (9)	Relation between type of cesarean	
	section and intestinal colonization.	•
Table(10)	Relations between the pre mature	
	rupture of membranes (ROM) to the	
	time of onset of colonization.	8
Table(11)	Relation between some clinical data	
	and peak of breath hydrogen test	
	(BHT) to the type of organism.	į
	(BITT) to the type of organism.	•

List of figures

Figure(1)	: Pie chart of isolated bacterial flora.	72
Figure(2)	: Weight vs. peak.	74
Figure(3)	: Gestational age vs. Peak.	75
Figure(4)	:Bar chart of mean peak in the 1st	
	three day of life.	78