The Role Of Computed Tomography In Diagnosis Of Intestinal Obstruction

Essay

Submitted in partial fulfillment For Master Degree of Radio - Diagnosis

By Dr. Mirana Sami Ibrahim MB, B. Ch.

52214

SUPERVISED BY
Dr. Mohamed Abo El Hoda Darwish
Associate Prof. of Radio - Diagnosis
Ain - Shams University

AND

Dr. Yasser Abd El Azim Abbas Lecturer of Radio - Diagnosis Ain - Shams University



Faculty of Medicine
Ain - Shams University
1996



CONTENTS

	Page
1- Introduction and the aim of work	1
2- Anatomy and Embryology of the intestine	2 - 11
3- Pathophysiology of intestinal obstruction	12 - 17
4- Aetiology of intestinal obstruction	18 - 23
5- Review of Literature	24 - 38
6-Illustrative cases	. 39 - 65
7- Summary and conclusions	66 - 67
8- References	68 - 70
9- Arabic Summary	

<u>Lists of tables and figures</u> <u>I- List of tables</u>

Table Table Table	 I : Shows causes of intestinal obtruction. III : Shows mechanical causes of the intestinal obstruction. III : Shows common causes of intestinal obtruction in each age group. 	PAGE 33-35 36 38				
	<u>II - List of figures</u>					
Fig(1)		PAGE				
	Digram shows pattern of arterial arcades supplying the small intestine.	4				
Fig(2)	Digram shows major arterial supply of the large intestine.	9				
Fig(3)						
	Digram shows the first stage of a normal embryological development of the intestue	10				
Fig(4)	Digram shows the second stage of a normal embryological	10				
Fig(5)	development of the intestue	10				
	Digram shows the third stage of a normal embryological development of the intestue	10				
Fig(6) Fig(7)	Digram shows non rotation of the intestine.	11				
_	Digram shows Mixed rotation of the intestine	11				
Fig(8,9)	Digram shows reversed rotation of the intestine	11				
Fig(10)						
Fig(11)	Digram shows diagram of closed loop obstruction	22				
	Digram shows diverticulum with possible causes of intestinal obstruction	23				
Fig(12)						
Fig(13)	Strings of bead sign	25				
Fig(14)	CT sign of intestinal obstruction	25				
	CT shows Post-operative ileus .	25				
Fig(15)	Closed loop obstruction with volvulus	27				
Fig(16)	A [U]shaped colsed loop obstruction.	27				
		27				

Fig(17) A(C)shaped closed loop obstruction. Fig(18) CT shows Dilated loops of intestue and two collapsed adjacent bowel loops Fig(19) A triangular collapsed afferent limb. Fig(20) A Whirl sign. Fig(21) CT abdomen shows a highly attenuated intestinal wall and hemorrhagic blood in the mesentery. Fig(22) Target sign and beak sign. Fig(23) Intestinal pneumatosis. Fig(24) Mesenteric hemorrhage. Fig(25) Smooth Beak sign. Fig(26) Serrated Beak sign. Fig(27) Afferent loop obstruction. Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies. Fig(31) Stage I:Rectal carcinoma. Fig(32) Stage II:Rectal carcinoma.	2° 2° 2° 2° 2° 2° 2° 2° 2° 2° 2° 2° 2° 2
CT shows Dilated loops of intestue and two collapsed adjacent bowel loops Fig(19) A triangular collapsed afferent limb. Fig(20) A Whirl sign. Fig(21) CT abdomen shows a highly attenuated intestinal wall and hemorrhagic blood in the mesentery. Fig(22) Target sign and beak sign. Fig(23) Intestinal pneumatosis. Fig(24) Mesenteric hemorrhage. Fig(25) Smooth Beak sign. Fig(26) Serrated Beak sign. Fig(27) Afferent loop obstruction. Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies. Fig(31) Stage I:Rectal carcinoma.	27 28 28 28 28
Fig(29) A triangular collapsed afferent limb. Fig(20) A Whirl sign. Fig(21) CT abdomen shows a highly attenuated intestinal wall and hemorrhagic blood in the mesentery. Fig(22) Target sign and beak sign. Fig(23) Intestinal pneumatosis. Fig(24) Mesenteric hemorrhage. Fig(25) Smooth Beak sign. Fig(26) Serrated Beak sign. Fig(27) Afferent loop obstruction. Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(31) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies. Fig(31) Stage I:Rectal carcinoma.	2° 28 28 28
Fig(20) A Whirl sign . Fig(21) CT abdomen shows a highly attenuated intestinal wall and hemorrhagic blood in the mesentery. Fig(22) Target sign and beak sign . Fig(23) Intestinal pneumatosis . Fig(24) Mesenteric hemorrhage. Fig(25) Smooth Beak sign . Fig(26) Serrated Beak sign . Fig(27) Afferent loop obstruction . Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma.	2° 28 28 28
A Whirl sign . Fig(21) CT abdomen shows a highly attenuated intestinal wall and hemorrhagic blood in the mesentery. Fig(22) Target sign and beak sign . Fig(23) Intestinal pneumatosis . Fig(24) Mesenteric hemorrhage. Fig(25) Smooth Beak sign . Fig(26) Serrated Beak sign . Fig(27) Afferent loop obstruction . Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma.	28 28 28
CT abdomen shows a highly attenuated intestinal wall and hemorrhagic blood in the mesentery. Fig(22) Target sign and beak sign . Fig(23) Intestinal pneumatosis . Fig(24) Mesenteric hemorrhage. Fig(25) Smooth Beak sign . Fig(26) Serrated Beak sign . Fig(27) Afferent loop obstruction . Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma .	28 28 28
hemorrhagic blood in the mesentery. Fig(22) Target sign and beak sign . Fig(23) Intestinal pneumatosis . Fig(24) Mesenteric hemorrhage. Fig(25) Smooth Beak sign . Fig(26) Serrated Beak sign . Fig(27) Afferent loop obstruction . Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma.	28 28 28
Fig(22) Target sign and beak sign . Fig(23) Intestinal pneumatosis . Fig(24) Mesenteric hemorrhage. Fig(25) Smooth Beak sign . Fig(26) Serrated Beak sign . Fig(27) Afferent loop obstruction . Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma.	28 28
Fig(23) Intestinal pneumatosis. Fig(24) Mesenteric hemorrhage. Fig(25) Smooth Beak sign. Fig(26) Serrated Beak sign. Fig(27) Afferent loop obstruction. Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies. Fig(31) Stage I:Rectal carcinoma. Fig(32) Stage II:Rectal carcinoma.	28 28
Intestinal pneumatosis . Fig(24) Mesenteric hemorrhage. Fig(25) Smooth Beak sign . Fig(26) Serrated Beak sign . Fig(27) Afferent loop obstruction . Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma.	28
Mesenteric hemorrhage. Fig(25) Smooth Beak sign . Fig(26) Serrated Beak sign . Fig(27) Afferent loop obstruction . Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma .	
Fig(25) Smooth Beak sign . Fig(26) Serrated Beak sign . Fig(27) Afferent loop obstruction . Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma .	
Fig(26) Serrated Beak sign Fig(27) Afferent loop obstruction Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies. Fig(31) Stage I:Rectal carcinoma Fig(32) Stage II:Rectal carcinoma.	28
Serrated Beak sign Fig(27) Afferent loop obstruction . Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma.	
Fig(27) Afferent loop obstruction . Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma.	าต
Fig(28) Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma.	28
Normal superior mesenteric vein /superior mesenteric artery relation. Fig(29) Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma.	29
Superior mesenteric vein rotation sign. Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma.	33
Fig(30) The scout film shows the single saggital level selected for diagnosis of ano-rectal anomalies. Fig(31) Stage I:Rectal carcinoma. Fig(32) Stage II:Rectal carcinoma.	~~
diagnosis of ano-rectal anomalies . Fig(31) Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma.	33
Stage I:Rectal carcinoma . Fig(32) Stage II:Rectal carcinoma.	34
Fig(32) Stage II:Rectal carcinoma.	3.0
	36
	36
Fig(33) Stage III[A]Colonic carcinoma.	36
Fig(34)	50
Stage III[B]Colonic carcinoma. Fig(35)	36
Stage IV:Liver and bilateral adrenal metastasis from	36
colonic carcinoma.	
Fig(36) CT of patient with Crohn's disease regional mesenteric	
lmphadenopathy thick walled intestine.	27
Fig(37) CT of patient with Crohn's disease shwos a perirectal sinus tract.	37



<u>Acknowledgement</u>

With my greatest pleasure, I would like to express my deepest respect and gratitude to Prof.Dr.Mohamed Abo-El Hoda Associate Professor of Radiodiagnosis, Ain Shams University for his great help, encouragement and supervision in initiating and completing this work.

Also I would like to express my deep thanks and gratitude to Dr. Yasser Abd El Azim, Lecturer of Radiodiagnosis, Ain Shams University for his valuable help, constant support, the skilful guidance and continous encouragement all through this work.

I wish also to express my deep appreciation to all my professors colleagues and teaching staff at Radiodiagnosis department of Ain Ahams University, who helped me in achieving this work. Before and above all, I wish to express my thanks to "GOD".

