
#### Fascioliasis As A Cause Of Eosinophilia In Children

Thesis submitted in partial fulfillment of Master Degree in Pediatrics

Bv Mona Jouad Ibrahim M.B. B.Ch. 6/2-1216 Ni-F Supervisors Hamed Mahmoud Shatla Professor of Pediatrics Faculty of Medicine, Ain Shams University Elham Abbas El-Zayyat Assist. Professor of Parasitology Faculty of Medicine, Ain Shams University Hayam Kamal nazif Lecturer in the Institute of Postgraduate Childhood Studies Ain Shams University Work Faculty of Medicine, Ain Shams University 1996





تَ اثَالَ اللَّا الْمَا يَعْلَمُنَا الْمَا يَعْلَمُنَا الْمَا يَعْلَمُنَا الْمَا يَعْلَمُنَا الْمَا يَعْلَمُنَا الْمَا يَعْلَمُنَا الْمَا يُعْلَمُنَا الْمَا يُعْلِمُنَا الْمَا يُعْلِمُنَا الْمَا يُعْلِمُنَا الْمُالِحُلُمُنَا الْمُالِحُلُمُنَا الْمُالِحُلُمُنَا الْمُالِحُلُمُنَا الْمُلْكِلِيمُ لَلْحُلُمُنَا الْمُلْكِيمُ لِلْمُالِحُلُمُنَا الْمُلْكِلِيمُ لَلْحُلُمُنَا الْمُلْكِلِيمُ لَلْحُلُمُنَا الْمُلْكِلِيمُ لَلْحُلُمُنَا الْمُلْكِلِيمُ لَلْحُلُمُنَا الْمُلْكِلِيمُ لَلْحُلُمُنَا الْمُلْكِلِيمُ لَلْحُلِمِيمُ لَلْحُلِمُ لَلْحُلِمُ لَلْحُلِمُ لِلْحُلِمُ لِلْحُلْمُ لِلْحُلِمُ لِلْحُلْمُ لِلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلِمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلِمُ لِلْحُلْمُ لِلِمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلِمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلِمُ لِلْحُلْمُ لِلْحُلْمُ لِلْحُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْمُ لِلْمُلْ

صَكَرَقِ لِللَّهِ الْفَائِدُ الْفَائِدُ الْمُ

الَّذِيةَ (٢٢) سورةَ الْبُعْرُةُ



### Acknowledgment

J wish to express my sincerest gratitude to Prof. Dr. Hamed Mahmoud Shatla, Professor of Pediatrics, Faculty of Medicine, Ain Shams University, for planning guidance and meticulous supervision of every part of this work.

J would like to express my deepest appreciation to Dr. Elham Abbas El-Zayyat, Assist. Professor of Parasitology, Faculty of Medicine, Ain Shams University, for her valuable advice and continuous encouragement.

J feel deeply thankful to Dr. Hayam Kamal Nazif, Lecturer in the Institute of Postgraduate Childhood Studies, Ain Shams University, for her sincere help and supervision throughout this work.



#### LIST OF ABBREVIATIONS

ALT Alanine transaminase

AST Aspartate transaminase

CBC Complete blood count

CFT Complement fixation test

CIEP Counter immuno-electrophoresis

EITB Enzyme linked immuno-electro-transfer blot

ELISA Enzyme linked immunosorbent assay

ESR Erythrocyte sedimentation rate

F. hepatica Fasciola hepatica

F. gigantica Fasciola gigantica

Fasciola spp. Fasciola hepatica and Fasciola gigantica

FAST-ELISA Falcon assay screening test - Enzyme linked

immuno electro transfer blot

IF Immuno-fluorescence

IHAT Indirect haemagglutination test

SGOT Serum glutamic oxalo-acetic-transaminase

SGPT Serum glutamic pyruvic-transaminase

WHO World Health Organization



### **CONTENTS**

	Page
INTRODUCTION	1
AIM OF THE WORK	3
REVIEW OF LITERATURE	
Fascioliasis (Sheep liver fluke disease)	4
Epidemiology	10
Human Fascioliasis in Egypt	11
Pathology and Pathogenesis	13
Clinical manifestations	15
Laboratory diagnosis	19
Treatment and Prevention of Fascioliasis	26
SUBJECTS & METHODS	33
RESULTS	43
DISCUSSION	77
RECOMMENDATIONS	84
SUMMARY & CONCLUSION	85
REFERENCES	88
APPENDIX	
ARABIC SUMMARY	



## LIST OF TABLES

	Page
Table (1a): Clinical results of Group I (Eosinophilia +	
hepatomegaly) (n=17)	46
Table (1b): Laboratory results of Group I (Eosinophilia +	
hepatomegaly) (n=17)	47
Table (2a): Clinical results of Group II (Hepatomegaly	
with normal eosinophilic count) (n=18)	48
Table (2b): Laboratory results of Group II (Hepatomegaly	
with normal eosinophilic count) (n=18)	49
Table (3a): Clinical results of Group III (Eosinophilia	
without hepatomegaly) (n=20)	50
Table (3b): Laboratory results of Group III (Eosinophilia	
without hepatomegaly) (n=20)	51
Table (4): Results of Group IV (Control) (n=20)	52
Table (5): Sex distribution of positive fascioliasis cases	53
Table (6): Age distribution of positive fascioliasis cases	
by IHAT and stool examination in studied patients	55



# LIST OF TABLES (CONT.)

Page

Table (7): Results of IHAT for fascioliasis and stool	
examination in the 3 groups under study, and the	
control group	57
Table (8): Incidence of fascioliasis cases in the different	
groups under study	58
Table (9): Incidence of cosinophilia in cases of fascioliasis	59
Table (10a): Clinical data of the 9 proved cases of	
fascioliasis	60
Table (10b): Laboratory data of the 9 proved cases of	
fascioliasis	61
Table (11): Correlation between age and Fasciola	
infection in the different groups under study	64
Table (12): Association between sex and positivity of	
fascioliasis in the different groups under study	65
Table (13): Correlation between ESR (mm/h) and	
Fasciola infection in the different groups under study	66
Table (14): Correlation between IHAT and Fasciola	
infection in the different groups under study	67