

THERAPEUTIC ARTERIAL EMBOLIZATION IN LIVER DISEASES

Essay



Submitted for the Master Degree
In Diagnostic Radiology

Presented by

616.0757
E - A

Ihab Ali Ghanem
M.B., B. Ch.,

Handwritten signatures and notes, including the word 'فوت' (Fot) and 'مكتبة' (Library).

Under supervision of

Prof. Dr. Yousef Hamed Zaky	General Prof. Dr. Sarwat Seleem
Professor of Radiology	Prof. & Head of Radiology Dept.
Ain Shams University	Maddi Armed Forces Hospital

Faculty of Medicine
Ain Shams University

1996







ACKNCOLOGEMENT

Much appreciation and gratitude to **Prof. Dr. Yousef Hamed Zaky**, Professor of Radiodiagnosis, Ain Shams University, for his sincere help, valuable suggestions and supervision of this work.

I am also grateful to **General Prof. Sarwat Seleem**, Professor and Head of Radiology Department, Maadi Armed Forces Hospital, for his skailful and helpful remarks and clever mastering of the different detalis in this work.

Special thanks are given to all the staff of Radiodiagnosis Department. Ain Shams University and Maadi Armed Forces Hospital and my Golleagues for all the facilities and support they offered.

Last, but not least, my apology to my father: your condition was not suitable for chemoembolization, and I could'nt do something to you, but hoping I could give some help in the future to patients suffering from hepatocellular carcinoma.

CONTENTS

	Page
Introdcution and Aim of Work	1
Anatomy of the liver	2
Pathology of hepatic diseases	20
Notes on therapeutic arterial embolization in liver diseases	33
Material and methods	56
Illustrated cases	64
Summary and conclusion	82
References	84
Arabic Summary	

	List of Figures	Page
Table	Hepatic artery variations	14
Fig 1	Lobes of the Liver	6
Fig 2	Relations of the Livers	7
Fig 3	Normal celiac angiogram	13
Fig 4	C.T. scan showing Fibrolamellar H.C.C.	26
Fig 5	C.T. scan (arterial portography) showing H.C.C. with 2 nd perfusion defect from obstruction of portal venous branches.	27
Fig 6	Enhanced C.T. sowing multiple nodules of H.C.C with compression and distortion of the portal vein	28
Fig 7	a) C.T. arterial portography showing hepatic metastases. b) Delayed C.T. scan showing hepatic metastases.	46
Fig 8	Hepatic angiogram slowing peripheral feeding artery.	36
Fig 9	Hepatic angiogram slowing central feeding artery.	36
Fig 10	a) Dynamic C.T. before preoperative T.A.E. slowing low density tumor in light anterior segment . b) Hepatic angiogram shows hypervascular H.C.C.	37

Fig 11	Unenhanced C.T. showing dense deposit of iodized oil in tumor.	37
Fig 12	Angiograophy with lipidol showing hepatoma in the right labe.	42
Fig 13	a) Dynamic C.T. before T.A.E. showing enhancing mass in Rt. lobe of the liver. b) C.T. scan after arterial portography slowing low-density mass. c) Unenhanced C.T. scan 30 days after embolization slowing retention of lipidial within a mass.	44
Fig 13	Hepatic angiogram, capillary phase, showing multiple vascular metastases .	46
Fig 14	Selective arteriogram showing Bizarre tumor vessels with shunting to large portal vein .	48
Fig 15	Selective hepatic arteriogram shows multiple Haemangiomas.	49
Fig 16	C.T. scan shows jagged laceration and Haemoperitoneum.	52
Fig 17	a) Arteriogram showing (artero-portal fistula).Haemobilia after liver biopsy. b) Fistula embolized ,Haemobilia ceased .	53

Fig 18	Angiographic needles	59
Fig 19	Onset catheter sheath introduction	60
Fig 20	Guide wires	61
Fig 21	Visceral catheters	62
Fig 22	Infusion catheters	63
Fig 23	a) M.R. shows two lesions in R.T. lobe, embolized and non embolized hepatoma .	64
	b) M.R. shows complete embolization of the lesion .	
Fig 24a	After the first session of T.O.C.E. showing lipidol concentration in the lesion.	65
Fig 24b	After the last session of T.O.C.E. showing marked decrease in the lesion size.	66
Fig 25	Plain x-ray upper abdomen showing lesion after T.O.C.E.	25
Fig 26	a) C.T. after the first session of T.O.C.E. showing concentration of lipidal.	68
	b) C.T. after the second session showing decrease in the size of lesion.	69
	c) C.T. after the third session showing marked decrease in size and necrosis.	70

Fig 27	a) Selective right hepatic arteriogram showing vascular metastases.	71
	b) Rt. hepatic artery has been embolized.	72
Fig 28	a) Rounded vascular deposit seen in both lobes, capliary phase of Angiogram.	73
	b) Post embolization arteriogram, Rt and Lt. hepatic arteries have been embolized.	
Fig 29	a) Celiac arteriogram (arterial phase) showing vessels swept a solitary deposit.	74
	b) Same study ,capillary phase, showing intense capillary blush in the tumor.	75
	c) Post embolization arteriogram following selective embolization of the deposit .	
	d) Lake phase post embolization shows no more capillary blush.	
Fig 30	a) Selective hepatic arteriogram showing metastases in the right lobe.	76
	b) After 3 days infusion the hepatic artery is embolized.	77
Fig 31	a) T.W. M.R. before treatment shows heterogeneous tumor.	78
	b) Contrast-enhanced T.W. M.R. 6 ms after treatment shows no more peripheral enhancement necrosis of the tumor.	

Fig 32	a) Vascular adenoma in the liver.	79
	b) Angiogram post embolization, no more tumor circulation.	80
Fig 33	a) Angiogram before ethanolinjection showing tumor in the right lobe.	81
	b) Angiogram 6 ms. after therapy showing stain no longer exists.	