# THE POTENTIAL EFFECT OF SILVER AND GOLD NANOPARTICLES AS MOLLUSCICIDES AND CERCARICIDES ON SCHISTOSOMA MANSONI

Thesis submitted to Faculty of Medicine, Ain Shams University for Partial Fulfilment of Master Degree in Medical Sciences (Medical Parasitology)

#### By

#### **Eman Mohammad El-Sayed Hassan**

M.B., B.Ch., Demonstrator of Medical Parasitology Faculty of Medicine, Ain Shams University

#### Under supervision of

#### Prof. Dr. Manal Abdel-Aziz Moustafa

Head of Parasitology Department, Professor of Medical Parasitology Faculty of Medicine, Ain Shams University

#### Dr. Rania Mohammad Sarhan

Assistant Professor of Medical Parasitology Faculty of Medicine, Ain Shams University

#### Dr. Hanan Shahat Mossalem

Assistant Professor of Medical Malacology TBRI.

#### Dr. Abeer Ahmed Abdel-Rahman

Lecturer of Medical Parasitology Faculty of Medicine, Ain Shams University

Medical Parasitology Department
Faculty of Medicine, Ain Shams University
2018

## Dedication

Dedicated to the most wonderful **mother L father** whose affection, love, encouragement and prays of day L night make me able to get such success and also to the most understanding **husband** for his patience, love and support.

Thank you for your support, really without you I would have never reached this stage in my life.

### Acknowledgment

First and foremost, thanks are to **Allah**, the creator of all, the most beneficent and merciful of all, to whom I relate any success that I can achieve.

I would like to express my high appreciation and gratitude to *Prof. Or. Manal Abdel-Aziz Moustafa*, Head Professor of Medical Parasitology Department, Faculty of Medicine, Ain Shams University, for her keen supervision, precious advice, continuous encouragement and support through the whole research.

My special thanks and appreciation to, *Dr. Rania Mohammad Sarhan*, Assistant Professor of Medical Parasitology, Faculty of Medicine, Ain Shams University, for her precious advice, faithful supervision, continuous support and guidance throughout this work.

Also, I would like to express my gratitude and appreciation to *Dr. Hanan Shahat Mossalem*, Assistant Professor of Medical Malacology TBRI, for her sincere help, vast knowledge and for the facilities she provided to perform the study.

Special thanks to *Or. Abeer Ahmed Abdel-Rahman*, Lecturer of Medical Parasitology, Faculty of Medicine, Ain Shams University, for her great help and supervision.

I would like to thank *Dr. Mohammad Salah Eldin*, Veterinarian at animal house at TBRI, for his great help and for the facilities he provided to perform the study.

Many thanks to all members of Parasitology Department, Faculty of Medicine, Ain Shams University, for their great help.

Eman Mohammad El-Sayed
2018

## List of content

	Page
Introduction	1
Review of literature	
Schistosoma mansoni	3
Nanoparticles	19
Silver and gold nanoparticles	24
Nanoparticles and schistosomiasis	27
Aim and plan of the work	30
Materials and Methods	33
Results	48
Discussion	81
Summary	90
Conclusions and recommendations	93
References	95
Arabic summary	

## **List of Tables**

Table 1	<b>Title</b> The effect of different concentrations of Ag and Au NPs on <i>B. alexandrina</i> snails.	<b>Pago</b> 49
2	Diagnostic performance of Ag and Au NPs molluscicidal effect along their concentration gradients.	51
3	The effect of different concentrations of Ag and Au NPs on <i>S. mansoni</i> cercariae (cercarial mortality (%)) at different time intervals.	52
4	Diagnostic performance of Ag and Au NPs cercaricidal effect along their concentration gradients at 15 min.	53
5	Evaluation of TWB in SC infected mice with treated cercaria (groups Va & Vb).	59
6	Evaluation of TWB in SC infected mice with normal cercariae treated 1 h PI (groups VIa & VIb).	60
7	Evaluation of TWB in TI infected mice with treated cercariae (groups IVa & IVb).	62
8	Evaluation of TWB in TI infected mice with normal cercariae treated 1 h PI (groups VIIa & VIIb).	62
9	Evaluation of egg count/gm intestine from SC infected mice with treated cercaria (groups Va & Vb).	64

10	Evaluation of egg count/gm intestine from SC infected mice with normal cercariae treated 1 h PI (groups VIa & VIb).	64
11	Evaluation of egg count/gm intestine from TI infected mice with treated cercariae (groups IVa & IVb).	66
12	Evaluation of egg count/gm intestine from TI infected mice with normal cercariae treated 1 h PI (groups VIIa & VIIb).	66
13	Evaluation of egg count/gm liver from SC infected mice with treated cercaria (groups Va & Vb).	68
14	Evaluation of egg count/gm liver from SC infected mice with normal cercariae treated 1 h PI (groups VIa & VIb).	68
15	Evaluation of egg count/gm liver from TI infected mice with treated cercariae (groups IVa & IVb).	69
16	Evaluation of egg count/gm liver from TI infected mice with normal cercariae treated 1 h PI (groups VIIa & VIIb).	70
17	Evaluation of oogram pattern in SC infected mice with treated cercaria (groups Va & Vb).	72
18	Evaluation of oogram pattern in SC infected mice with normal cercariae treated 1 h PI (groups VIa & VIb).	73

## List of Tables

19	Evaluation of oogram pattern in TI infected mice with treated cercariae (groups IVa & IVb).	75
20	Evaluation of oogram pattern in TI infected mice with normal cercariae treated 1 h PI (groups VIIa & VIIb).	76
21	Evaluation of granuloma groups (Va & Vb) as regard diameter and number.	79
22	Evaluation of granuloma groups (VIa & VIb) as regard diameter and number.	80

# **List of Figures**

Figure	Title	Page 4
1	S. mansoni male and female.	4
2	Life cycle of schistosomes.	6
3	Schistosomiasis, countries and areas at risk, 2014.	7
4	Schistosomal granuloma surrounding <i>S. mansoni</i> egg in liver.	8
5	Schistosomal colonic polyp with numerous calcified <i>S. mansoni</i> eggs beneath the lamina propria.	9
6	Egg of S. mansoni (x400).	13
7	Glass transparent beakers containing snails.	36
8	Snails distributed in 24- culture plate and exposed to artificial light.	37
9	Treated cercariae observed under a dissecting microscope.	38
10	Control and experimental groups.	43
11	Petri dish containing the recovered adult worms	44
12	Oogram pattern for S. mansoni eggs.	46
13	Scattered plot illustrating the effect of different concentrations of Ag and Au NPs on the mortality of the <i>B. alexandrina</i> snails.	50

14	Scattered plot illustrating the effect of different concentrations of Ag and AuNPs on the mortality of <i>S. mansoni</i> cercariae (cercarial mortality (%)) at different time intervals.	54
15	Control cercariae.	55
16	Cercariae treated with AgNPs (10 ppm) 30 min after exposure.	56
17	Cercariae treated with AuNPs (100 ppm) 45 min after exposure.	57
18	Parameters used for assessing the <i>in vivo</i> experimental study.	59
19	Bar charts illustrating the TWB in (A): SC infected mice with treated cercariae (groups Va & Vb) and (B): SC infected mice with normal cercariae treated 1 h PI (groups VIa & VIb).	61
20	Bar charts illustrating the TWB in (A): TI infected mice with treated cercariae (groups IVa & IVb) and (B): TI infected mice with normal cercariae treated 1 h PI (groups VIIa & VIIb).	63
21	Bar charts illustrating the egg count/gm intestine from (A): SC infected mice with treated cercaria (groups Va & Vb) and (B): SC infected mice with normal cercariae treated 1 h PI (groups VIa & VIb).	65
22	Bar charts illustrating the egg count/gm intestine from (A): TI infected mice with treated cercaria (groups IVa & IVb) and (B): TI infected mice with normal cercariae treated 1 h PI (groups VIIa & VIIb).	67

- Bar charts illustrating the egg count/gm liver from (A): 69 SC infected mice with treated cercaria (groups Va & Vb) and (B): SC infected mice with normal cercariae treated 1 h PI (groups VIa & VIb).
- Bar charts illustrating the egg count/gm liver from (A): TI 71 infected mice with treated cercaria (groups IVa & IVb) and (B): TI infected mice with normal cercariae treated 1 h PI (groups VIIa & VIIb).
- Bar charts illustrating the oogram pattern in (A): SC 74 infected mice with treated cercaria (groups Va & Vb) and (B): SC infected mice with normal cercariae treated 1 h PI (groups VIa & VIb).
- Bar charts illustrating the oogram pattern in (A): TI 77 infected mice with treated cercaria (groups IVa & IVb) and (B): TI infected mice with normal cercariae treated 1 h PI (groups VIIa & VIIb).
- Histopathological changes in hepatic tissue in different 78 groups 6 wks PI (Hx and E stain ×400).