




شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40 %

بعض الوثائق الأصلية تالفة



بالرسالة صفحات لم

ترد بالاصل





599,528

Zagazig University
Banha Branch
Faculty of Science
Geology Department

**GEOLOGICAL FACTORS CONTROLLING URANIUM
DISTRIBUTION AND AFFECTING ITS LOCALIZATION IN
G-II OCCURRENCE, GABAL QATTAR, N E D, EGYPT.**

A THESIS SUBMITTED FOR THE DEGREE OF
MASTER OF SCIENCE (GEOLOGY)

To

Department of Geology, Faculty of
Science, Zagazig University, Banha Branch

By

Ashraf Abdel Hamid Zaky Hammad Nossair

(B.Sc.)

Nuclear Materials Authority (NMA)

Supervised By

Prof. Dr. Mohamed Ahmed Wetaït

Department of Geology

Zagazig University

Banha Branch

Prof. Dr. Mahmoud Hani Shalaby

Head of the Research Sector

Nuclear Materials Authority

Cairo, Egypt

Dr. Mohamed El Sayed Roz

Head of Engineering Geology Department

Nuclear Materials Authority

Cairo, Egypt

2005

B

Y A 25

ACKNOWLEDGMENTS

First of all thanks to Allah

*It is a pleasure for me to express my great thanks and indebtedness to **Prof. Dr. Mohamed A. Wetait**, Geology Department, Zagazig University, Benha Branch for his continuous aid and support during the thesis preparation*

*I would like to express my deepest gratitude to **Prof. Dr. Mahmoud H. Shalaby**, Head of the Research sector, Nuclear Materials Authority, for his tireless supervision, encouragement during the various steps of this works, kind advices and great patience in reviewing the manuscript.*

*No word can express my gratitude and appreciation to **Dr. Mohamed E. Roz**, Head of Engineering Geology Department, Nuclear Materials Authority, for his kind and valuable guidance through the preparation of this thesis. Without his meticulous checking during the various steps of this work, the present thesis would not have been possible in its present form*

I'm deeply indebted to all colleagues both in the field and the labs of Nuclear Materials Authority, for their kind cooperation, assistance and fruitful discussions.

Finally, I would like to express my sincere thanks to my parents, my brothers and my uncle Hammad, for their support and encouragement through the course of this work.

Geological factors controlling uranium distribution and affecting its localization in G-II occurrence, Gabal Qattar, North Eastern Desert, Egypt.

Abstract

G-II uranium occurrence is one of the most important and promising occurrence in Gabal Qattar uranium prospect. This occurrence is located in the northwestern part of the Qattar pluton, north Eastern Desert of Egypt. The area of study is approximately determined by the intersection of latitude $27^{\circ} 5'30''$ N and longitude $33^{\circ} 17' 5''$ E. The granite of G-II uranium occurrence could be classified as alkali feldspar granite.

The most prevailing structures are the secondary elements exhibited by faulting, fracturing and jointing. The faults, especially those trending in the NNE-SSW, NW-SE, NE-SW and N-S directions, predominate in the study area. They acquire their importance by playing the role of passways for the uranium mineralizing solution. Their intersections represent the localizing sites for dense uranium mineralizations.

The statistical analyses and comparative studies of both surface and subsurface joints revealed that the predominating joints trending NNE-SSW, N-S, WNW-ESE and NE-SW, recoded at surface, are still active at the subsurface, accompanied with the same types of mineralization and associated alteration, with variation in intensities and distributions.

Systematic measurements of the total gamma radioactivity were conducted all over the area of study on surface and subsurface. This lead to the discovery of many surface and subsurface primary and secondary uranium mineralized zones. Some of them extend from the topographic surface to mining work levels and may extend to deeper levels which require an intensive drilling program.

G-II uranium occurrence could be classified as a hydrothermal vein -type uranium deposit. The presence of uranium mineralization at different levels of depth confirm the role of ascending hypogene solutions in mineralizing the granite. The dimensions and intensities of the uranium mineralized zones are of good economic potentiality. These factors together give G-II uranium occurrence its important as a good target for further development works.

CONTENTS

	Page
List of tables	vii
List of figures	ix
CHAPTER ONE : INTRODUCTION	
I.1. General statement	1
I.2. Synopsis of the Egyptian basement rocks	1
I.2.1. Classification of the Egyptian basement rocks	4
I.2.2. Classification of the Egyptian granitoids	4
I.3. Area of study	8
I.3.1. Location and accessibility	8
I.3.2. Physiography	8
I.3.3. Climate and water resources	8
I.4. Previous Works	10
I.5. Objectives of the Present Work	15
CHAPTER TWO : GEOLOGICAL SETTING	
II.1. Introduction	17
II.2. Surface Geology	17
II.3. Mining Activities	23
II.3.1. Introduction	23
II.3.2. Subsurface Geology	30
CHAPTER THREE : STRUCTURAL SETTING	
III .1. Introduction	35
III.2. Joints	39
III.2.1.Surface joints	40
III.2.1.1. Surface non- mineralized joints.....	40
III.2.1.2. Surface uranium mineralized joints	44
III.2.2. Subsurface joints	47

	Page
III.2.2.1. Subsurface non- mineralized joints of the western tunnel	47
III.2.2.1.1. The main adit (T_2)	47
III.2.2.1.2. The drift (D_1).	50
III.2.2.1.3. The first crosscut (Cc_1)	53
III.2.2.1.4. The second crosscut (Cc_2)	55
III.2.2.1.5. The third crosscut (Cc_3)	55
III.2.2.1.6. The fourth crosscut (Cc_4)	57
III.2.2.2. Subsurface non- mineralized joints of the eastern tunnel	57
III.2.2.2.1. The main adit (T_1)	57
III.2.2.2.2. The first drift (D_1)	60
III.2.2.2.3. The second drift (D_2)	60
III.2.2.3. Total subsurface non- mineralized joints	61
III.2.2.4. Subsurface uranium mineralized joints	65
III.3. Fractures and faults	69
III.3.1. NNE-SSW trending faults	70
III.3.2. NW-SE trending faults	70
III.3.3. NE-SW trending faults	73
III.3.4. N-S trending faults	74
III.3.5. WNW-ESE trending faults	76
III.3.6. E-W trending faults	76
III.3.7. Discussion.....	78
 CHAPTER FOUR : PETROGRAPHY	
IV.1. Introduction	80
IV.2. Petrography of the studied granite.....	80
 CHAPTER FIVE: RADIOACTIVITY AND URANIUM	
MINERALIZATION	
V.1. Introduction	97
V.2. Procedures	98
V.2.1. Field procedures	98

	page
V.2.2. Laboratory procedures	99
V.3. Distribution of total radioactivity	99
V.3.1. Surface radioactivity	99
V.3.2. Subsurface radioactivity	101
V.3.2.1. Radioactivity distribution in the western tunnel	101
V.3.2.1.1. The main adit (T_2).....	102
V.3.2.1.2. The drift (D_1)	102
V.3.2.1.3. First crosscut (Cc_1).....	103
V.3.2.1.4. Second crosscut (Cc_2).....	103
V.3.2.1.5. Third crosscut (Cc_3).....	103
V.3.2.1.6. Fourth crosscut (Cc_4).....	104
V.3.2.2. Radioactivity distribution in the eastern tunnel	104
V.3.2.2.1. The main adit (T_1)	104
V.3.2.2.2. First drift (D_1) ..	105
V.3.2.2.2. Second drift (D_2)	105
V.4. Uranium and thorium distribution	105
V.5. Surface uranium mineralized zones	108
V.5.1. Surface uranium mineralized zones in the eastern side	108
V.5.1.1. Surface uranium mineralized zone No.1 (1.E)	110
V.5.1.2. Surface uranium mineralized zone No.2 (2.E)	110
V.5.1.3. Surface uranium mineralized zone No.3 (3.E)	111
V.5.1.4. Surface uranium mineralized zone No.4 (4.E)	111
V.5.1.5. Surface uranium mineralized zone No.5 (5.E)	113
V.5.1.6. Surface uranium mineralized zone No.6 (6.E)	114
V.5.1.7. Surface uranium mineralized zone No.7 (7.E)	114
V.5.1.8. Surface uranium mineralized zone No.8 (8.E)	115
V.5.1.9. Surface uranium mineralized zone No.9 (9.E)	115
V.5.1.10. Surface uranium mineralized zone No.10 (10.E)	116

	page
V.5.2. Surface uranium mineralized zones in the western side	116
V.5.2.1. Surface uranium mineralized zone No.1 (1.W).....	116
V.5.2.2. Surface uranium mineralized zone No.2 (2.W).....	119
V.5.2.3. Surface uranium mineralized zone No.3 (3.W).....	120
V.5.2.4. Surface uranium mineralized zone No.4 (4.W).....	120
V.5.2.5. Surface uranium mineralized zone No.5 (5.W).....	122
V.5.2.6. Surface uranium mineralized zone No.6 (6.W).....	122
V.5.3. Discussion	129
V.6. Subsurface uranium mineralized zones	130
V.6.1. Radioactive anomalies and uranium mineralized zones in the western tunnel	130
V.6.1.1. Radioactive anomaly No.1	133
V.6.1.2. Radioactive anomaly No.2	133
V.6.1.3. Radioactive anomaly No.3	136
V.6.1.4. Radioactive Anomaly No.4	142
V.6.1.5. Uranium mineralized zone No.1.....	142
V.6.1.6. Uranium mineralized zone No.2.....	145
V.6.1.7. Uranium mineralized zone No.3.....	148
V.6.2. Radioactive Anomaly and uranium mineralized zones in the eastern tunnel	152
V.6.2.1. Uranium mineralized zone No.4.....	152
V.6.2.2. Uranium mineralized zone No.5.....	157
V.6.2.3. Radioactive anomaly No.5.....	157
V.6.3. Conclusion	158
V. 6.4. Uranium mineralization	159
V.7. Discussion	160
CHAPTER SIX : SUMMARY AND CONCLUSION	165
REFERENCES	172
ARABIC SUMMARY	

List of Tables

No		Page
Table 1.1	: Classification of the Egyptian basement rocks.....	5
Table 1.2	: The different classification of the Egyptian granitoid rocks ...	7
Table2.1	: Strike, total length and target to be reached in the main adit, drift and cross cuts of the western tunnel, G-II uranium occurrence mining work.	26
Table 2.2	: Strike, total length and target to be reached in the main adit, and drifts of the eastern tunnel, G-II uranium occurrence mining work.	28
Table 3.1	: Strike direction and frequency distribution of surface non-mineralized joints and surface mineralized joints, G-II uranium occurrence.	42
Table 3.2	: Strike direction and frequency distribution of 1000 subsurface non- mineralized joints of the western tunnel, G-II uranium occurrence.	51
Table 3.3	: Strike direction and frequency distribution of 400 subsurface non-mineralized joints of the eastern tunnel, G-II uranium occurrence	59
Table 3.4	: Strike direction and frequency distribution of 1400 subsurface non-mineralized joints, G-II uranium occurrence.	63
Table 3.5	: Strike direction and frequency distribution of subsurface uranium mineralized joints, G- II uranium occurrence. ...	67
Table 3.6	: Strike direction and frequency distribution of faults and fractures, G-II uranium occurrence.	71

No		Page
Table 4.1	: Model composition of the studied younger granite. G-II uranium occurrence.	81
Table 5.1	: Statistical analysis of gamma radioactivity in ppm, systematically measured along the western tunnel, G-II uranium occurrence.	100
Table 5.2	: Uranium and thorium content in ppm and Th/U ratio of the normal granite samples of G-II uranium occurrence.	107
Table 5.3	: Surface uranium mineralized zones in the eastern side of G-II uranium occurrence.	112
Table 5.4	: Surface uranium mineralized zones in the western side of G-II uranium occurrence.	121
Table 5.5	: Subsurface radioactive anomalies and uranium mineralized zones in the western tunnel. G-II uranium occurrence mining works.	137
Table 5.6	: Subsurface radioactive anomalies and uranium mineralized zones in the eastern tunnel. G-II uranium occurrence mining works.	156
Table 5.7	: X-ray diffraction pattern of Uraninite, Quartz and Fluorite. G-II uranium occurrence.	161
Table 5.8	: X-ray diffraction pattern of Uranophane and Beta-Uranophane. G-II uranium occurrence.	162

List of Figures

No.		Page
Fig.1.1	: Aerial photograph showing the uranium occurrences of G.Qattar prospect	2
Fig.1.2	: Distribution of the Pan- African rocks	3
Fig.1.3	: Location map of G. Qattar area, North Eastern Desert.	9
Fig.2.1	: General view of G-II uranium occurrence.	19
Fig.2.2	: Taffoni weathering in the granite, G-II uranium occurrence ...	19
Fig.2.3	: Altered basic dyke located at the entrance of the western tunnel, G-II uranium occurrence	19
Fig.2.4	: Quartz veinlet intruded in the granite, G-II uranium occurrence	19
Fig.2.5	: Secondary uranium mineralization associated with hematitization, G-II uranium occurrence	22
Fig.2.6	: Close up view showing silicified parts of the examined granite, G-II uranium occurrence	22
Fig.2.7	: Close up view showing veinletes and dissemination of violet fluorite in the granite, G-II uranium occurrence.....	22
Fig.2.8	: Close up view of kaolinitized part of the studied granite, G-II uranium occurrence	22
Fig.2.9	: Close up view of denderitic manganese oxides in the examined granite, G-II uranium occurrence	24
Fig.2.10	: Close up view of spotty manganese oxides in the studied granite, G-II uranium occurrence.	24
Fig.2.11	: Portal of the western tunnel, G-II uranium occurrence	24
Fig.2.12	: Portal of the eastern tunnel, G-II uranium occurrence	24
Fig.2.13	: Planimetric map of the western tunnel, G-II uranium occurrence.	27