

Contents

Subjects	Page
List of abbreviations.....	II
List of Figures.....	IV
List of Tables.....	V
• Introduction	1
• Aim of the Work	5
• Review of Literature	
♦ Contraception.....	6
♦ Intrauterine Contraceptive Device.....	12
♦ Postpartum Contraception.....	42
• Subjects and Methods	52
• Results	63
• Discussion	70
• Summary	76
• Conclusion	82
• References	83
• Arabic Summary	

List of Abbreviations

BMD	: Bone mineral density
CS	: cesarean section
DMPA	: Depot medroxyprogesterone acetate
FP	: Family planning
FSH	: Follicle- stimulating hormone
GnRH	: Gonadotropin-releasing hormone
hCG	: Human chorionic gonadotropin
HIV	: Human immunodeficiency virus
IUCD	: Intrauterine contraceptive device
IUCDs	: Intrauterine contraceptive devices
LARC	: Long-acting reversible contraceptives
LH	: Luteinizing hormone
LNg	: Levonorgestrel
MDG	: Millennium Development Goals
NSAIDs	: Non-steroidal anti-inflammatory drugs
PID	: Pelvic inflammatory disease
POC	: Progestin-only oral contraception
TU	: Testosterone undecanoate
VTE	: Venous thromboembolism
WHO	: World Health Organization
ZP	: Zona pellucida

List of Figures

<u>No.</u>	<u>Figure</u>	<u>Page</u>
<u>1</u>	The TCU380A IUCD.	14
<u>2</u>	LNG-releasing IUCDs.	15
<u>3</u>	The Lippes loop and Flexible stainless steel rings.	16
<u>4</u>	GyneFix is a unique, frameless IUD featuring copper beads that are supported on a surgical suture which is embedded into myometrium using the supplied inserter.	18
<u>5</u>	Laparoscopic removal of a perforated intrauterine device.	37
<u>6</u>	Incidentally detected displaced intrauterine contraceptive device.	40
<u>7</u>	CUT 375A insertion and fixation with vicryle 2-0.	59
<u>8</u>	Comparison between first and second group regarding parity.	69
<u>9</u>	Comparison between first and second group regarding number of previous cesarean section.	70
<u>10</u>	Comparison between first and second group regarding incidence of IUCD expulsion, pain and bleeding.	72

List of Tables

<u>No.</u>	<u>Table</u>	<u>Page</u>
<u>1</u>	Comparison between first and second group regarding personal characteristics.	68
<u>2</u>	Comparison between first and second group regarding incidence of IUCD expulsion, pain and bleeding.	71
<u>3</u>	Relation between previous number of cesarean section and IUCD expulsion.	73
<u>4</u>	Relation between parity and IUCD expulsion.	73



Protocol





Introduction





Aim of the Work





Review of Literature





Subjects and Methods





Results





Discussion





Summary





Conclusion





References





Arabic Summary

