EFFECT OF SOME ACIDIFICATION AGENTS ON PRODUCTIVE PERFORMANCE OF BROILER CHICKENS

By

AHMED MOHAMMED NAGEB AL-BAZ

B.Sc. Agric. Sc. (Poultry Production), Ain shams University, 1999M.Sc. Agric. Sc. (Poultry Nutrition), Ain shams University, 2006

A Thesis Submitted in Partial Fulfillment
Of

The Requirement for the Degree of

DOCTOR OF PHILOSOPHY in

Agricultural Sciences (Poultry Nutrition)

Department of Poultry Production Faculty of Agriculture Ain Shams University

EFFECT OF SOME ACIDIFICATION AGENTS ON PRODUCTIVE PERFORMANCE OF BROILER CHICKENS

By

AHMED MOHAMMED NAGEB AL-BAZ

B.Sc. Agric. Sc. (Poultry Production), Ain shams University, 1999 M.Sc. Agric. Sc. (Poultry Nutrition), Ain shams University, 2006

Under the supervision of:

Dr. Alaa Abd Alsalam Hemid

Prof. Emeritus of Poultry Nutrition, Department of Poultry Production, Faculty of Agriculture, Ain Shams University (Principal Supervisor)

Dr. Faisal Bayoumi Abd El-Salam

Lecturer of Poultry Physiology, Department of Poultry Production, Faculty of Agriculture, Ain Shams University

Dr. Raafat EL- Saved Khidr

Researcher Prof. of Poultry Nutrition, Desert Research Center,

ABSTRACT

AHMED MOHMMED NAGEB AL -BAZ: Effect of some acidification agents on productive performance in broiler chickens. Unpublished Ph.D. Dissertation, Department of Poultry Production, Faculty of Agriculture, Ain Shams University, 2018.

The present study was conducted to evaluate the potential beneficial impact of *Probiotic* (Bacillus subtilis), *Prebiotic* (Mannan Oligo saccharide) and Organic acid salts (Sodium lactate) of incubation on growth parameters, hematological and blood biochemical profile, and immunological status, antimicrobial potentiality, and histological changes. Four hundred and five unsexed one day old Ross 308 broiler chicks were randomly distributed into 8 dietary treatments plus the control group. Each group was divided into three replicates of 15 chicks each. Chicks were fed a basal diet supplemented with acidifier agents as follow: control = non- supplemented basal diet, Pre/Pro H= Diet contains 100g/ton Probiotic + 500g/ton Prebiotic, Pre/OAs H=Diet contains 500g/ton Prebiotic + 2% Sodium lactate, Pro/ OAs H=Diet contains 100g/ton Probiotic + 2% Sodium lactate, OAs/Enz H=Diet contains 2% Sodium lactate + 500g/ton Enzyme, Pre/Pro L=Diet contains 50g/ton Probiotic + 250g/ton Prebiotic, Pre/OAs L=Diet contains 250g/ton Prebiotic + 1% Sodium lactate, Pro/ OAs L=Diet contains 50g/ton Probiotic + 1% Sodium lactate and OAs/Enz L=Diet contains 1% Sodium lactate + 500g/ton Enzyme.

Results showed that LBW and BWG were significantly increased in acidifier supplemented groups compared with control, and recorded the best FCR compared with non-supplemented chickens. Carcass yield and gizzard relative weights were higher in supplemented chickens than chickens of control group. Bursa and thymus relative weights were significantly increased with acidifier supplemental. Furthermore; Chicken supplemented with a mixture of two acidifier had a reduction in serum Triglycerides, cholesterol and LDL levels while increased in glucose and HDL levels but no significantly statically in total lipid, total protein, albumin and globulin.

Addition of acidifiers to broiler chickens diet improved RBC counts, Hb, PCV, MCH and MCHC. Cecal microbial ecosystem was changed with acidifiers supplementation. Total lactic acid bacteria was highly increased while total *coliform* and *E.coil* counts were decreased in treated groups compared with control.

In conclusion, addition of a mixture of acidifiers as a growth promoters to broiler diets enhance productive performance, improve some of the biochemical and hematological indices and encourage gut useful bacteria growth.

Key words: *Probiotic, Prebiotic, Organic acid salts,* Productive Performance, Hematological, Biochemical parameters, Microbial count, Broiler.

CONTENTS

LIST OF TABLES
LIST OF FIGURES
LIST OF ABBREVIATION
1. INTRODUCTION
2. REVIEW OF LITERATURE
2.1. Probiotic
2.1.1 Effect of probiotic on live body weight and body weight
gain
2.1.2.Effect of probiotics on feed consumption and feed
conversion ratio
2.1.3.Effect of probiotics on carcass characteristics
2.1.4. Effect of probiotic on blood constituents
2.1.5. Effect of probiotic on immune response
2.1.6. Effect of probiotic on gut microflora
2.2. Prebiotic
2.2.1. Effect of prebiotic on live body weight and body weight
gain
2.2.2. Effect of prebiotics on feed consumption and feed
conversion ratio.
2.2.3. Effect of prebiotics on carcass characteristics
2.2.4. Effect of prebiotic on blood constituents
2.2.5. Effect of prebiotic on immune response
2.2.6. Effect of prebiotic on gut microflora
2.3. Organic acids and their salts
2.3.1. Effect of organic acids and their salts on live body
weight and body weight gain
2.3.2 Effect of organic acids and their salts on feed
consumption and feed conversion ratio

	Page
2.3.3. Effect of organic acids and their salts on carcass	
characteristics	30
2.3.4. Effect of organic acid and their salts on blood	
constituents	31
2.3.5. Effect of organic acid and their salts on immune	
response	31
2.3.5. Effect of organic acid and their salts on gut microflora	32
2.4. Enzymes	33
2.4.1. Effect of enzymes on live body weight and body weight	
gaingain	34
2.4.2. Effect of enzyme on feed consumption and feed	
conversion ratio	35
2.4.3. Effect of enzyme on carcass characteristics	36
2.4.4. Effect of enzyme on blood constituents	37
2.4.5. Effect of enzymes on immune response	38
2.4.6. Effect of enzymes on gut microflora	39
3. MATERIALS AND METHODS	41
3.1. The tested materials of feed additive	41
3.2. Experimental birds and management	42
3.2.1. Experimental procedures	42
3.2.2. Housing, ventilation and lighting	42
3.2.3.Bird care and vaccination.	43
3.3.Experimental diets	43
3.4. Measurements	45
3.4.1. Productive performance	45
3.4.1.1. Live body weight	45
3.4.1.2. Body weight gain	45
3.4.1.3 Feed consumption	45
3.4.1.4 Feed conversion ratio	46
3.4.2.Slaughters yield	46
3.4.3.Serum biochemical and hematological parameters	46

	Page
3.4.4.Microbial evaluation of intestinal	47
3.4.4.1.Intestine sample	47
3.4.4.2. Media used	47
3.4.4.3. Microorganisms used	48
3.4.4.4. Microbial evaluation of samples	49
3.4.5. pH of the small intestine content	49
3.9.Statistical analysis	49
4. RESULTS AND DISSCUSION	51
4.1. Effect of dietary acidifiers supplementation on productive	
performance	51
4.1.1. Live body weight	51
4.1.2. Body weight gain	52
4.1.3. Feed Consumption.	53
4.1.4. Feed conversion ratio.	54
4.2. Effect of dietary acidifiers supplementation on carcass	
traits of broiler chickens	60
4.3. Effect of dietary acidifiers supplementation on relative	
weights of lymphoid organs	62
4.4. Effect of dietary acidifiers supplementation on pH values	
of an ileum and cecum and intestinal measurements	67
4.5. Effect of dietary acidifiers supplementation on some blood	
constituents of broiler chickens	71
4.6. Effect of dietary acidifiers supplementation on	
hematological parameters of broiler chickens	78
4.7.Effect of dietary acidifiers supplementation on gut	
microbial counts of broiler chickens	82
5. SMMARRY AND CONCLSION	87
6. REFERENCES	90
ARABIC SUMMARY	

LIST OF TABLES

able No.		Page
1.	Vaccinated program of the experimental diet	43
2.	Composition of the experimental basal diet	44
3.	Media and incubation conditions used for	
	microbiological analysis of different samples	49
4.	Effect of dietary acidifiers supplementation on live	
	body weight (LBW) and body weight gain (BWG) of	
	broiler chickens	56
5.	Effect of different dietary treatment on feed	
	consumption (FC) and feed conversion ratio(FCR) of	
	broiler chickens	57
6.	Effect of dietary acidifiers supplementation on carcass	
	characteristics of broiler chickens	61
7.	Effect of dietary acidifiers supplementation on relative	
	weight of lymphatic organs of broiler chickens	64
8.	Effect of dietary acidifiers supplementation on pH of	
	ileum and cecum and intestinal measurements of broiler	
	chickens.	69
9.	Effect of dietary acidifiers supplementation on plasma	
	levels of total protein , albumin , globulin and $\ensuremath{A/G}$ ratio	
	of broiler chickens at 35 day of age	72
10.	Effect of dietary acidifiers supplementation on plasma	
	lipid profile and glucose level of broiler chickens at 35	
	day of age.	73
11.	Effect of dietary acidifiers supplementation on	
	Hematological parameters of broiler chickens 35 day of	
	age	79
12.	Effect of dietary acidifiers supplementation on total	
	lactic acids, total coliform and E. coil of broiler	
	chickens35 day of age	85

LIST OF FIGURES

Fig. No.		Page
1.	Live body weight (g) broiler chicks during 4 weeks	58
	period as affected by dietary acidifiers	
	supplementation	
2.	Live body weight (g) broiler chicks during 5 weeks	58
	period as affected by dietary acidifiers	
	supplementation	
3.	Body weight gain (g) of broiler chicks as affected by	59
	dietary acidifiers supplementation	
4.	Feed consumption (g/bird/day) of broiler chicks as	59
	affected by dietary acidifiers supplementation	
5.	Feed conversion (g feed/g gain) of broiler chicks as	60
	affected by dietary acidifiers supplementation	
6.	Dressing carcass (D.C.) of broiler chicks as affected by	65
	dietary acidifiers supplementation	
7.	Spleen weight of broiler chicks as affected by dietary	65
	acidifiers supplementation	
8.	Thymus weight of broiler chicks as affected by dietary	66
	acidifiers supplementation	
9.	Bursa weight of broiler chicks as affected by dietary	66
	acidifiers supplementation	
10.	pH Value of broiler chicks as affected by dietary	70
	acidifiers supplementation	
11.	Intestine weight of broiler chicks as affected by dietary	70
	acidifiers supplementation	
12.	Intestine length of broiler chicks as affected by dietary	
	acidifiers supplementation	71
13.	Glucose levels of broiler chicks as affected by dietary	
	acidifiers supplementation	75

Fig. No.		Page
14.	Cholesterol levels of broiler chicks as affected by	76
	dietary acidifiers supplementation	
15.	Triglycerides levels of broiler chicks as affected by	76
	dietary acidifiers supplementation	
16.	Low density lipoprotein levels of broiler chicks as	77
	affected by dietary acidifiers supplementation	
17.	High density lipoprotein levels of broiler chicks as	77
	affected by dietary acidifiers supplementation	
18.	Red Blood Cells of broiler chicks as affected by	80
	dietary acidifiers supplementation	
19.	Hemoglobin of broiler chicks as affected by dietary	81
	acidifiers supplementation	
20.	Haematological parameters of broiler chicks as	81
	affected by dietary acidifiers supplementation	
21.	Total lactic acid populations (Log cfu/g) of broiler	86
	chicks as affected by dietary acidifiers supplementation	
22.	Total coliform and E. coil populations (Log cfu/g) of	
	broiler chicks as affected by dietary acidifiers	
	supplementation	86

LIST OF ABBREVIATION

ABBREVIATION Mean

LBW : Live Body weight

BWG : Body weight gain

FC : Feed Consumption

FCR : Feed Conversion ratio

DC : Dressing carcass

RBC : Red Blood Cell

Hb : Hemoglobin concentration

PCV : packed cell volume

GIT : Gastrointestinal tract

IT : Intestinal tract

HDL : High-density lipoprotein

LDL : Low-density lipoprotein

TLA : Total lactic acid

CP : Crude Protein

NDV : Newcastle Disease virus

MCH : Mean Corpuscular Hemoglobin

MCHC : Mean Corpuscular Hemoglobin Concentration

CFU : Colony-Forming Unit