



MOLECULAR GENETIC STUDIES ON HEAT TOLERANCE IN SOME MAIZE HYBRIDS

A thesis

**Submitted for Faculty of Science Ain Shams University for
Degree of PhD of Science in Botany (Genetics)**

By

Marwa Mahmoud Mohamed Mahmoud Ghonaim

(B.Sc. 2000, M.Sc. 2008)

Supervised by

Prof. Hoda Mohamed Sobhy Barakat
Professor of Plant Cytogenetic, Botany
Department, Faculty of Science, Ain
Shams University

Prof. Naglaa Abdel-mone'm Ashry
Professor of Molecular Genetics, Cell
Research Department, Field Crop
Research Institute, ARC

Prof. Mahmoud Mohamed Saker
Professor of Molecular Genetics,
National Research Center

Dr. Nahla Amin Safaa El-Din El-Sherif
Associate Professor of Plant Molecular
biology, Botany Department, Faculty of
Science, Ain shams University

(2016)

Supervision Sheet

Molecular genetic studies on heat tolerance in some maize hybrids

PhD Thesis

By

Marwa Mahmoud Mohamed ghonaim

(B.Sc. 2000, M.Sc. 2008)

Supervision Committee

Prof. Hoda Mohamed Sobhy Barakat

Professor of Plant Cytogenetic, Botany Department,
Faculty of Science Ain Shams University

Prof. Naglaa Abdel-mone'm Ashry

Professor of Molecular Genetics, Cell Research Department,
Field Crop Research Institute, Agricultural Research Center (ARC)

Prof. Mahmoud Mohamed Sakr

Professor of Molecular Genetics, National research Center

Dr. Nahla Amin Safaa El-Din El-Sherif

Associate Professor of Plant Molecular Biology, Botany
Department, Faculty of Science, Ain Shams University

(2016)



Approval sheet

Title: Molecular genetic studies on heat tolerance in some maize hybrids.

Degree: Doctor of philosophy of science in Botany (Genetics).

Student Name : Marwa Mahmoud Mohamed Ghonaim

Examination committee

Prof. Hoda Mohamed Sobhy Barakat

Professor of Plant Cytogenetic, Botany Department,
Faculty of Science Ain Shams University

Prof. Naglaa Abdel-mone'm Ashry

Professor of Molecular Genetics, Cell Research Department,
Field Crop Research Institute, Agricultural Research Center (ARC)

Prof. Mahmoud Mohamed Sakr

Professor of Molecular genetics, National Research Center.

Dr. Nahla Amin Safaa El-Din El-Sherif

Associate Professor of Plant Molecular Biology, Botany
Department, Faculty of Science, Ain Shams University

Prof. Dr. Maher M. Shehata

Head of Botany Department

(2016)



قَالُوا سُبْحَانَكَ لَا عِلْمَ لَنَا إِلَّا مَا عَلَّمْتَنَا

إِنَّكَ

أَنْتَ الْعَلِيمُ الْحَكِيمُ

سورة البقرة

الاية (32)

صَدَقَ اللَّهُ الْعَظِيمُ

DECLARATION

**This thesis has not been previously submitted for a
degree at this or any other university and is the
original work of the author**

Marwa Mahmoud Ghonaím

DEDICATION

I dedicate this work with my heartfelt thanks to my father,
my mother and my brothers for their patience and help.

ACKNOWLEDGEMENT

My first and last gratitude to the Almighty "AllAH" for giving me the health and faith to undertake this work.

I would like to express my sincere and special thanks to *Prof. Hoda Mohamed Sobhy Barkat*, professor of plant cytogenetics, Botany Department, Faculty of science, Ain Shams University for her keen supervision, revising the manuscript, continuous encouragement, valuable advices and introducing all supports to me during work in search and in writing the manuscript.

I also like to express my appreciation and everlasting gratitude to *Prof. Naglaa Abd-Elmonem Ashry*, Professor of molecular biology and genetics in Cell Research department (CRD), Field Crop research Institute (FCRI), Agricultural Research center (ARC) for her keen supervision, fruitful help and her advice throughout the courses of this work, also for providing all facilities and supplies to carry out this study and revising the manuscript.

I am also indebted to *prof. Mahmoud mohamed Saker*, Head of Academy of Scientific Research Technology (ASRT) for his supervision, support and continuous encouragement to carry out this study.

Deep thanks to *Dr. Nahla Amin Safaa El-Din El-sherif*, Associated professor of plant molecular biology, Botany Department, Faculty of Science, Ain Shams University, for her supervision support, encouragement, valuable advice and revising the manuscript.

Many thanks with great indebtedness to *Prof. Dr. Maher M. Shehata* (Head of Botany Department, Faculty of Science, Ain Shams University) for his hearted support and kind advice.

I like to express my deepest gratitude to *Prof. Alan Schulman*, professor of genetics, Institute of Science, LUKE/BI Plant Genomics Lab, Helsinki University, Finland for his helpful and advice during my training and for allowing the achievement of part of thesis.

Special thanks goes to *Docent. Ruslan Kalendar* Senior Research Scientist member of at Alan H. Schulman group, Institute of Biotechnology, University of Helsinki, for his helpful advices and solving some technical problems that faced me during my training on retroelements.

Great appreciation is given to all staff member of Institute of Biotechnology, LUKE/BI Plant Genomics Lab, Helsinki, Finland for helping me in retromarkers.

Special thanks and gratitude goes to the sole of my late father whom I wish to be today.



دراسات وراثية جزيئية لصفة تحمل الحرارة فى بعض هجن الذرة الشامية

رسالة مقدمة الى كلية العلوم- جامعة عين شمس

للحصول على درجة دكتوراة فلسفة العلوم (نبات- وراثه)

من

مروة محمود محمد محمود غنيم

بكالوريوس علوم (نبات) كلية العلوم- جامعة طنطا (2000)

ماجستير (نبات- وراثه) كلية العلوم- جامعة طنطا (2008)

تحت اشراف

أ.د/ نجلاء عبد المنعم عشرين
أستاذ الوراثة الجزيئية
مركز البحوث الزراعية

أ.د/ هدى محمد صبحى بركات
أستاذ الخلية والوراثة - كلية العلوم
جامعة عين شمس

د/ ناهلة أمين صفاء الدين الشريف
أستاذ البيولوجيا الجزيئية
المساعد كلية العلوم جامعة عين شمس

أ.د/ محمود محمد صقر
أستاذ الوراثة الجزيئية
المركز القومى للبحوث

2016



جامعة عين شمس

كلية العلوم

قسم النبات

صفحة الموافقة على الرسالة

اسم الطالب: مروة محمود محمد غنيم

عنوان الرسالة: دراسات وراثية جزيئية لصفة تحمل الحرارة في بعض هجن الذرة الشامية.

اسم الدرجة: دكتوراة الفلسفة في العلوم (نبات- وراثه)

لجنة الممتحنين

تاريخ البحث / / 2016

موافقة مجلس الجامعة

موافقة مجلس الكليه

موافقة الدراسات العليا



جامعة عين شمس

كلية العلوم

قسم النبات

صفحة العنوان

اسم الطالب: مروة محمود محمد غنيم

الدرجة العلمية: دكتوراه الفلسفة في العلوم – نبات

القسم: النبات

الكلية : العلوم

الجامعة: عين شمس

سنة التخرج: 2000

سنة المنح:

List of contents

	Pages
1.Introduction	1
2. Review of Literature	5
2.1. Transposable elements	5
2.2. Retrotransposons as molecular markers	8
2.3. Inter retrotransposon amplified polymorphism (IRAP) analysis	9
2.4. SDS-PAGE protein analysis	16
2.5. Heat stress tolerance	18
2.6. Gene expression under heat stress conditions	22
3. Materials and methods	36
3.1. Plant materials	36
3.2. Methods	37
3.2.1. DNA isolation and quantification	38
3.2.2. Inter retrotransposons amplified polymorphism(IRAP) analysis	40
3.2.3. SDS-PAGE protein analysis	44
3.2.4. Effect of heat stress on the maize plant	46
3.2.5. Identification of heat stress genes using three EST Primers	51
3.2.5.1. EST primers and cDNA preparation	51
3.2.5.2. DNA sequencing and sequence alignment	55
3.2.6. Data scoring	56
4. Results	57
4.1. Inter retrotransposon amplified polymorphism (IRAP) analysis	58
4.1.1. Detection of IRAP products based on Ji element	58
4.1.2. Detection of IRAP products based on Huck elements	62
4.1.3. Detection of IRAP products based on Opie elements	66
4.1.4. Detection of IRAP products based on Grandel-4 elements	70
4.1.5. Detection of IRAP products based onTekay element	74
4.1.6. Detection of polymorphism based on the retro-elements	78
4.1.7. Hybrids identification by unique IRAP markers	80
4.1.8. Genetic relationships among the maize hybrids	83
4.1.9. Cluster analysis as revealed by IRAP marker	84
4.2. SDS-PAGE protein analysis	86
4.2.1. SDS-PAGE protein patterns	86

4.2.2. Cluster analysis as revealed by SDS-PAGE	89
4.2.3. Cluster analysis as revealed by combined data	90
4.3. Heat Stress tolerance	91
4.3.1. Estimation of heat stress tolerance and heat sensitive maize hybrids	91
4.3.2. Estimation of soluble protein and isozyme activity	95
4.3.3. SDS-protein banding patterns in four heat stressed maize hybrids.	96
4.3.4. Identification of heat stress genes using three ESTs primers	98
4.3.4.1. SP1 amplified fragment and BLASTN Sequence	99
4.3.4.2. ZmDREB amplified fragment and BLASTN sequence	104
4.3.4.3. HSP101 amplified fragment and BLASTN sequence	115
5- Discussion	117
5.1. Inter retrotransposon amplified polymorphism (IRAP) analysis	117
5.2. SDS-PAGE protein analysis	124
5.3. Effect of heat stress on the maize hybrids	126
5.4. Gene expression under heat stress condition using three ESTs primers	131
6- Summary	137
7- References	145
8- الملخص العربي	
9- المستخلص العربي	

Figure No	List of Figures	Page
4.1	IRAP profiles for hybrid H4 as detected with the 30 IRAP primers. (1 – 30 primers codes as listed in table 3.2).	57
4.2	DNA banding patterns of the sixteen maize genotypes tested with IRAP primer 4309 and 4310, M (DNA marker); maize hybrids are numbered (1 -16) as listed in Table (3.1).	60
4.3	DNA banding patterns of the sixteen maize genotypes tested with IRAP Primer 4311 and IRAP primer 4312. M (DNA marker); maize hybrids are numbered (1 -16) as listed in Table (3.1).	61
4.4	DNA banding patterns of the sixteen maize genotypes tested with IRAP primer 4303 and IRAP primer 4304. M (DNA marker); maize hybrids are numbered (1 -16) as listed in Table (1).	64
4.5	DNA banding patterns of the sixteen maize genotypes tested with IRAP primer 4306 and IRAP primer 4307. M (DNA marker); maize hybrids are numbered (1 -16) as listed in Table (3.1).	65
4.6	DNA banding patterns of the sixteen maize genotypes tested with IRAP primer 4315 and IRAP primer 4317. M (DNA marker); maize hybrids are numbered (1 -16) as listed in Table (3.1).	68
4.7	DNA banding patterns of the sixteen maize genotypes tested with IRAP Primer 4318 and IRAP primer 4319. M (DNA marker); maize hybrids are numbered (1 -16) as listed in Table (3.1).	69
4.8	DNA banding patterns of the sixteen maize genotypes tested with IRAP primer 4320 and IRAP Primer 4322. M (DNA marker); maize hybrids are numbered (1 -16) as listed in Table (3.1).	72
4.9	DNA banding patterns of the sixteen maize genotypes tested with IRAP primer 4323 and IRAP primer 4324. M (DNA marker); maize hybrids are numbered (1 -16) as listed in Table (3.1).	73

4.10	DNA banding patterns of the sixteen maize genotypes tested with IRAP primer 4325 and IRAP primer 4326. M (DNA marker); maize hybrids are numbered (1-16) as listed in Table (3.1).	76
4.11	DNA banding patterns of the sixteen maize genotypes tested with IRAP Primer 4327 and IRAP primer 4328. M (DNA marker); Maize hybrids are numbered (1 -16) as listed in Table (3.1).	77
4.12	Dendrogram constructed from the IRAP marker data using unweighted pair group method with arithmetic mean (UPGMA) to illustrate the relationship among the sixteen maize hybrids.	85
4.13	SDS-PAGE protein banding patterns of the sixteen maize hybrids.	86
4.14	Dendrogram constructed from protein data analysis using UPGMA to illustrate the relationship among the sixteen maize hybrids.	89
4.15	Dendrogram constructed from IRAP and protein data analysis using UPGMA to illustrate the relationship among the sixteen maize hybrids.	90
4.16	The amplified fragment of <i>Zea mays</i> using primer pair based on SP1 gene.	99
4.17	Alignment of SP1 fragment with putative pol protein gene.	101
4.18	Alignment of SP1 fragment with <i>DOF1</i> gene.	101
4.19	Alignment of SP1 fragment with <i>Zea mays</i> retrotransposones	102
4.20	Alignment of SP1 fragment with <i>tgat</i> gene.	103
4.21	Alignment of SP1 fragment with <i>GASA-like protein</i> gene.	104
4.22	The amplified fragment of <i>Zea mays</i> DNA using primer pair based on <i>ZmDREB</i> gene.	105
4.23	Alignment of ZmDREB fragment with <i>DREB2</i> gene in <i>Zea mays</i> .	106
4.24	Alignment of ZmDREB fragment with <i>DREB2B</i> gene in <i>Saccharum officinarum</i> .	107