



شبكة المعلومات الجامعية

بسم الله الرحمن الرحيم



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل

Suez Canal University
Faculty of Veterinary Medicine
Department of Microbiology

Approval Sheet

This is to approve this dissertation by **Mohamed El sayed Ibrahim Abou ElAtta** to Suez Canal University entitled " **Studies on the Bacterial pathogens of Fresh water Prawn** " For the degree of M . V.Sc . has been approved in 15/9/1998 by the examined Commilte.

1- Prof . Dr. / Nour El Deen Amine Mohamed


Professor of Microbiology.
Faculty of Vet. Med.
Zagazig University.

Sig.




2- Prof . Dr. / Mohamed El-Sayed Enany

Professor and Chairman of Microbiology Department.
Faculty of Vet. Med.
Suez Canal University .




3- Prof . Dr. / Mahmoud Ezzat El-Sayed

Professor of Microbiology.
Faculty of Vet. Med.
Suez Canal University.



4- Dr. / Ahmed Said Diab

Senior researcher and Head of Fish Health Dept .
Center Lab . for Aquaculture research . (Abbassa)



STUDIES ON THE BACTERIAL PATHOGENS OF FRESH WATER PRAWN

Thesis presented by

Mohamed El-Sayed Ibrahim Abou El-Atta

(B.V.Sc, Zagazig University 1993)


For

The Degree of M.V.Sc.

(Bacteriology, Immunology and Mycology)

Under supervision of

Dr



Mahmoud Ezzat El-Sayed

Prof. of Microbiology

Faculty of Vet. Medicine

Suez Canal University

Dr.



Ahmed Said Diab

Senior Researcher

Head of Fish Health Dept.

Central Lab. For

Aquaculture Research

A thesis

Submitted to Faculty of Vet. Medicine

Suez Canal University

(1998)

ACKNOWLEDGMENT

First of all the author is greatly indebted in all his work and his success to our **Merciful God** .

Cardial thanks and deep gratitude are offered to my **Professor Dr. Mahmoud Ezzat El Sayed** , Prof. of microbiology, faculty of Vet. Med., Suez Canal University for his deep kind encouragement, valuable guidance and supervision

All thanks are due to **Dr. Ahmed Said Diab** , senior researcher, head of fish health department, Central Lab . for Aquaculture Research, for his help and willing efforts to facilitate the difficulties during this work .

All thanks are due to **Dr. Salah El. Deen Mosailhy**, lecturer of pathology, Faculty of Vet.Med.. Suez Canal University , for his great help in histopathological examination .

All thanks are due to **Dr. A. Ali EL.Attar**, Ass. Prof, of microbiology for his help in this work.

All thanks are due to **Dr. Ahmed M. M. El-Ashram** , Researcher in Fish Health Dept., Central Lab . for Aquaculture Research, for his help during this work.

Great thanks to staff member of microbiology department, faculty of Ved. Med., Suez Canal University for guidance and willing efforts to facilitate the difficulties during the work .

Thanks are also staff members of fish health Dept., Central Lab. for Aquaculture Research, Abbassa Abu Hammad Sharkia, specially **O. Abd El Rhman Saleh** (Research Associate), **Azza Mohamed Abd El Rhman**(Research Associate) And **Ahmed Mohamed Ezzat**(Assistant Research) for their great help during the work .

Dedicated to

My Parents,

My Brother,

My Sister,

My wife,

Ahmed & Hend

LIST OF CONTENT

Title	Page
INTRODUCTION -----	1
LITERATURE REVIEW -----	3
A-Etiology -----	
1-Shell disease-----	3
2-Vibriosis-----	8
3-Midcycle larval disease-----	14
4-Mixed infection cases-----	14
B-Water analysis -----	16
C- Histopathology -----	17
1- Shell diseases-----	17
2- Vibriosis-----	18
3- Mid cycle larval disease-----	19
D- Anti microbial susceptibility -----	20
MATERIAL AND METHODS -----	23
A) MATERIAL -----	23
1- Samples-----	23
2- Aquaria-----	24
3- Media -----	24
4- Stains-----	27
5- Reagents -----	27
6- Histopathological materials -----	28
7- Drug sensitivity tests -----	29
8- Vibriostat-----	29
B) Methods -----	31
1- Clinical examination -----	31
2- Postmortem examination-----	31
3- Bacteriological examination of natural infected adult prawns and larvae-----	32
4- Examination of water samples -----	34
5- Experimental infection -----	35
6- Histopathological studies -----	37
7- Drug sensitivity tests -----	39
8- Vibriostat -----	39

RESULTS	40
I Results of the clinical examination.....	40
II Results of postmortem examination of affected prawn	45
III Bacteriological examination	45
A) 1-Results of isolation and identification of the suspected <i>Aeromonas</i> spp.....	45
2-Results of isolation and identification of the suspected <i>Pseudomonas</i> spp.....	47
3-Results of isolation and identification of the suspected <i>Vibrio</i> spp.....	47
4-Results of isolation and identification of the suspected <i>Enterobacter</i> spp.....	51
5-Results of isolation and identification of the suspected <i>Citrobacter</i> spp.....	51
6-Results of isolation and identification of the suspected <i>Klebsiella</i> spp.....	51
7-Results of isolation and identification of the suspected <i>Staphylococcus</i> spp.....	54
B) Distribution of isolated pathogens and their incidence in different tissues and organs of naturally infected prawn, larvae and water samples.....	54
C) Incidence of isolated pathogens among naturally infected prawns, larvae and water samples	60
IV -Results of physico-chemical and bacteriological analysis of water used for rearing of fresh water prawn and adults.....	62
V -Results of experimental infection with isolated bacteria.....	65
VI - Results of histopathological examination.....	76
VII -Results of sensitivity tests of isolated pathogens	85
DISCUSSION	90
CONCLUSION	103
SUMMARY	105
REFERENCES	109
ARABIC SUMMARY	

LIST OF TABLES

TABLE	Page
(1) Zone diameter interpretive standards and equivalent minimum inhibitory concentration (MIC)break points.	30
(2) Oxidase and O/F reaction with different bacterial isolates .	33
(3) Standard water requirments used for rearing of larvae of <i>Macrobrachium rosenbergii</i> (Armstrong et at 1976).	36
(4) Standard water requirments used for rearing of adult <i>Macrobrachium rosenbergii</i> (Michael and Somsuk1985 and Avault, J. W 1987)	36
(5) Design of experimental infection in fresh water prawnwith isolated pathogens .	38
(6) Morphological and biochemical characters of <i>A. hydrophila</i> isolated from fresh water prawn <i>Macrobrachium rosenbergii</i> , larvae and water samples (Schaperclaus et al 1992).	48
(7) Morphological and biochemical characters of <i>Ps. fluorescens</i> isolated from fresh water prawn <i>Macröbrachium rosenbergii</i> , larvae and water samples (Schaperclaus et al 1992).	49
(8) Morphological and biochemical characters of <i>V. alginolyticus</i> isolated from fresh water prawn <i>Macrobrachium rosenbergii</i> , larvae and water samples according to Bergey 1984.	50
(9) Morphological and biochemical characters of <i>Enterobacter aerogenes</i> isolated from fresh water prawn <i>Macrobrachium rosenbergii</i> , larvae and water samples	

according to Bergey 1984.	52
(10) Morphological and biochemical characters of <i>Citrobacter freundii</i> isolated from fresh water prawn <i>Macrobrachium rosenbergii</i> , larvae and water samples according to Bergey 1984.	53
(11) Morphological and biochemical characters of <i>Klebsiella pneumoniae</i> isolated from fresh water prawn <i>Macrobrachium rosenbergii</i> , larvae and water samples according to Bergey 1984.	55
(12) Morphological and biochemical characters of <i>Staphylococcus epidermidis</i> isolated from water used for rearing of fresh water prawn <i>M rosenbergii</i> , larvae Bergey 1986	56
(13) Percentage of isolated pathogens from naturally infected prawn, larvae and water samples	57
(14) Distribution of isolated bacteria among various tissues and organs of naturally infected adult prawn <i>Macrobrachium rosenbergii</i> , larvae and water	58
(15) Incidence of isolated pathogens among naturally infected prawn <i>Macrobrachium rosenbergii</i> , larvae and water	61
(16) Physicochemical characteristics of tank water used for rearing of fresh water prawn larvae at the of microbiological sampling.	63
(17) Physicochemical characteristics of pond water used for holding of adult fresh water prawn <i>Macrobrachium rosenbergii</i> .	63
(18) Total bacterial count of water samples taking from tanks holding larva (brackishwater) CLAR and ponds holding adult prawn(freshwater) from CLAR. Saft Khaled	64
(19) Route of infection and pattern of mortality in fresh water prawn <i>Macrobrachium rosenbergii</i> experimentally injected with isolated pathogens.	66
(20) Antibiotics sensitivity of isolated organism from naturally infected prawn, larvae and water .	88

LIST OF PHOTO

Photo	Page
(1) Larvae of <i>M. rosenbergii</i> showed reddish coloration of all body surface	41
(2) Normal healthy adult fresh water prawn <i>M. rosenbergii</i> .	41
(3) Adult naturally infected prawn <i>M. rosenbergii</i> showing black spots on the 1st and 3rd abdominal segments, destruction and erosion of uropod.	42
(4) Adult naturally infected prawn <i>M. rosenbergii</i> showing erosion and necrosis of the tail(uropod) and black spots on the swimming legs (pleopods)	42
(5) Adult naturally infected <i>M. rosenbergii</i> showing destruction and black spots on ther walking legs (pereiopods) .	43
(6) Adult naturally infected prawn <i>M. rosenbergii</i> showing blackness and black patches occure on the gill.	43
(7) Adult naturally infected prawn <i>M. rosenbergii</i> showing blackness of all body surface, erosion and necrosis of the tail(uropod)and destruction of walking legs (pereiopods).	44
(8) Adult naturally infected prawn <i>M. rosenbergii</i> postmortemally showing congestion of hepatopaneas, heart and appendages .	46
(9) Adult naturally infected prawn <i>M. rosenbergii</i> internally showing dark swollen hepatopaneas, intestine free from any food particles and congested area around the hepatopaneas.	46
(10) Experimentally infected <i>M. rosenbergii</i> with <i>V. alginolyticus</i> showing black spots on the swimming, walking legs, carapace and congestion of all body.	72
(11) Experimentally infected <i>M. rosenbergii</i> with <i>Ps .fluorescens</i> showing congestion of all body and black spots occure on walking and swimming legs	72

- (12) Experimentally infected *M. rosenbergii* with *A. hydrophila* showing congestion of all bod, swimming, walking legs , uropod and antenna . 73
- (13) Experimentally infected *M. rosenbergii* with *V. alginolyticus* postmortemally showing congestion of antenna, walking & swimming legs, hepatopaneas. ovary and intestine was congested and free from any food particles and reddish hepatopaneas. 73
- (14) Experimentally infected *M. rosenbergii* with *A. hydrophila* internally showing congestion of ovary , heart, hepatopaneas and muscle. 74
- (15) Experimentally infected *M. rosenbergii* with *A. hydrophila* postmortemally showing reddish coloration of the walking legs and fine black spots on the gill. 74
- (16) Experimentally infected *M. rosenbergii* with *Enterobacter aerogenes* postmortemally congestion of the walking legs, antenna, hepatopaneas and ovary . 75
- (17) Experimentally infected *M. rosenbergii* with *Ps. fluorescens* showing darkness of appendages, exoskeleton, hepatopaneas and ovary . 77
- (18) Hepatopaneas of prawn infected by *A. hydrophila* showing necrosis of most hepatic cell with focal infiltration of hemocytes and leukocytes (H&E stain X250). 77
- (19) Gill of prawn infected by *A. hydrophila* showing desquamation of condary filaments and congestion, hemorrhage and leukocytes in he gill arch (H&E stain X250). 78
- (20) Muscle of prawn infected by *Ps. fluorescens* showing marked edema. congestion ,hemorrhage and hyaline degeneration (H&E stain X250). 80
- (21) Ovary of prawn infected by *Ps. fluorescens* showing immature oocytes with focal hemorrhage and leukcytic infiltration (H&E stain X250). 80
- (22)Hepatopaneas, of prawn infected by *V. alginolyticus* showing heavily vacuolation of most hepatic cell (H&E stain X100) . 81