IMMUNOHISTOCHEMICAL EXPRESSION OF MATRIX METALLOPROTEINASE (MMP-2) AND ITS TISSUE INHIBITOR(TIMP) IN SOLID AND UNICYSTIC TYPES OF AMELOBLASTOMA

Thesis Submitted To Faculty of Oral And Dental Medicine, Cairo University In Partial Fulfillment Of The Requirements For The Degree Of Master in Basic Dental Science

(Oral Pathology)

By

Reham Salah Hamed

B.D.S.(Cairo University)

Faculty of Oral Dental Medicine
Cairo University
2010

Supervisors

Prof. Dr. Mervet M. Moussa Professor of Oral Pathology Faculty of Oral and Dental Medicine, Cairo University

Ass.Prof. Dr. Hend Mohamed Waguih
Assistant Professor of Oral Pathology
Faculty of Oral and Dental Medicine,
Cairo University

ACKNOWLEDGEMENT

I am deeply grateful to Prof. Dr. **Mervet Moussa**, Professor Of Oral Pathology, Faculty Of Oral And Dental Medicine, Cairo University, for her wise guidance, valuable advice, close supervision, generous help and constant encouragement throughout this work.

I would like to express my sincere gratitude to Ass.Prof. Dr. **Hend Mohamed Waguih**, Assistant Professor of Oral And Dental Medicine, Cairo University, for her faithful assistance, cooperation, patience and consistent advice.

I wish to express my gratitude and appreciation to Prof. Dr. **Awatef Draz**, former head of Oral and Dental Pathology Department, Cairo University for her great aid in performance of the wear work, continuous guidance and encouragement.

Great thanks are also for Prof. **Dr. Salah Hamed**, Professor of Oral and Dental Pathology, Cairo University, for his infinite patience and considerable help in this work and in all my life.

And last but not least, special thanks and appreciation are due to Prof. Dr. **Sawsan Abdelbary**, Head of Oral and Dental Pathology Department, Cairo University, for her advice and support throughout this work.

Finally, I wish to thank all the staff members of Oral Pathology Department, Faculty of Oral And Dental Medicine, Cairo University, for the help and facilities they offered during the course of this study.

Dedication

This work is dedicated to my family, specially my ever scarifying mother and my helpful husband.

دراسة مناعية نسيجية كيميائية لانتشار انزيم البروتين المعدني -٢ ومضادة في الأورام السنية الصلبة وأحادية الكيس

رسالة مقدمة

إلي كلية طب الفم والأسنان جامعة القاهرة كجزء تكميلي لمتطلبات درجة الماجستير في العلوم الأساسية لطب الأسنان (باثولوجيا الفم)

مقدمه من

الطبيبة/ ريهام صلاح حامد شريف معيدة بقسم باثولوجيا الفم كلية طب الفم والأسنان جامعة القاهرة

> قسم باثولوجيا الفم كلية طب الفم والأسنان جامعة القاهرة ٢٠١٠

تحت إشراف

الأستاذة الدكتورة/ ميرفت موسى

أستاذ باثولوجيا الفم كلية طب الفم والأسنان جامعة القاهرة

الدكتورة/ هند محمد وجيه

أستاذ مساعد باثولوجيا الفم كلية طب الفم والأسنان جامعة القاهرة

List of contents

<u>Chapter</u>	<u>page</u>
introduction	1
Review of literature	3
• Ameloblastoma	3
• Histopathological picture	4
 Matrix metalloproteinases 	<i>12</i>
 Matrix metalloproteinases and cancer 	23
• Matrix metalloproteinase 2	27
• Tissue inhibitors of matrix metalloproteinases	32
Aim of the study	40
Material & methods	41
 Histopathological examination 	46
• Immunohistochemical protocol	46
 Assessment of immunostaining 	51
Results	
> Histopathological & immunohistochemical	55
findings	
> Statistical analysis	82
Discussion	105
Summary and conclusion	112
References	116

Arabic summary	141

List of figures

Figure number	Figure title	page
Fig 1	Papilliferous keratoameloblastoma x 80	6
Fig 2	Papilliferous keratoameloblastoma x 320	6
Fig 3		
Fig 4	Desmoplastic ameloblastoma	
Fig 5	Histological classification of unicystic ameloblastoma subtypes	11
Fig 6	Structural domains of the matrix metalloproteinases	16
Fig 7	Role of MMPs in cancer	26
Fig 8	TIMP-2 in MMP-2 activation and inhibition	28
Fig 9	A copy of captured screen of the image analyzer	52
Fig 10	Histopathology of solid follicular ameloblastoma	62
Fig (11,12,13)	MMP-2 expression in solid follicular ameloblastoma	62,63
Fig 14,15	TIMP-2 expression in solid follicular ameloblastoma	64
Fig 16	Histopathology of microcysic ameloblastoma	65
Fig 17,18,19,20,21	MMP-2 expression in microcystic ameloblastoma	65,66,67
Fig 22,23,24,25	TIMP-2 expression in microcystic ameloblastoma	68,69
Fig 26	Histopathology of acanthomatous ameloblastoma	70
Fig 27,28,29	MMP-2 expression in acanthomatous ameloblastoma	70,71
Fig 30	TIMP-2 expression in acanthomatous ameloblastoma	72
Fig 31	Histopathology of granular cell ameloblastoma	72
Fig 32	TIMP-2 expression in granular cell ameloblastoma	73
Fig 33	MMP-2 expression in granular cell ameloblastoma	73
Fig 34	Histopathology of basal cell ameloblastoma	74
Fig 35	MMP-2 expression in basal cell ameloblastoma	74
Fig 36	TIMP-2 expression in basal cell ameloblastoma	75
Fig 37,38	Histopathology of plexiform ameloblastoma	75,76

Fig 39,40,42	MMP-2 expression in plexiform ameloblastoma	76,77,78
Fig 41,43	TIMP-2 expression in plexiform ameloblastoma	77,78
Fig 44,45	Histopathology of unicystic ameloblastoma	79
Fig 46	MMP-2 expression of unicystic ameloblastoma	80
Fig 47,48,49	TIMP-2 expression of unicystic ameloblastoma	80,81
Fig 50	Bar chart illustrating the difference in mean area percent of MMP-2 and TIMP-2 positive immunoexpression in solid and other different histological variants of follicular ameloblastoma	84
Fig 51	Bar chart illustrating the difference in the mean area percentage of MMP-2 and TIMP-2 positive cells luminal and intraluminal variants of unicystic ameloblastoma	87
Fig 52	Bar chart illustrating the difference in the mean area percentage of MMP-2 and TIMP-2 positive cells in follicular, plexiform and unicystic ameloblastoma	91
Fig 53	scatter diagram showing the inverse relation between MMP-2 and TIMP-2	93
Fig 54	Bar chart illustrating the difference in immunostaining intensity scoring of tumor and stromal cells among the different follicular subtypes for both MMP-2 and TIMP-2	97
Fig 55	Bar chart illustrating the difference in the immunostaining intensity scoring of tumor and stromal cells among the different unicystic ameloblastoma subtypes for both MMP-2 and TIMP-2	100
Fig 56	Bar chart illustrating the difference in the	104

immunostaining intensity of tumor and stromal	
cells of the three histopathological ameloblastoma	
variants for both MMP-2 and TIMP-2.	

List of tables

Table Number	Table Title	Page
Table 1	Biological activities of MMP family	18
Table 2	Properties of mammalian TIMPs	35
Table 3	Histopathological types of the studied cases	41
Table 4	Special recommendations for using MMP-2 & TIMP-2 antibodies	43
Table 5	comparative area percent of positive expression of MMP-2 and TIMP-2 in different histopathological variant of follicular ameloblastoma.	83
Table 6	The difference in positive area percent of MMP-2 and TIMP-2 area % in different unicystic ameloblastoma variants	86
Table 7	The means and standard deviation (SD) values of MMP-2 and TIMP-2 area % in Plexiform ameloblastoma	88
Table 8	comparison between MMP-2 and TIMP-2 area % in the three ameloblastoma histopathological variants.	90
Table 9	Results of Pearson's correlation coefficient for the correlation between MMP-2 and TIMP-2	92
Table 10	Immunostaining intensity scoring results	94
Table 11	The difference in immunostaining intensity scores in tumor and stromal cells of MMP-2 and TIMP-2 between different histopathological variants of follicular ameloblastoma	96
Table 12	comparison between MMP-2 and TIMP-2 immunostaining intensity score in different unicystic ameloblastoma subtypes.	99
Table 13	MMP-2 and TIMP-2 immunostaining scoring in tumor and stromal cells in Plexiform	101

	ameloblastoma.	
Table 14	results of Kruskal-Wallis and Mann-Whitney U test	103
	for the comparison between MMP-2 and TIMP-2	
	immunostaining intensity scores of tumor and	
	stromal cells in the three groups	

List of Abbreviations

Abbreviations	Words
WHO	World Health Organization
DA	Desmoplastic Ameloblastoma
UA	Unicystic Ameloblastoma
PCNA	Proliferating Cell Nuclear Antigen
MMPS	Matrix Metalloproteinases
TIMPS	Tissue Inhibitors Of Matrix Metalloproteinase
CBD	Collagen Binding Domain
GPI	Glycophosphatidyl Inositol
GCF	Gingival Crevicular Fluid
MT-MMPS	Membrane Type Matrix Metalloproteinase
PAI	Plasminogen Activator Inhibitor
RECK	Reversion-Inducing Cystine Rich Protein With
	KAZAL Motifs
ECM	Extracellular Matrix
VEGF	Vascular Epithelium Growth Factor
FGF	Fibroblast Growth Factor
kDa	Kilo Dalton
BM	Basement Membrane
PBS	Phosphate Buffered Saline
SMA	Smooth Muscle Actin
KCOT	Keratocystic Odontogenic Tumor
RT-PCR	Reverse Transcription-Polymerase Chain Reaction
TNF	Tumor Necrosis Factor
SCC	Squamous Cell Carcinoma
TBS	Tris-Buffer Saline