

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل

EVALUATION OF THE ROLE OF INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN-I (IN FOLLICULAR FLIUD) IN OOCYTE MATURATION

5628

Thesis by

Wael Ibrahim Mohammed IBRAHIM.

M.B.B.CH Ain-Shams university-CAIRO. Dec 1996

Submitted for partial fulfillment of M.Sc degree in Gynecology and Obstetrics.

Under supervision of

Prof. Dr. KHALID EL-MAAMON EL-HODAIBY.

Professor of Gynecology and Obstetrics Ain-Shams university.

Dr. HATEM HUSSEIN EL-GAMAL.Lecturer of Gynecology and Obstetrics Ain-Shams university.

Prof. Dr. AISHA YASEEN ABD EL-GHAFFAR.

Assist. Professor of Clinical Pathology Ain-Shams university.

> **MATERNITY HOSPITAL FACULTY OF MEDICINE** AIN-SHAMS UNIVERSITY

> > **CAIRO-2000.**

LIST OF CONTENTS

	Page
-INTRODUCTION	(1)
-AIM OF WORK	(3)
-REVIEW OF LITERATURE	(4)
*OVARIAN CYCLE.	(4)
*GROWTH FACTORS	(29)
*OVARIAN FUNCTION REGULATION	(61)
*ASSESSTMENT OF OOCYTE MATURITY	(77)
-PATEINTS AND METHODS	(83)
-RESULTS	(95)
-DISCUSSION	(117)
-SUMMARY	(123)
-CONCLUSION	(124)
-REFRENCES	(125)
-ARABIC SUMMERY.	

LIST OF FIGURES

	Page
*Fig.(1): Primordial follicle.	(7)
*Fig.(2): Preantral follicle.	(8)
*Fig.(3): Antral follicle.	(9)
*Fig.(4): The two cell, two gonadotropin systems.	(12)
*Fig.(5): Preovulatory follicle.	(15)
*Fig.(6): Ovulation.	(18)
*Fig.(7): The mammalian cell cycle.	(31)
*Fig.(8): Primary structure of IGF-I.	(42)
*Fig.(9): Structure of type I and type II receptors.	(44)
*Fig.(10): Ovarian actions of IGFs.	(47)
*Fig.(11): Action of IGF on preovulatory follicle	(48)
*Fig.(12): Changes in endocrine and paracrine factors during	()
menstrual cycle.	(57)
*Fig.(13): Incidence of oocyte maturity among cases	(101)
*Fig.(14): Pregnancy distribution among cases	(104)
*Fig.(15): Correlation between IGFBP-I and follicular estradiol	(~~ ')
in cases.	(106)
*Fig.(16): Correlation between IGFBP-I and follicular	(***)
progesterone in cases.	(107)
*Fig.(17): Correlation between IGFBP-I and number of	()
oocyte retrieved.	(108)
*Fig.(18): Correlation between IGFBP-I and percentage of	()
oocyte maturity.	(109)
*Fig.(19): Correlation between IGFBP-I and number of	(105)
follicles aspirated and embryos transferred.	(110)
*Fig.(20): Correlation between IGFBP-I and follicular	(***)
estradiol and percentage of oocyte maturity.	(111)
*Fig.(21): Comparison between group A and B of infertile	\ <i>)</i>
women in IGFBP-I.	(112)
*Fig.(22): Number of cases in different age group	(114)

LIST OF TABLES

	Page
*Table (1): Characters of tissue specific growth factor.	(32)
*Table (2): Characters of broad spectrum growth factors.	(33)
*Table (3): Comparison between insulin and IGFs.	(39)
*Table (4): Classification of oocytes according to cumulus.	(79)
*Table (5): Different classifications of oocyte maturity.	(82)
*Table (6): Variables obtained from cases.	(96)
*Table (7): Cont.	(97)
*Table (8): Cont.	(98)
*Table (9): Cont.	(99)
*Table (10): Descriptive analysis of data obtained from cases.	(100)
*Table (11): Hormonal levels in follicular fluid of controls.	(102)
*Table (12): Descriptive analysis of data obtained from controls.	(102)
*Table (13): Frequency of methods of ART used in the study	(103)
*Table (14): Incidence of pregnancy occurred among cases.	(103)
*Table (15): Correlation between IGFBP-I and different	(100)
parameters of ovulation.	(105)
*Table (16): Correlation between age and different	()
parameters of ovulation.	(113)
*Table (17): Correlation between IGFBP-I and ovarian	()
follicular hormones in controls.	(115)
*Table (18): Comparison between cases and controls in IGFBP-I	()
using Mann-Whitney test.	(115)
*Table (19): Comparison between cases and controls in follicular	()
estradiol using Mann-Whitney test.	(116)
*Table (20): Comparison between cases and controls in follicular	()
progesterone using Mann-Whitney test.	(116)

INSTRUCTION IN

and the second of the second o

NTRODUCTION