

Faculty of Women for Arts, Science and Education, Botany Department

Genetical and molecular studies on some potato (Solanum tuberosum) cultivars grown under salinity and radiation stress

Presented by

Amal Salah Ali Awad

B.Sc., Chemistry–Botany, Faculty of Women for Arts, Science and Education, Ain Shams University, 1999. M.Sc., Cytology and Genetics, Botany Department, Faculty of Women for Arts, Science and Education, Ain Shams University, 2009.

A Thesis

Submitted in Partial Fulfillment of the Requirements for Ph.D. Degree of Science Cytology and Genetics

Botany Department, Faculty of Women for Arts, Science and Education, Ain Shams University



Faculty of Women for Arts, Science and Education, Botany Department

Genetical and molecular studies on some potato (Solanum tuberosum) cultivars grown under salinity and radiation stress

Presented by Amal Salah Ali Awad

B.Sc., Chemistry-Botany, 1999. M.Sc., Cytology and Genetics, Botany Department, Faculty of Women for Arts, Science and Education, Ain Shams University, 2009.

A Thesis

Submitted in Partial Fulfillment of the Requirements for Ph.D. Degree of Science Cytology and Genetics, Department of Botany, Faculty of Women for Arts, Sciences and Education, Ain Shams University.

SUPERVISION COMMITTEE

Prof. Dr. Zakia Mohamed Ada	m	•••	
Professor of Cytology and Genetics	s, Botany	Department,	
Faculty of Women, Ain-Shams University	ersity.		
Prof. Dr. Thoria Rashad Moha	med	•••••	
Professor of Cytology and Genetics	s, Botany	Department,	
Faculty of Women, Ain-Shams University	ersity.		
Prof. Dr. Ayman Abd El-Megeed E	L-Fiki		
Professor of Biotechnology, Nationa	l Center	for Radiation	
Research and Technology, Atomic Energy	gy Authori	ty.	
Dr. Shaimaa Selmi Sobieh		•••	
Lecturer of Cytology and Genetics, Botany Department, Faculty			
of Women, Ain-Shams University.			



Faculty of Women (Arts, Science and Education), Botany Department

Genetical and molecular studies on some potato (Solanum tuberosum) cultivars grown under salinity and radiation stress

Presented by Amal Salah Ali Awad

B.Sc., Chemistry-Botany, 1999. M.Sc., Cytology and Genetics, Botany Department, Faculty of Women for Arts, Science and Education, Ain Shams University, 2009.

A Thesis

Submitted in Partial Fulfillment of the Requirements for Ph.D. Degree of Science Cytology and Genetics, Department of Botany, Faculty of Women for Arts, Sciences and Education, Ain Shams University.

Approved by:

Prof. Dr. Zakia Mohamed Adam Professor of Cytology and Gentics, Faculty of Women, Ain-Shams University.

Prof. Dr. Thoria Rashad Mohamed Professor of Cytology and Gentics, Faculty of Women, Ain-Shams University.

Prof. Dr. Ayman Abd EL-Megeed EL-Fiki Professor of Biotechnology, National Center for Radiation Research and Technology Center, Atomic Energy Authority.

Prof. Dr. Awatif Ibrahim El-Nahas

Professor of Cytology and Gentics, Faculty of Education, Ain-Shams University.

Prof. Dr. Zakia Ahmed Abo El-Kheir Professor of Cytology and Gentics, Faculty of sciene (Girls), Al-Azhar University.

Date 10 / 4 / 2018

ACKNOWLEDGEMENT

THANKS TO ALLAH

I wish to express my deepest gratitude and sincere appreciation to **Prof. Dr. Zakia Mohamed Adam** professor of Cytology and Genetics, Botany department, Faculty of Women, Ain-Shams University for valuable assistance and suggestions, useful advice and guidance throughout this investigation.

I would like also to express my great thanks and appreciation to **Prof. Dr.Thoria Rashad Mohamed** professor of Cytology and Genetics, Botany department, Faculty of Women, Ain-Shams University for her kindly help, continuous supervision and encouragement.

I am greatly thanks to **Prof. Dr. Ayman Abd El-Megeed El-Fiki** professor of Biotechnology, National Center Radiation and Technology for his supervision, support, solving the problems, great help and encouragement during this study.

My deep thanks are also extended to **Dr. Shaimaa Selmi Sobieh** Lecturer of Cytology and Genetics, for her kind support, for reading and correcting over and over again, Botany department, Faculty of Women, Ain-Shams University.

Grateful thanks are also extended to all staff members of Genetic Engineering Research Laboratory and all colleagues of Natural Products Department, National Center for Radiation Research and Technology, for their encouragement, cooperation and friendly, attitude. Thanks also to all members of Botany Department, Faculty of Women, Ain-Shams University.

Finally, I can't find enough words to express my deepest gratitude and thanks to my family for helping me all over my life and everyone helped me and wished me success.

Content

Content	Page
List of Tables	i
List of Figures	viii
List of Abbreviations	xi
Introduction	1
Review of Literature	4
Part I: Tissue culture techniques	15
Part II-Biochemical Analysis	15
Part III-Molecular Markers Analysis	17
1-Randomly amplified polymorphic DNA (RAPD) marker	17
2- Protein electrophoresis in potato	19
Part IV-The ultrastucture of Valor cultivar under	
different treatments	21
Materials and Methods	23
Materials	23
Part I:Tissue culture studies	23
1- Micropropagation of potato by using tissue culture techniques	23
a- Plant materials	23
b-Media	23
Methods	23
Preparation of explants	24
2-Effects of different treatments on Spunta and Valor cultivars on bud survival and some morphological characters	24
a-Gamma radiation treatments	24
b- Salinity treatments	25

c-The combined effect between gamma radiation doses and different salt concentrations treatments	25
2. In vitro production of notate migratuhers, in liquid	
3- <i>In vitro</i> production of potato microtubers in liquid medium	25
4- Acclimatization of Spunta and Valor cultivars	26
Part II - Biochemical Analysis	27
•	
Estimation of proline content	27
Part III- Molecular Markers	28
1-Randomly Amplified Polymorphic DNA(RAPD) marker	28
2- Protein electrophoresis	31
Part IV - Ultrastrucure study	34
Statistical analysis	39
Results	40
Part I: Tissue culture techniques	40
1-Micropropagation of potato by using tissue culture techniques	40
2-Effects of different treatments on bud survival and some morphological characters	44
3- <i>In vitro</i> production of microtubers in Spunta and Valor cultivars	57
4- Acclimatization of Spunta and Valor cultivars	62
Part II-Biochemical Analysis	65
Proline content in Spunta and Valor cultivars	65
a-Effect of gamma radiation	65
b- Effect of NaCl concentrations	67
c- Effect of combined treatments	69

Part III-Molecular Markers Analysis	72
1 - Randomly amplified polymorphic DNA (RAPD)	
marker	72
a-Effect of gamma radiation on RAPD marker	72
b- Effect of NaCl concentrations on RAPD marker	107
c- Effect of combined treatments on RAPD marker	140
2- Protein electrophoresis in potato	180
Part IV-The ultrastucture of Valor cultivar under different treatments	184
Discussion	193
English summary	
References	224
Arabic summary	

List of Tables

Table	Title	Page
No.		No.
1	Responses of Spunta and Valor cultivars to different	
	culture media.	43
2	Effect of gamma radiation doses on bud survival	
	percentage and some morphological characters in	45
	Spunta cultivar.	
3	Effect of gamma radiation doses on bud survival	
	percentage and some morphological characters in	46
	Valor cultivar.	
4	Effect of different salinity concentrations on bud	
	survival percentage and some morphological	49
	characters in Spunta cultivar.	
5	Effect of different salinity concentrations on bud	
	survival percentage and some morphological	50
	characters in Valor cultivar.	
6	Effect of combined treatments on bud survival	
	percentage and some morphological characters in	52
_	Spunta cultivar.	
7	Effect of combined treatments on bud survival	
	percentage and some morphological characters in Valor cultivar.	55
8		
o	Production of microtubers in Spunta and Valor cultivars by different culture media content.	58
9	Production of microtubers in Spunta and Valor	30
9	cultivars under different treatments.	60
10	Acclimatization of Spunta and Valor cultivars	62
10	under different treatments.	02
11	Effect of gamma radiation on proline content in	
	Spunta and Valor cultivars.	66
12	Effect of NaCl concentrations on proline content in	- 00
	Spunta and Valor cultivars.	68
13	The combined treatments of gamma radiation doses	
	and NaCl concentrations on proline contents in	70
	Spunta cultivar.	

14	The combined treatments of gamma radiation doses	
	and NaCl concentrations on proline contents in	71
	Valor cultivar.	
15	RAPD finger printing for control and irradiated	
	Spunta treatments produced by primer OP- B01.	80
16	RAPD finger printing for control and irradiated	
	Spunta treatments produced by primer OP- B07.	80
17	RAPD finger printing for control and irradiated	
	Spunta treatments produced by primer OP- B11.	81
18	RAPD finger prining for control and irradiated	
	Spunta treatments produced by primer OP- B12.	81
19	RAPD finger printing for control and irradiated	
	Spunta treatments produced by primer OP-F06.	82
20	RAPD finger printing for control and irradiated	
	Spunta treatments produced by primer OP- L12.	82
21	RAPD finger printing for control and irradiated	
	Spunta treatments produced by primer OP- L13.	83
22	RAPD finger printing for control and irradiated	
	Spunta treatments produced by primer OP- L16.	83
23	RAPD finger printing for control and irradiated	
	Spunta treatments produced by primer OP- L20.	84
24	RAPD finger printing for control and irradiated	
	Spunta treatments produced by primer OP- Z03.	84
25	Band size range/bp of control and irradiated Spunta	
	cultivars generated by different primers.	86
26	RAPD patterns of control and irradiated Spunta	
	cultivar treatments generated by different primers.	87
27	Treatments specific band markers of control	
	and irradiated Spunta cultivar.	89
28	Similarity index among the five treatments of	
	Spunta cultivars based on RAPD analysis.	91
29	RAPD finger printing for control and irradiated	
	Valor cultivar treatments produced by primer OP-	95
	B01.	
30	RAPD finger printing for control and irradiated	
	Valor cultivar treatments produced by primer OP-	95
	B07.	

31	RAPD finger printing for control and irradiated Valor cultivar treatments produced by primer OP-	96
32	B11. RAPD finger printing for control and irradiated Valor cultivar treatments produced by primer OP-B12.	96
33	RAPD finger printing for control and irradiated Valor cultivar treatments produced by primer OP-F06.	97
34	RAPD finger printing for control and irradiated Valor cultivar treatments produced by primer OP-L12.	97
35	RAPD finger printing for control and irradiated Valor cultivar treatments produced by primer OP-L13.	98
36	RAPD finger printing for control and irradiated Valor cultivar treatments produced by primer OP-L16.	98
37	RAPD finger printing for control and irradiated Valor cultivar treatments produced by primer OP-L20.	99
38	RAPD finger printing for control and irradiated Valor cultivar treatments produced by primer OP-Z03.	99
39	Band size range/bp of control and irradiated Valor cultivar treatments generated by different primers.	101
40	RAPD patterns of control and irradiated Valor cultivar treatments generated by different primers.	102
41	Treatments specific band markers of control and irradiated Valor cultivar treatments.	104
42	Similarity index of Valor cultivar among the five treatments based on RAPD analysis.	106
43	RAPD finger printing for control and treated Spunta with different salt concentrations produced by primer OP- B07.	114
44	RAPD finger printing for control and treated Spunta with different salt concentrations produced by primer OP- B10.	114

45	RAPD finger printing for control and treated Spunta	
	with different salt concentrations produced by	115
	primer OP- B11.	
46	RAPD finger printing for control and treated Spunta	
	with different salt concentrations produced by	115
	primer OP- B12.	
47	RAPD finger printing for control and treated Spunta	
	with different salt concentrations produced by	115
	primer OP- F06.	
48	RAPD finger printing for control and treated Spunta	
	with different salt concentrations produced by	116
	primer OP- L12.	
49	RAPD finger printing for control and treated Spunta	
	with different salt concentrations produced by	116
	primer OP- L13.	
50	RAPD finger printing for control and treated Spunta	
	with different salt concentrations produced by	116
	primer OP- L16.	
51	RAPD finger printing for control and treated Spunta	
	with different salt concentrations produced by	117
	primer OP- L20.	
52	RAPD finger printing for control and treated Spunta	115
	with different salt concentrations produced by	117
52	primer OP- Z03.	
53	Band size range/bp for control and treated Spunta	119
	cultivar with different salt concentrations generated by different primers.	119
54	RAPD patterns of control and treated Spunta	
34	cultivar with different salt concentrations generated	120
	by different primers.	120
55	Treatments specific markers of control and treated	
	Spunta cultivar with different salt concentrations.	122
56	Similarity index among the four treatments of	
	Spunta cultivar based on RAPD analysis.	124
57	RAPD finger printing of control and treated Valor	
	with different salt concentrations produced by	
	primer OP- B07.	128

58	RAPD finger printing of control and treated Valor with different salt concentrations produced by primer	128
	OP- B10.	120
59	RAPD finger printing for control and treated Valor	
	with different salt concentrations produced by	129
	primer OP- B11.	
60	RAPD finger printing of control and treated Valor	4.00
	with different salt concentrations produced by	129
61	primer OP- B12. RAPD finger printing for control and treated Valor	
01	with different salt concentrations produced by	130
	primer OP- F06.	130
62	RAPD finger printing of control and treated Valor	
	with different salt concentrations produced by	131
	primer OP- L12.	
63	RAPD finger printing for control and treated Valor	
	with different salt concentrations produced by	131
64	primer OP-L13.	
64	RAPD finger printing of control and treated Valor with different salt concentrations produced by	132
	primer OP- L16.	132
65	RAPD finger printing for control and treated Valor	
	with different salt concentrations produced by	132
	primer OP-L20.	
66	RAPD finger printing of control and treated Valor	
	with different salt concentrations produced by	134
47	primer OP-Z03. Rend size renge/hp of control and Valor cultiver	
67	Band size range/bp of control and Valor cultivar treated with different salt concentrations generated	135
	by different primers.	133
68	RAPD patterns of control and Valor cultivar treated	
	with different salt concentrations generated by	137
	different primers.	
69	Treatments specific band markers of Valor cultivar	
	treated with different salt concentrations.	139
70	Similarity index among the four treatments of Valor	4.0
	cultivar based on RAPD analysis.	148

71	RAPD finger printing for control and combined	
	treatments of Spunta cultivar produced by primer	148
	OP-A02.	
72	RAPD finger printing for control and combined	
	treatments of Spunta cultivar produced by primer	148
	OP-A12.	
73	RAPD finger printing for control and combined	1.40
	treatments of Spunta cultivar produced by primer	149
74	OP- B10.	
/4	RAPD finger printing for control and combined treatments effect of Spunta cultivar produced by	149
	primer OP- B11.	147
75	RAPD finger printing for control and combined	
	treatments of Spunta cultivar produced by primer	150
	OP- B12.	200
76	RAPD finger printing for control and combined	
	treatments of Spunta cultivar produced by primer	150
	OP-C02.	
77	RAPD finger printing for control and combined	
	treatments of Spunta cultivar produced by primer	151
	OP- C08.	
78	RAPD finger printing for control and combined	1 7 1
	treatments of Spunta cultivar produced by primer OP- L12.	151
79	RAPD finger printing for control and combined	
13	treatments of Spunta cultivar produced by primer	152
	OP- L13.	102
80	RAPD finger printing for control and combined	
	treatments of Spunta cultivar produced by primer	152
	OP- L20.	
81	Band size range/bp for control and combined	
	treatments of Spunta cultivar generated by different	154
	primers.	
82	RAPD patterns for control and combined treatments	4 = =
	of Spunta cultivar generated by different primers.	155
83	Treatments specific band markers for control and	
	combined treatments of Spunta cultivar.	157

84	Similarity index among the five treatments based on RAPD analysis.	159
85	RAPD finger printing for control and combined treatments of Valor cultivar produced by primer OP- A02.	163
86	RAPD finger printing for control and treatments of Valor cultivar produced by primer OP- A12.	164
87	RAPD finger printing for control and combined treatments of Valor cultivar produced by primer OP- B10.	165
88	RAPD finger printing for control and combined treatments of Valor cultivar produced by primer OP-B11.	166
89	RAPD finger printing for control and combined treatments of Valor cultivar produced by primer OP- B12.	167
90	RAPD finger printing for control and combined treatments of Valor cultivar produced by primer OP- C02.	168
91	RAPD finger printing for control and combined treatments of Valor cultivar produced by primer OP- C08.	169
92	RAPD finger printing for control and combined treatments of Valor cultivar produced by primer OP- L12.	170
93	RAPD finger printing for control and combined treatments of Valor cultivar produced by primer OP- L13.	171
94	RAPD finger printing for control and combined treatments of Valor cultivar produced by primer OP- L20.	172
95	Band size range/bp for control and combined treatments of Valor cultivar generated by different primers.	174

96	RAPD patterns for control and combined treatments of Valor cultivar generated by different primers.	175
97	Treatments specific band markers of control and Valor cultivar under combined treatments based on RAPD analysis	177
98	Similarity index among the seven treatments based on RAPD analysis.	179
99	The protein profile of combined treatments of Spunta cultivar.	181
100	The protein profile of combined treatments of Valor cultivar.	183