



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل



Physiochemical Studies of Some Metal Complexes

B4956

Thesis
Submitted

To

Department of Chemistry
Faculty of Education
Ain Shams University

By

Hesham Abdou Habib Mena

B. Sc. & Education (1994)

For

**The Master Degree of Teacher's Preparation in
Science (Chemistry)**

Cairo-1999

Ain Shams University
Faculty of Education
Chemistry Department

Thesis Title

Physiochemical Studies of Some Metal Complexes

Researcher Name

Hesham Abdou Habib Mena

Supervised by

Associate Prof. Mostafa A. El-behairy

Dr. Mahmoud M. Mashaly

Dr. Hussein S. Seleim

Contents

List of figures	i
List of tables	vi
Abstract	ix
Aim of the work	x
Introduction	xi

Chapter I Literature Survey

1-	Literature Survey on Metal Complexes of Thiosemicarbazide (TSC)	1
2-	Literature Survey on Metal Complexes of Thiosemicarbazone (TSCN)	6
3-	Literature Survey on Metal Complexes of Isatin	12
4-	Literature Survey on Metal Complexes of Isatin Schiff Base	16
5-	Literature Survey on Metal Complexes of Bis-Isatin Schiff base	23
6-	Literature Survey on Metal Complexes of 1,2,4-Triazine	29

Chapter II Experimental Section

1-	Materials	40
2-	Purification of solvents	40
3-	Preparation of organic ligands	42
4-	Solutions	44
5-	Measurements	45
6-	Preparation of the solid metal complexes	48
7-	Quantitative analyses of the metal cations	48

Chapter III

Results and Discussion

III-1 Organic Ligands

1-	Elemental analyses	52
2-	IR spectra	52
3-	Mass spectra	55
4-	Electronic spectra	59
5-	¹ H NMR spectra	61

III-2 pH-metric Measurements

III-2-1 Theoretical Background 62

1-	Acid dissociation constants	62
2-	Chelate stability constants	63
3-	Thermodynamic functions	67

III-2-2 Results and Discussion 70

1-	Dissociation constants	71
2-	Stability constants	93
3-	Thermodynamic parameters	97
4-	Effect of solvent characteristics on the proton-ligand and metal-ligand equilibria	111

III-3 Spectrophotometric Measurements

III-3-1 Theoretical Background 115

1-	Spectra of ligands in organic solvents	115
2-	Determination of dissociation constants of the suggested ligands by limiting absorbance method	116
3-	Determination of stoichiometric of the formed complexes	117

4-	Determination of the stability constants of the metal complexes	119
----	---	-----

III-2-2 Results and Discussion 121

1-	Determination of pK^H 's of the organic ligands	121
2-	Determination of composition and stability constants of the metal complexes	134

III-4 Physicochemical Studies on Solid Metal Complexes

1-	IR Spectra	162
2-	1H NMR spectra	171
3-	Conductivity measurements	173
4-	Magnetic moment and electronic spectra	175
5-	Thermal analyses	181
6-	Mass spectra	188
8-	Pyrolytic studies on metal complexes	191

III-5 Biological Activities of metal complexes

1-	Introduction	200
2-	Experimental	201
3-	Results and Discussion	202

References	206
-------------------	-----

Summary

List of Figures

No.	Subject	Page
Fig. I-1	Structure of the $[\text{Cu}_3\text{L}_2(\text{Py})_6]$ core of complex I with the hydrogen atoms omitted for clarity	3
Fig. I-2	Proposed structure of complex 2, $[\text{Cu}(\text{H}_3\text{L})_2\text{Cl}_2] \cdot 3\text{H}_2\text{O}$ ($\text{OS}=\text{H}_3\text{L}$)	4
Fig. I-3	O, O donor ligands, ninhydrin NIN, isatin ISAT, 3-methyl-1,2-cyclopentanedione MCBD, and N-hydroxyphthalimide NHP	14
Fig. I-4	H_2L ligand	16
Fig. I-5	Schiff base metal complexes	18
Fig. I-6	Ligating properties of the Schiff base, Ref. 46	19
Fig. I-7	The ligating properties of the free ligand, Ref. 50	21
Fig. I-8	N, N-bis(indole-2-oxo-3-ylidone)-1,3-diaminopropane	25
Fig. I-9	Dimeric pentacoordinate structure of Cu(II) chelate, Ref. 57	25
Fig. III-1	Structure of isatin and the ligands under investigation	53
Fig. III-2	Tautomeric structures of HBITr ligand	55
Fig. III-3	Mass spectrum of HIT, HAIT and HBITr ligands	56,57
Fig. III-4	Mass fragmentation pattern of HAIT and HBITr ligands	58
Fig. III-5	Electronic absorption spectra of HIT, HAIT and HBITr ligands	60
Fig. III-6	Effect of temperature on the dissociation constant of: (a) HIT, (b) HAIT and (c) HBITr	73
Fig. III-7	Potentiometric titration curves for $3 \times 10^{-3}\text{M}$ HIT ligand in absence and presence of $1 \times 10^{-3}\text{M}$ metal ions in 75%(v/v) ethanol-water at 30°C , $V_0=30\text{ mL}$ and $\mu=0.05\text{M}$ (KNO_3)	74
Fig. III-8	Potentiometric titration curves for $3 \times 10^{-3}\text{M}$ HAIT ligand in absence and presence of $1 \times 10^{-3}\text{M}$ metal ions in 75%(v/v) ethanol-water at 30°C , $V_0=30\text{ mL}$ and $\mu=0.05\text{M}$ (KNO_3)	75

Fig. III-9	Potentiometric titration curves for $1 \times 10^{-3} \text{M}$ HBITr ligand in absence and presence of $5 \times 10^{-4} \text{M}$ metal ions in 75%(v/v) ethanol-water at 30°C , $V_o=30 \text{ mL}$ and $\mu=0.05 \text{M}$ (KNO_3)	76
Fig. III-10	pK^{H} Values determined pH-metrically for HIT, HAIT and HBITr ligands in 75% (v/v) ethanol-water; $T=30^\circ \text{C}$; $\mu=0.05 \text{M}$ (KNO_3)	77
Fig. III-11	Metal-ligand formation constants of metal ions-HIT complexes by linear plot method	78
Fig. III-12	Metal-ligand formation constants of metal ions-HAIT complexes by linear plot method	79
Fig. III-13	Metal-ligand formation constants of metal ions-HBITr complexes by linear plot method	80
Fig. III-14	Relationship between the values of $\log K_1$ and pK^{H} for ML complexes	95
Fig. III-15	Relationship between the electronegativity of metal ions and the values of $\log K_1$ for metal complexes: (a) M(II)-HIT, (b) M(II)-HAIT and (c) M(II)-HBITr	98
Fig. III-16	Relationship between the second ionization potential, 2Ip , of metal ions and the values of $\log K_1$ for metal complexes: (a) M(II)-HIT, (b) M(II)-HAIT and (c) M(II)-HBITr	99
Fig. III-17	Relationship between the thermodynamic functions (ΔG° , ΔH° and ΔS°) and the 3d electrons: (a) M(II)-HIT, (b) M(II)-HAIT and (c) M(II)-HBITr	108
Fig. III-18	Relationship between the hardness and softness, $\text{En}^\#$, of metal ions and the non-electrostatic heat change, $\Delta H^\circ_{\text{non}}$ of the complex formation (a) HIT, (b) HAIT and (c) HBITr	109
Fig. III-19	Relation between pK^{H} values of HAIT ligand in different mixed aqueous solvents and the dielectric constant of the medium	113
Fig. III-20	Relation between $\log K_1$ values of metal-HAIT complexes and the inverse of the dielectric constant of the medium	113
Fig. III-21	Effect of pH on the absorption spectra of HAIT ligand in 75 % (v/v) ethanol-water	122