

Pathological Role of Biofilm in Fungal Rhinosinusitis

THESIS

By

Omar Mostafa Yusuf

M.Sc. Otorhinolaryngology
Faculty of Medicine-Ain Shams University

For partial fulfillment of doctor degree in
Otorhinolaryngology

Supervised by

Prof.Dr.Mohamed Magdy Samir

Professor of Otorhinolaryngology
Faculty of Medicine-Ain Shams University

Prof.Dr.Ossama Ibrahim Mansour

Professor of Otorhinolaryngology
Faculty of Medicine-Ain Shams University

Prof.Dr.Amr Gouda Shafik

Professor of Otorhinolaryngology
Ain Shams University-Faculty of Medicine

Dr.Youssef Shoukry Abd El-All

Assistant professor of anatomy
Faculty of Medicine-Ain Shams University

Faculty of Medicine
Ain Shams University
2018



I am thankful to **ALLAH** for granting me the will and power to finish this work.

I wish to express my greatest thanks and sincere appreciations **Prof. DR. Mohamed Magdy Samir** professor of otolaryngology, Faculty of Medicine, Ain Shams University, for his encouragement, for his generous assistance, fatherhood-relationship and helpful advices in the conduction of this work.

I wish to express my sincere gratitude and cardinal appreciations to my eminent **Prof. DR. Ossama Ibrahim Mansour**, professor of otolaryngology, Faculty of Medicine, Ain Shams University, for his continuous supervision, great help and giving much of his precious time and advices to make this work, kind cooperation and great encouragement during the preparation of this work.

I deeply thank, **Prof. DR. Amr Gouda Shafik** professor of otolaryngology, Faculty of Medicine, Ain Shams University, for his supervision, continuous efforts, valuable advices, brotherhood relation and sincere efforts in conduction of this study.

I deeply thank **Prof. Dr. Mohamed Shehata Taha**, professor of otolaryngology, Faculty of Medicine, Ain Shams University, for his supervision, continuous efforts, valuable advices, brotherhood relation and sincere efforts in conduction of this study.

I wish to express my supreme gratitude to **Dr. Yosef Shoukry Abdel All**, Ass. Professor of Anatomy, Ain Shams University, for her kind supervision, indispensable advice and great help in this work.

I want to express my deep respect and thanks to **Prof. Dr. Sameh Michel** for helping me to complete the statistics.

I am really grateful to all my Professors and Staff Members of E.N.T department, Faculty of Medicine, Ain Shams University and all my teachers who taught me any word on the road of science.

Finally, there is no word that can express my deepest and sincere gratitude to my family that was and will always be beside me.



Contents

Contents

List of abbreviations	II
List of tables	V
List of figures & diagram	VII
Introduction	1
Aim of the work	6
Review of literature	7
Patients & methods	70
Results	87
Discussion	138
Conclusion	156
Recommendations	157
Summary	160
References	164
Appendix I	184
Appendix II	190
Arabic summary	1

List of Abbreviations

List of Abbreviations

Abbreviation	Meaning
AFIFS	Acute fulminant invasive fungal sinusitis
AFRS	Allergic fungal rhinosinusitis
BHI	Brain heart infusion
BNP	Bilateral nasal polypi
CI	Confedence interval
CIFS	Chronic invasive fungal sinusitis
CLSM	confocal laser scanning microscopy
CRS	chronic rhinosinusitis
CT scan	Computed topography scan
Df	Degrees of freedom
EFRS	Eosinophilic fungal rhinosinusitis
EM	Electron microscope
EMRS	Eosinophilic mucin rhinosinusitis
ENT	Ear ,nose& throat
EPS	Extracellular polymeric substance
FESS	Functional endoscopic sinus surgery
FISH	Fluorescence In Situ Hybridization

List of Abbreviations

Abbreviation	Meaning
G-CSF	Granulocyte colony-stimulating factor
GERD	Gastro -esophageal reflux disease
GIFS	Granulomatous invasive fungal rhinosinusitis
GMS	The Modified Gomori Methenamine-Silver Nitrate Stain
H&E	Hematoxylin and eosin
LMS	Lund Mackay score
LKS(Pre)	Lund Kennedy score before treatment
LKS(Post)	Lund Kennedy score after treatment
MRI	Magnetic resonance imaging
MBP	Major basic protein
OCT	Optical coherence tomography
OSA	Obstructive sleep apnea
PAS	Periodic acid Schiff
PBMCs	Peripheral blood mononuclear cells
PIA	Polysaccharide intracellular adhesion
PNS	Paranasal sinus
ROC	Rhino-orbito-cerebral
S.aureus	Staphylococcus aureus

List of Abbreviations

SD	Standard deviation
SE	Standard error
SEM	Scanning Electron Microscope
SFB	Sinus fungus ball
TEM	Transmission electron microscopy

List of Tables

List of Tables

Table	Title	Page
1	Type of mycosis.	9
2	Endoscopic appearance score (Lund VJ and Kennedy DW, 1995).	74
3	The Lund-Mackay CT staging system.	76
4	Comparison of cases of fungal sinusitis and controls.	92
5	Comparison of patients with primary or recurrent fungal sinusitis: Numerical variables.	93
6	Comparison of patients with primary or recurrent fungal sinusitis: Categorical variables.	96
7	Comparison of patients with invasive or non-invasive fungal sinusitis: Numerical variables	97
8	Comparison of patients with invasive or non-invasive fungal sinusitis: Categorical variables.	100
9	Comparison of fungal sinusitis patients with positive or negative biofilm: Numerical variables	103
10	Comparison of fungal sinusitis patients with positive or negative biofilm: Categorical Variables.	106

List of Tables

Table	Title	Page
11	Multivariable regression analysis for the relation between biofilm and the Lund-Mackay score as adjusted for the type of fungal sinusitis	107
12	Multivariable regression analysis for the relation between biofilm and the Lund-Kennedy score before treatment as adjusted for the type of fungal sinusitis	108
13	Multivariable regression analysis for the relation between biofilm and the Lund-Kennedy endoscopic score after treatment as adjusted for the type of fungal sinusitis	109
14	Multivariable regression analysis for the relation between biofilm and the reduction of Lund-Kennedy score after treatment as adjusted for the type of fungal sinusitis	110
15	Evidence of biofilms in chronic rhinosinusitis (CRS) patients.	151

List of Figures&Diagrams

List of Figures

Figure	Title	Page
1	Coronal enhanced CT & histopathology of AFRS.	16
2	Histological images of eosinophilic mucin	24
3	Computed tomography scan & histopathology of fungus ball	29
4	Endoscopic appearance of left maxillary sinus filled with fungal material.	31
5	Unenhanced coronal CT scan showing right maxillary fungal granuloma invading the right orbit.	35
6	Chronic invasive fungal rhinosinusitis. Axial MRI T2 image shows fungal granuloma invading the left orbit.	35
7	Left proptosis due to intraorbital extension of GIFS.	40
8	palatal necrosis and ulcer in uncontrolled diabetic male patient with invasive fungal sinusitis	44
9	periorbital edema and chemosis as presenting symptoms of cavernous sinus thrombosis.	45
10	Coronal CT without contrast showing mildly	46

List of Figures&Diagrams

Figure	Title	Page
	hyperattenuating soft tissue filling the left ethmoid air cells.	
11	The inter-relationships of various forms of chronic rhinosinusitis derived by consensus discussion.	48
12	Schematic representation of biofilm lifecycle attachment, adhesion, aggregation, growth & maturation and detachment	55
13	Electron microscopy scanning photo for biofilm from frontal sinus mucosa in patient with CRS	60
14	Automatic tissue processor. (Leica EM TP)	81
15	co2 critical point dryer (TousimisAudosamdri-815)	82
16	Aluminum conducting tape.	83
17	Gold sputter coater (SPI-Module)	83
18	Scanning electron microscopy (JEOL-JSM-5500 LV)	85
19	Mean Lund-Mackay CT score in patients with primary or recurrent fungal sinusitis	94
20	Mean age of patients with invasive & non-invasive fungal sinusitis. Error bars represent the standard error of the mean (SE).	98
21	Main complaint in patients with invasive or non-invasive fungal sinusitis	101

List of Figures&Diagrams

Figure	Title	Page
22	Incidence of complications in patients with invasive or non-invasive fungal sinusitis.	102
23	Mean Lund-Kennedy score in fungal sinusitis patients with negative or positive biofilm.	104
24	CT PNS coronal cut showing deviated septum to left with no evidence of sinusitis.	112
25	Scanning electron micrograph of the mucosa of the nasal turbinate of a patient with deviated septum(control) Showing: Normal healthy mucosa with typical respiratory epithelium formed of dominant ciliated cells (C) that have long cylinder cilia almost beating in one direction obscuring the already few secretory cells (S). SEM X 1500.	113
26	A higher magnification of the previous figure Showing: the tuft of cilia with a beginning of a warily wave of beating (arrow), and some microvilli covering a nearby secretory cell (M) SEM X 4500	114
27	CT PNS coronal cut showing soft tissue shadow filling both maxillary and ethmoid sinuses.	115
28	Scanning electron micrograph of the mucosa of the nasal polypi (control)of a patient with negative biofilm Showing: Inflammatory reaction of the mucosa in the form of conglutinated cilia	116

List of Figures&Diagrams

Figure	Title	Page
	(C), swollen secretory cells (S) with absence of its coverage of microvilli with no evident of fungal biofilm. SEM X 4500	
29	Scanning electron micrograph of the mucosa of the nasal polypi (control) of a patient with negative biofilm Showing: Inflammatory reaction of the mucosa in the form of total deciliation with the surface covered only with polygonal secretory cells (S) with few, tiny microvilli on its apicies and there is no evident of fungal biofilm.SEM X 1000.	117
30	CT PNS soft tissue window coronal cut showing heterogeneous soft tissue shadow filling both ethmoid sinuses and left maxillary sinus.	119
31	Scanning electron micrograph of the mucosa of the nasal sinus of a patient with AFRS Showing: TYPE1 fungal biofilm formed scattered fungal spores which begin to connect to each other by a delicate, thread like hyphae (arrow).SEM X 950.	120
32	A higher magnification of the previous figure Showing: the aggregated Aspergillus fungal spores (As), EXTENSIVELY CONNECTED WITH THEIR HYPHEA (ARROW) ENTRAPING DESTROYED MUCOSAL TISSUE (D) AND RBCs(R).SEM X 2000.	121

List of Figures&Diagrams

Figure	Title	Page
33	CT PNS soft tissue window axial cut showing heterogeneous soft tissue shadow filling left maxillary sinus and nasal cavity.	122
34	Scanning electron micrograph of the mucosa of the paranasal sinus of a patient with recurrent fungal sinusitis Showing: Type 2 fungal biofilm formed of irregularly oriented hyphae (arrow) over a distorted mucosal surface (M). SEM X 800.	123
35	A higher magnification of the previous figure Showing: The hyphae of the fungal biofilm entrapping some fungal spores (arrow).SEM X 5000.	124
36	CT PNS coronal & axial cut soft tissue window showing RT fungal granuloma with intra orbital extension.	125
37	Scanning electron micrograph of the mucosa of the paranasal sinus of a patient with fungal granuloma Showing: Type 2 fungal biofilm (arrow) over a deciliated mucosal surface (M).SEM X 500.	126
38	A higher magnification of the previous figure Showing: the spores of the fungal biofilm spindling its own network of hyphae (N) SEM X 1500.	127
39	A higher magnification of the previous figure Showing: the spores of the fungal biofilm (arrow) and the complex network of hyphae matrix (N).SEM X 7000.	128

List of Figures&Diagrams

Figure	Title	Page
40	FIG (35): scanning electron micrograph of the mucosa of the paranasal sinus of patient with invasive fungal sinusitis Showing: Type 3 fungal biofilm formed of overcrowded fungal spores yielded together with a biofilm matrix (arrow).SEM X 370.	129
41	FIG (36): A higher magnification of the previous figure Showing: candida fungal spores with active budding (arrow).SEM X 2200.	130
42	CT PNS coronal cut showing heterogeneous opacity filling both ethmoid sinuses, RT maxillary sinus & nasal cavity.	131
43	FIG (37): scanning electron micrograph of the mucosa of the paranasal sinus of a patient with AFS Showing: COMPLEX fungal biofilm formed OF two types of fungal spores (As) and candida (C), hyphae (arrow), homogonous matrix (x).SEM X 3500.	132
44	FIG (38): scanning electron micrograph of the mucosa of the Paranasal sinus of a patient with AFS Showing: complex fungal biofilm formed OF two types of fungal spores (As) and candida (C), homogonous matrix (x).SEM X 3300.	133
45	CT PNS coronal cut showing left facial swelling and proptosis with left frontal and ethmoidal sinusitis.	134

List of Figures&Diagrams

Figure	Title	Page
46	Figure (46): scanning electron micrograph of the mucosa of the paranasal sinus of patient with acute invasive fungal sinusitis (mucormycosis) Showing: fungal biofilm formed of overcrowded fungal spores yielded together with a biofilm matrix (arrow).SEM X 3000.	135