



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات
لم ترد بالأصل

**COMPARATIVE STUDY OF ESMOLOL, URAPIDIL,
AND SODIUM NITROPRUSSIDE IN INDUCING
HYPOTENSIVE ANESTHESIA IN SPINAL SURGERY**

**Thesis Submitted for Partial Fulfillment
of M.D. Degree in Anesthesiology**

BY

Mohammed Mohammed Nabil Mohammed El-Shafei

M.B.B.Ch., M.Sc., Anesthesia, Ain Shams University

Supervised By

Prof. Dr. Mohammed Reda Abdel Gawad

*Professor and Chairman of Anesthesia and Intensive Care Department
Faculty of Medicine - Ain Shams University*

Prof. Dr. Rakia Mohammed Amin Shoeir

*Professor of Anesthesia and Intensive Care
Faculty of Medicine - Ain Shams University*

Prof. Dr. Adel Mohammed Gamal El-Messiry

*Head of Medical Research Center
Faculty of Medicine - Ain Shams University*

Prof. Dr. Samir El-Ansari M. El-Ansari

*Professor of Anesthesia and Intensive Care
Faculty of Medicine - Ain Shams University*

**Faculty of Medicine
Ain Shams University
*** 2000 *****

BV021

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قالوا سبحانك لا علم لنا
إلا ما علمتنا إنك أنت
العليم الحكيم

صدق الله العظيم

Acknowledgment

I would like to express my gratitude and thanks to **Prof. Dr. Mohammed Reda Abdel Gawad**, Professor and Chairman of Anesthesia and Intensive Care Department, Faculty of Medicine, Ain Shams University, for his kind participation in supervision as well as his great effort in revising this work.

I would like to express my sincere appreciation to **Prof. Dr. Rakia Amin Shoeir**, Professor of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, who revised this work several times with patience, constructive criticism, advise, guidance and continuous encouragement.

I am mostly grateful and thankful to **Prof. Dr. Samir El-Ansari**, Professor of Anesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for his valuable assistance and advice that enabled me to complete this work successfully under his supervision.

My deepest appreciation and thanks to **Prof. Dr. Adel El-Messiry**, Director of Medical Research Center, Ain Shams University, for his great help, advice and encouragement to finish this work successfully.

Finally, I would like to express my thanks to **Dr. Madiha Ahmed Gamal**, Fellow of Clinical Pathology, Medical Research Center, Ain Shams University for her cooperation and unlimited help during this work.

Mohammed El-Shafei

List of Contents

	PAGE
Introduction	1 - 3
Review of Literature	4 - 76
Chapter 1: Physiology	4 - 11
Chapter 2: Role of Renin	12 - 17
Chapter 3: Hypotensive Anesthesia	18 - 38
Chapter 4: Esmolol (Brevibloc)	39 - 53
Chapter 5: Sodium Nitroprusside (SNP)	54 - 62
Chapter 6: Urapidil (Ebrantil)	63 - 76
Patients and Methods	77 - 83
Results	84 - 118
Discussion	119 - 129
Summary	130 - 132
References	133 - 145
Arabic Summary	1 - 3

List of Tables

No.	Table	Page
Table (1):	Factors and conditions that affect renin secretion.	16
Table (2):	Mortality in deliberate hypotension.	34
Table (3):	Problems arising in the recovery period and mechanisms specially related to hypotensive anesthesia.	38
Table (4):	Incidence of hypotension reported during clinical trials evaluating the use of esmolol in the treatment of supraventricular tachycardia.	49
Table (5):	Pharmacologic parameters of urapidil.	69
Table (6):	Statistical analysis comparing age and sex of all patients in the three groups.	84
Table (7):	Types of surgery and duration of the hypotensive period in the three groups.	85
Table (8):	Statistical analysis comparing the dose, onset and recovery of hypotensive action of Esmolol, SNP, and Urapidil in the three groups of the study.	87
Table (9):	Statistical analysis comparing mean heart rate of the patients in the three groups at various periods of the study and comparison between the different groups.	92
Table (10):	The mean systolic blood pressure in mmHg of all patients in the three groups at various periods of the study and comparison between the different groups.	96
Table (11):	The mean diastolic blood pressure in mmHg of all patients in the three groups at various periods of the study and comparison between the different groups.	101

No.	Table	Page
Table (12):	The mean values of mean arterial blood pressure measurement (MAP) in mmHg of all patients in the three groups at various periods of the study and comparison between the three groups.	105
Table (13):	The mean values of PRA (ng/mL/h) of all patients in the three groups after induction of anesthesia and after stoppage of the hypotensive drug.	108
Table (14):	The mean central venous pressure (CVP) in cmH ₂ O of all patients in the three groups at various periods of the study and comparison between the three groups.	111
Table (15):	The mean O ₂ saturation of all patients in the three groups at various periods of the study and comparison between the three groups.	113
Table (16):	The mean end tidal CO ₂ of all patients in the three groups at various periods of the study with intergroup comparison.	115
Table (17):	The mean values of arterial blood gases of all patients in the three groups during general anesthesia.	117
Table (18):	The mean urine output in mL/kg/hour of all patients in the three groups, with intergroup comparison.	118