



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات
لم ترد بالأصل

MORPHOLOGICAL AND MOLECULAR GENETICAL STUDIES ON RESTORING ABILITY FOR WA TYPE CMS LINES IN RICE (*Oryza sativa* L.)

By

Walid Fouad Mohammed Ghidan

*B.Sc. (Genetics), Fac. of Agric., Kafr El-Sheikh,
Tanta Univ., 2000*

THESIS

*Submitted in Partial Fulfillment of
the Requirements for the Degree*


of

MASTER OF SCIENCE IN GENETICS

*Tanta University
Faculty of Agriculture, Kafr El-Sheikh
Department of Genetics*

(2005)

B 21194



MORPHOLOGICAL AND MOLECULAR GENETICAL STUDIES ON RESTORING ABILITY FOR WA TYPE CMS LINES IN RICE (*Oryza sativa* L.)

By
Walid Fouad Mohammed Ghidan

*B.Sc. (Genetics), Fac. of Agric., Kafr El-Sheikh,
Tanta Univ., 2000*

THESIS

*Submitted in Partial Fulfillment of
the Requirements for the Degree*

of

MASTER OF SCIENCE IN GENETICS

*Tanta University
Faculty of Agriculture, Kafr El-Sheikh
Department of Genetics*

Approved by:

Prof. Dr. Fatthy M. Abdel -Tawab

*Prof. Emeritus of Genetics, Faculty of Agriculture,
Ain Shams University.*

F. M. Abdel-Tawab

Prof. Dr. Abdel-Salam E. Draz

*Deputy Director of Field Crops Research Institute,
Sakha, Kafr El-Sheikh, Egypt.*

A. E. Draz

Prof. Dr. Said A. Dora

*Prof. and head of Genetics Department, Faculty of Agriculture,
Kafr El-Sheikh, Tanta University.*

Said Dora

Dr. Mohammed S. Abdel - Megeed


*Assoc. Prof. of Genetics, Faculty of Agriculture,
Kafr El-Sheikh, Tanta University.*

M. Megeed

(Committee in Charge)

Submitted in the Faculty Library

Date: 4 /12 / 2005



SUPERVISORS

Prof.Dr.

Said Abdel-Salam Dora

Prof. and head of Genetics Department

Faculty of Agriculture,

Kafr El-Sheikh, Tanta University

Prof.Dr.

Abdel-Salam Ebaid Draz

Deputy Director of rice program

Rice Research and Training Center

Sakha, Kafr El-Sheikh, Egypt


Dr.

Medhat Eraqy AL-Denary

Lecturer of Genetics

Faculty of Agriculture,

Tanta University






قالوا سبحانك لا علم لنا إلا ما
علمنا إنك أنت العليم الحكيم



(البقرة: ٣٢)



ACKNOWLEDGEMENT

First of all, thanks to "Allah" for supporting me in this task and all other tasks.

I wish to express my sincere gratitude to Prof. Dr. S. A. Dora, professor and head of Genetics department, Faculty of Agriculture, kafr EL-Sheikh, Tanta University, for his encouragement, for his supervision, suggesting the problem, guidance, constant interest shown and encouragement during the course of this work and valuable revision of this thesis.

Sincere appreciation and deep gratitude are due to Prof. Dr. A. E. Draz, Deputy Director of rice program, Rice Research & Training Center, Sakha, Kafr EL-Sheikh, supervision and kind guidance.

My deep thanks are appreciation to Dr. M. E. Al-Denary, lecturer of Genetics, Fac. of Agriculture, Tanta Univ., for his kind supervision of this study.

Great appreciation and gratitude are also due to Prof. Dr. A. O. Bastawisi, Head of Rice Research & Training Center (RRTC) for kind help and encouragement. Also my deep appreciation and gratitude are due to Dr. H. F. El-Mowafy, Researcher, (RRTC) for his help and support.

Great appreciation and gratitude are due to Dr. M. Abo yousef, Researcher, Rice Research & Training Center (RRTC) and Dr. M. Ammar, Researcher, (RRTC) for their help and support.

My full respect and deep thanks to my family and my fiancée for their tender care, help, support and encouragement to me during the work.

My deep appreciation to all breeding staff at Rice Research & Training Center (RRTC) for their help, encouragement and advice. Also many thanks to all staff at department of genetics, Faculty of Agriculture, kafr EL-Sheikh, Tanta University for their help and support.

I wish to thank my friend Mr. M. Ragab, for his great help in inscription of this thesis.

My deep thanks and appreciation to everyone helped me directly or indirectly during the course of this study.

W.F. Ghidan

