



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

Ain Shams University Information Network
جامعة عين شمس

شبكة المعلومات الجامعية

@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة



بالرسالة صفحات لعم ترد بالاصل

NEW APPROACHES FOR CONTROLLING BOLLWORMS

By

Safwat Abd El-Salam Aref

B.Sc. Agric. (Pesticides) Tanta Univ., (1976)

M.Sc. Agric. (Pesticides), Kafr El-Sheikh, Tanta Univ. (1997)

B6971

*Thesis Submitted in partial fulfillment in the
requirements for the degree
of
Doctor of Philosophy
(Pesticides)*

**Department of Pesticides
Faculty of Agriculture
Kafr El-Sheikh
Tanta University**

2002

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

Approval Sheet

NEW APPROACHES FOR CONTROLLING BOLLWORMS

Presented By

Safwat Abd El-Salam Aref

B.Sc. Agric. (Pesticides), Tanta Univ., 1976

M.Sc. Agric. (Pesticides), Tanta Univ., 1997

For the Degree of Ph.D. in Pesticides

B6971

Examiners Committee

Approved

1. **Prof. Dr. Abd El-Aziz Hasan Hosny** *A. H. Hosny*
Prof. of Pesticide Chemistry
Fac. of Agric., Kafr E-Sheikh,
Tanta University
2. **Prof. Dr. Ahmd El-Sayed Salama** *A. E. Salama*
Prof. of Pesticides Chemistry
Fac. of Agric., Kafr E-Sheikh,
Tanta University
3. **Prof. Dr. Mahmoud Mohamed Abo El-Amayem** *M. M. El-Amayem*
Prof. of Pesticides Chemistry
Fac. of Agric.,
Alexandria University
4. **Prof. Dr. Mohamed Abd El-Mohsen Salama** *Mohamed Salama*
Prof. of Pesticides Chemistry
Fac. of Agric. Kafr El-Sheikh,
Tanta University

Date: 17/2/2002

Committee in Charge

Acknowledgement

I would like to express my sincere thanks and deep appreciation to Prof. Dr. Ahmed E. Salama Professor of Chemistry of Pesticides, Faculty of Agriculture, Kafr El-Sheikh, Tanta University for suggesting the problem, supervision, continuous encouragement, supporting all the facilities during the course of this study and critical preparation of the manuscript.

The author is also deeply grateful to Prof. Dr. Mohamed A. Abd "El-Baki, Professor of Chemistry of Pesticides, and Vice Dean of Faculty of Agriculture, Kafr El-Sheikh, Tanta University for supervision and continuous encouragement during the preparation of this work.

Sincere appreciation is also extended to Prof. Dr. Mohammed A. Salama, Professor of Chemistry of Pesticides, Faculty of Agriculture, Kafr El-Sheikh, Tanta University for supervision, invaluable guidance during this study.

Also, the author extends his sincere appreciation to Prof. Dr. Mohamed G. Abbas, Professor of Pesticides, Plant Protection Research Institute, Ministry of Agriculture for supervision, supporting some facilities during this study.

Sincere appreciation and thanks to Prof. Dr. Amin A. Zein, Professor of Pesticides and Head of Pesticides Department and all staff members of Department of Pesticides, Faculty of Agriculture, Kafr El-Sheikh and to all members of laboratory of Entomology of Sakha Research Station.

Finally, I would like to express my sincere thanks to my wife to whom I am greatly indebted for the support she has always given and to my daughters Reem and Amira and my sons Mohamed and Abd El-Salam for their love and support.

CONTENTS

INTRODUCTION	1
REVIEW OF LITERATURE	3
EVALUATION OF THE DIFFERENT FACTORS AFFECTING THE CONTROL OF BOLLWORMS:	3
1. Evaluation of insecticides for controlling bollworms:.....	3
2. Evaluation of pheromones for controlling bollworms:	13
3. Evaluation of microbial pathogens for controlling bollworms:	36
3.1. Evaluation of <i>Bacillus thuringiensis</i>	36
3.2. Evaluation of <i>Beauveria bassiana</i>	49
4. Evaluation of parasitoid <i>Trichogramma evanescens</i> for controlling bollworms	57
MATERIALS AND METHODS.....	65
1. Tested organisms:	65
1.1. Pink bollworm, <i>Pectinohora gossypiella</i> (Saunders):	65
1.1.1. Susceptible strain:.....	65
1.1.2. Field strain:	65
1.1.3. Insect rearing:	65
1.2. Spiny bollworm, <i>Earias insulana</i> (Boisd.):.....	66
1.2.1. Field strain:	66
1.2.2. Insect rearing:	66
2. Chemical used:	66
2.1. Conventional insecticides:.....	67
2.2. Microbial insecticides (biocides):.....	68
3. The parasitoid, <i>Trichogramma evanescens</i> :	68
4. Pheromones:.....	69
5. Evaluation of tested compounds against bollworms under lab. conditions:	69
5.1. Residual toxicity of tested compounds against both bollworms under laboratory conditions:.....	69
5.2. Accumulative toxicity of tested compounds against both bollworms under laboratory conditions.....	69
5.3. Effect of tested compounds on the ability of bollworms to pin and needle the greenbolls:	70
5.4. Susceptibility of bollworms to tested compounds:.....	70
6. Evaluation of tested compounds against bollworms under field conditions:	71
6.1. Design of field experiments:	71
6.1.a. The first experiment:	71
6.1.b. The second experiment:	72
6.1.c. Third experiment:	73
6.2. Determination of bollworms infestation:.....	73
6.3. Monitoring the adult male of both pink and spiny bollworm populations by pheromone traps.....	74
6.4. Evaluation of releasing <i>T. evanescens</i> :	74
7. Statistical analysis of the data:	74

RESULTS AND DISCUSSION.....	75
I. Population dynamics of bollworms:.....	75
I.1. Population dynamics of pink bollworm (PBW):	75
I.1.1. Pink bollworm infested squares, blooms and shedded flowers	85
I.2. Population dynamics of spiny bollworm (SBW):.....	87
I.3. Population dynamics of cotton bollworms complex:	95
II. Effect of prevailing weather factors (temperature and relative humidity) on population dynamics of bollworms:.....	97
II.1. Effect of prevailing weather factors on population dynamics of pink bollworm:	97
II.2. Effect of prevailing weather factors on population dynamics of spiny bollworm:	98
III. Estimation of insect population and assessment of crop- damage:	107
III.1. Relationship between the number of caught male of pink bollworm (PBW) moths and the percentage of boll infestation:	107
III.2. Relationship between the number of caught male of spiny bollworm (SBW) moths and the percentage of boll infestation:	115
IV. Role of insect behavior and life-table in integrated pest management (IPM) programme:	122
IV.1. Role of insect behavior and life table of pink bollworm:	123
IV.1.a. Egg-deposition:.....	123
IV.1.b. Development of larvae:	123
IV.1.c. Effect of tested compounds on the ability of pink bollworms to pin and needle the green bolls:	124
IV.1.c.1. The ability of treated-newly hatched larvae of pink bollworm to pin and needle the green bolls:	124
IV.1.c.2. The ability of newly hatched larvae of pink bollworm to pin and needle the treated-green bolls:	125
IV.2. Role of insect behaviour and life table of spiny bollworm:	127
IV.2.a. Egg-deposition:	127
IV.2.b. Development of larvae:	127
IV.2.c. Effect of tested compounds on the ability of spiny bollworm to pin and needle the green bolls:	128
IV.2.c.1. The ability of treated-newly hatched larvae of spiny bollworm to pin and needle the green bolls:	128
IV.2.c.2. The ability of newly hatched larvae of spiny bollworm to pin and needle the treated green bolls:.....	128

V.	Susceptibility of cotton bollworms to insecticides:	130
V.1.	Susceptibility of second instar larvae of field and laboratory strains of pink bollworm to three different insecticides:	130
V.2.	Susceptibility of fourth instar larvae of field and laboratory strains of pink bollworm to three different insecticides:	131
V.3.	Susceptibility of the 2nd and 4th instars larvae of field strain of spiny bollworm to three different insecticides:	136
V.4.	Evaluation of tested compounds against bollworms under laboratory conditions:	145
V.4.1.	Residual toxicity of tested compounds against both bollworms under laboratory conditions:	145
V.4.2.	Accumulative toxicity of tested compounds against both bollworms under laboratory conditions:	147
VI.	Side effects of insecticidal treatments on six main predators commonly found in cotton-fields:.....	150
VI.1.	Side effects of insecticidal treatments on true spiders:	150
VI.2.	Side effects of insecticidal treatments on <i>Coccinella undecimpunctata</i> :	158
VI.3.	Side effects of insecticidal treatments on <i>Scymnus</i> spp.:	161
VI.4.	Side effects of insecticidal treatments on <i>Paederus alfeirii</i> :	161
VI.5.	Side effects of insecticidal treatments on <i>Chrysoperla carnea</i> :	166
VI.6.	Side effects of insecticidal treatment on <i>Orius</i> spp.:	166
VII.	Evaluation of tested compounds against cotton bollworms under field conditions.....	172
VII.1.	Evaluation of microbial insecticides against cotton bollworms under field conditions	172
VII.1.a.	Evaluation of the bacterial insecticide <i>B. thuringiensis</i> for controlling cotton bollworms:	172
VII.1.b.	Evaluation of the fungal insecticide <i>B. bassiana</i> for controlling cotton bollworms:	180
VII.2.	Evaluation of pheromone-treatment for controlling cotton bollworms:	186
VII.3.	Evaluation of <i>Trichogramma evanescens</i> for controlling bollworms:	191
VII.4.	Evaluation of insecticides for controlling cotton bollworms: ..	193
VIII.	Evaluation of certain interactions between the tested biocides, conventional insecticides, pheromone and the parasitoid against both bollworms.....	200
IX.	Efficiency of different IPM programmes on cotton yield:	207
	SUMMARY.....	211
	REFERENCES	221
	ARABIC SUMMARY	

