



شبكة المعلومات الجامعية

شبكة المعلومات الجامعية  
@ ASUNET







شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم



شبكة المعلومات الجامعية

# جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

## قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها  
على هذه الأفلام قد أعدت دون أية تغيرات



## يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of  
15 – 25c and relative humidity 20-40 %





شبكة المعلومات الجامعية



# بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية




بالرسالة صفحات

لم ترد بالأصل

**STUDIES ON CERTAIN BIOLOGICAL  
CONTROL METHODS ON ROOT-KNOT  
NEMATODE INFECTING SOME  
VEGETABLE PLANTS**

**BY  
HAZEM MOHAMED ELEWA**



A thesis submitted in partial fulfillment  
of  
the requirements for the degree of

**MASTER OF SCIENCE**

in  
**Agricultural Zoology  
(Nematology)**

Plant Protection Department  
Faculty of Agriculture, Moshtohor  
Zagazig University, Benha Branch

B

V K O N

2001

**STUDIES ON CERTAIN BIOLOGICAL  
CONTROL METHODS ON ROOT-KNOT  
NEMATODE INFECTING SOME  
VEGETABLE PLANTS**

**BY**  
**HAZEM MOHAMED ELEWA**  
B.Sc. (Plant protection), Fac. Agric., Moshtohor  
Zagazig University., 1996

**Under supervision of: Prof. Dr.....**

**Prof. Of Nematology.**

**Prof. Dr.....**

**Prof. of Agriculture Zoology**

**Prof. Dr.....**

**Prof. of Agriculture Zoology**

**2001**





## Approval Sheet

# STUDIES ON CERTAIN BIOLOGICAL CONTROL METHODS ON ROOT-KNOT NEMATODE INFECTING SOME VEGETABLE PLANTS

BY

**HAZEM MOHAMED ELEWA**

B.Sc. (Agric. Science) Zagazig University, Benha Branch 1996

This thesis for (M.Sc.) degree has been

Approved by:

Prof. Dr. *A. A. Hafez* .....


Prof. Dr. *G. H. Rady* .....

Prof. Dr. *M. Elmaghrabi* .....

Prof. Dr. *A. Kassab* .....

Prof. Dr. *A. A. Qalim* .....

Date of Examination: 27/3/2001



## **Acknowledgement**

First of all , I would like to express my deepest thanks to **"ALLAH "** for helping me to carry out and complete this work .

I would like to express my deepest gratitude and appreciation to :

Prof. Dr. **Ahmed Abd El-Magid Salem** Prof. of Nematology, Faculty of Agriculture, Zagazig University for his indigent help in the choice of the subject and continuos support during the practical stages of experiments and during the preparation of the thesis.

Prof. Dr. **Gad Hamada Rady** Prof. of Agricultural Zoology, Plant Protection Department at Moshtohor, Who was generous with his precious time, diligent effect and unlimited facilities.

Prof. Dr. **Mohamed Mansour Kandil** Prof. of Agricultural Zoology, Plant Protection Department at Moshtohor for his continuos encouragement during study and preparation of this thesis.

Prof. Dr. **Mostafa El-Nabawy Mahrous** . Prof. of nematology, Faculty of Agriculture , Zagazig University. for his supervision and guidance.

Dr. **Hanaa Zawam** , researcher of nematology , Agricultural Research Center ,and Dr. **Fathy Gad** lecturer of plant pathology, Fac. of Agriculture at Moshtohor who were generous supervision on the details of this work.



**Mr. Ahmed Said** , asist. Lecturer of Floriculture, and **Hamed El- Zaabalawy** Demonstrator in Horticulture Department, at Moshtohor for their effective role in this aspect .

Finally I'd like also, to express my deepest gratitude to **Scientific Research Academy** for helping and supporting me, that this work become a reality.

## Contents

<b>I- Introduction.</b> .....	1
<b>II- Review of Literature.</b> .....	5
<b>III- Materials and Methods.</b> .....	33
<b>IV- Results and Discussion:</b> .....	47
1- Occurrence and distribution of plant parasitic nematode associated with vegetable crops under field conditions in Sharkia and Qalubia Governorate.....	47
2- Laboratory experiment:	
A) Some factors affecting myceliogenic germination of certain antagonistic fungi.	
* Temperature.....	53
* Percentage of humidity.....	61
* Light.....	64
*pH value....	68
B) Comparative study between certain nematophagous fungi and nematicides.....	71
3-Greenhouse experiments:	
A) Effect of some nematophagous fungi filtrates on <i>Meloidogyne incognita</i> infecting tomato plants.....	74
B) Effect of some antagonistic fungi spores on <i>Meloidogyne incognita</i> infecting tomato plants.....	78

C) Effect of some antagonistic fungi filtrates on <i>Meloidogyne incognita</i> infecting eggplant .....	83
D) Effect of some antagonistic fungi spores on <i>Meloidogyne incognita</i> infecting eggplants.....	87
4- Semi-field experiment:	
A) Effect of nematophagous fungus filtrate <i>Nematocytus</i> <i>concurrans</i> on tomato plants infecting by <i>Meloidogyne</i> <i>incognita</i> . .....	93
B) Chemical analysis.....	106
<b>V) Summary and Recommendation. ....</b>	<b>113</b>
<b>VI) Literature Cited. ....</b>	<b>119</b>
<b>VII) Arabic Summary.</b>	



List of Tables		Page
Table (1)	Percentage of frequency occurrence of plant parasitic nematodes associated with some vegetable crops cultivated in Sharkia Governorate.	49
Table (2)	Percentage of frequency occurrence of plant parasitic nematodes associated with some vegetable crops cultivated in Qalubia Governorate.	50
Table (3)	Effect of certain temperature degrees on rate of growth of some antagonistic fungi.	55
Table (4)	Effect of different temperature degrees on amount of growth of certain antagonistic fungi.	56
Table (5)	Effect of different humidity percentage on rate of growth of certain antagonistic fungi.	63
Table (6)	Effect of different lighting grades on rate of growth of certain antagonistic fungi.	66
Table (7)	Effect of different lighting grades on amount of growth of certain antagonistic fungi.	67
Table (8)	Effect of pH values on amount of growth of some antagonistic fungi.	69
Table (9)	Effect of different concentrations of certain nematicides on <i>Meloidogyne incognita</i> mortality.	73
Table (10)	Effect of different concentrations of certain fungi filtrates on mortality of <i>Meloidogyne incognita</i> .	73
Table (11)	Effect of certain nematophagous fungi filtrates on <i>Meloidogyne incognita</i> on tomato plants under greenhouse conditions.	75