



Isolation and characterization of glucose-6-phosphate dehydrogenase enzyme from liver of some mammals for laboratory diagnosis

Thesis Submitted

By

Mohamed Mosaad Abdel-Monseif Soliman

M. Sc. in Biochemistry, Biochemistry Department

Faculty of Science, Ain Shams University, 2010

Assistant Researcher, Molecular Biology Department

Genetic Engineering and Biotechnology Division

National Research Centre

Ph. D. Degree in Biochemistry

Supervised by

Prof. Dr.

Ahmed Mohamed Hassan Salem

Prof. of Biochemistry

Biochemistry Department

Faculty of Science

Ain Shams University

Prof. Dr.

Mahmoud Abdel-Aziz Ibrahim

Prof. of Biochemistry

Molecular Biology Department

Head of Genetic Engineering and

Biotechnology Division

National Research Centre

Dr.

Mohamed Abdel-Hady Mahmoud Ghazy

Assistant Professor of Biochemistry

Biochemistry Department

Faculty of Science

Ain Shams University

Biochemistry Department

Faculty of Science

Ain Shams University

(2014)

Isolation and characterization of glucose-6-phosphate dehydrogenase enzyme from liver of some mammals for laboratory diagnosis

Board of Scientific Supervision

Prof. Dr. Ahmed Mohamed Hassan Salem

Emeritus Professor of Biochemistry

Biochemistry Department

Faculty of Science

Ain Shams University

Cairo - Egypt

Prof. Dr. Mahmoud Abdel-Aziz Ibrahim

Professor of Biochemistry

Molecular Biology Department

Head of Genetic Engineering and Biotechnology Division

National Research Centre

Cairo - Egypt

Dr. Mohamed Abdel-Hady Mahmoud Ghazy

Assistant Professor of Biochemistry

Biochemistry Department

Faculty of Science

Ain Shams University

Cairo - Egypt



ACKNOWLEDGEMENT

*I would like to express my deep appreciations to **Prof. Dr. Ahmed Mohamed Hassan Salam**, emeritus Professor of Biochemistry, Department of Biochemistry, Faculty of Science, Ain Shams University for his valuable supervision, guidance and kind encouragement.*

*I would like to express my sincere and great appreciation to **Prof. Dr. Mahmoud Abdel-Aziz Ibrahim**, Professor of Biochemistry, Molecular Biology Department, National Research Center, for suggesting the research point, his close supervision and giving the full facilities for the proper research work,*

*My deep appreciations are due to **Prof. Dr. Abdel-Hady Mahmoud Ghazy**, emeritus Professor of Biochemistry, Molecular Biology Department, National Research Center, for his generous help, kindness and encouragement throughout the course of this work,*

*I would like to express my sincere gratitude to **Dr. Mohamed Abdel-Hady Mahmoud Ghazy**, Assistant Professor of Biochemistry, Biochemistry Department, Faculty of Science, Ain Shams University for his valuable supervision and kind support.*

The financial support offered by National Research Centre and facilities offered by Molecular Biology Department, that enabled me to carry out this work are greatly appreciated.

Deepest gratitude is indebted to my colleagues in Molecular Biology Department, National Research Centre.

Deepest gratitude is indebted to my family; my father, my mother, my brothers, my sisters and my wife for their help and continuous encouragement. I wouldn't be here if I didn't have them beside me.

TABLE OF CONTENTS

	Page
List of Figures-----	VII
List of Tables-----	XIV
List of Abbreviations-----	XV
Abstract -----	XVII
Aim of work -----	1
Introduction -----	3
I- Importance of glucose-6-phosphate dehydrogenase -----	6
II- Distribution of glucose-6-phosphate dehydrogenase -----	7
III- Molecular properties of glucose-6-phosphate dehydrogenase -----	8
1- Genetics of glucose-6-phosphate dehydrogenase-----	8
2- Structure and function of glucose-6-phosphate dehydrogenase -----	9
3- Molecular weight and subunits-----	10
4- Substrate and coenzyme specificity-----	11
5- Optimum pH-----	12
6- Optimum temperature -----	12
7- Inhibition -----	13
(A) Product inhibition-----	13
(B) Inhibition by various inhibitors-----	13
8- Regulation of glucose-6-phosphate dehydrogenase-----	14
(A) Regulation of G6PD by nutritional and hormonal factors -----	14
(B) Regulation of glucose-6-phosphate dehydrogenase by oxidative stress-----	15
IV- Purification of glucose-6-phosphate dehydrogenase -----	16
V- The hexokinase/glucose-6-phosphate dehydrogenase (HK/G6PD) diagnostic kit -----	17
Materials and Methods -----	20
A- MATERIALS-----	20
1- Liver material-----	20
2- Chemicals-----	20
3- Buffers-----	21

- II -

B- METHODS-----	21
I- Enzyme assay-----	21
Assay of glucose-6-phosphate dehydrogenase activity-	21
II- Protein determination-----	21
1- Principle-----	21
2- Preparation of the protein assay reagent-----	22
3- Procedure-----	22
III- Preparation of columns for chromatography-----	24
1- Preparation of DEAE-cellulose column-----	24
2- Preparation of sephacryl S-300 column-----	25
3- Preparation of 2', 5' ADP Sepharose 4B affinity column -----	25
IV- Purification of the liver glucose-6-phosphate dehydrogenase -----	26
1- Preparation of crude extract -----	26
2- Preparation of Ammonium sulfate precipitation ---	27
3- DEAE-cellulose column chromatography-----	27
4- Sephacryl S-300 column chromatography-----	28
5- 2', 5' ADP Sepharose 4B affinity column Chromatography-----	28
V- Molecular weight determination by gel filtration-----	28
VI- Electrophoretic analyses-----	29
A- Native polyacrylamide gel electrophoresis (PAGE) ----	29
1- Principle-----	29
2- Reagents-----	31
3- Procedure-----	32
B- Sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) -----	33
1 – Principle-----	33
2 – Reagents-----	33
3 – Procedure-----	35
4 – Molecular weight determination by SDS-PAGE----	37
C- Isoelectric focusing (IEF) -----	39
1- Principle-----	39
2- Reagents-----	39

- III -

3- Procedure-----	41
4- Determination of isoelectric point <i>pI</i> value-----	43
D- Staining of the glucose-6-phosphate dehydrogenase enzyme activity-----	43
VII- Statistical analysis-----	45
VIII- Preparation of glucose hexokinase diagnostic kit by using the purified G6PD -----	45
1- Reagents Preparation -----	45
2- System parameters -----	47
3- Assay Procedure -----	48
4- Calculation-----	48
5- Reference Range -----	48
Results -----	49
Comparison of the liver glucose-6-phosphate dehydrogenase activity: -----	49
1- Based on the specific activity level: -----	49
2- Based on the anion exchange chromatographic pattern: --	51
3- Based on electrophoretic pattern: -----	55
I- Buffalo liver glucose-6-phosphate dehydrogenases: -----	58
A- Purification of glucose-6-phosphate dehydrogenase from buffalo liver: -----	58
1- Preparation of crude extract: -----	58
2- Ammonium sulfate precipitation: -----	58
3- Chromatography on the DEAE-cellulose column: --	60
4- Chromatography on sephacryl S-300 column: -----	62
5- Affinity chromatography on 2', 5' ADP Sepharose 4B column: -----	65
B- Characterization of the buffalo liver glucose-6-phosphate dehydrogenases BLG6PD1 and BLG6PD2:-----	68
1- Molecular weight determination of the buffalo liver glucose-6-phosphate dehydrogenase by gel filtration: - -----	68
2- Electrophoretic analyses of buffalo liver glucose-6-phosphate dehydrogenase: -----	68
A- Homogeneity by native 7 % PAGE: -----	68

- IV -

B- Subunit molecular weight by SDS-PAGE: -----	69
C- Isoelectric point determination: -----	69
3- Determination of optimum pH: -----	77
4- Effect of divalent cations: -----	77
5- Michaelis-Menten constant (<i>K_m</i>) value: -----	80
6- Effect of various inhibitors: -----	82
7- Kinetics of BLG6PD1 and BLG6PD2 inhibition by NADPH: -----	87
A- Effect of NADPH concentration on BLG6PD1 and BLG6PD2 activity: -----	88
B- Number of binding site: -----	88
C- Type of inhibition: -----	88
D- Determination of the inhibition constant (<i>K_i</i>): -----	92
II- Camel liver glucose-6-phosphate dehydrogenase: ----	92
A- Purification of glucose-6-phosphate dehydrogenase from camel liver: -----	92
1- Preparation of crude extract: -----	92
2- Ammonium sulfate precipitation: -----	94
3- Chromatography on the DEAE-cellulose column: -	96
4- Chromatography on Sephacryl S-300 column: -----	96
5- Affinity chromatography on 2', 5' ADP Sepharose 4B column: -----	99
B- Characterization of the camel liver glucose-6-phosphate dehydrogenase CLG6PD:-----	101
1- Molecular weight determination of the camel liver glucose-6-phosphate dehydrogenase by gel filtration: - -----	101
2- Electrophoretic analyses of camel liver glucose-6-phosphate dehydrogenase: -----	101
A- Homogeneity by native 7 % PAGE: -----	101
B- Subunit molecular weight by SDS-PAGE: -----	104
C- Isoelectric point determination: -----	104
3- Determination of optimum pH: -----	104
4- Effect of divalent cations: -----	108
5- Michaelis-Menten constant (<i>K_m</i>) value: -----	108

6- Effect of various inhibitors: -----	111
7- Kinetics of CLG6PD inhibition by NADPH: -----	116
A- Effect of NADPH concentration on CLG6PD activity: -----	116
B- Number of binding site: -----	116
C- Type of inhibition: -----	119
D- Determination of the inhibition constant (K_i): -----	119
III- Sheep liver glucose-6-phosphate dehydrogenases: --	122
A- Purification of glucose-6-phosphate dehydrogenase from sheep liver: -----	122
1- Preparation of crude extract: -----	122
2- Ammonium sulfate precipitation: -----	122
3- Chromatography on the DEAE-cellulose column: --	124
4- Chromatography on sephacryl S-300 column: -----	124
5- Affinity chromatography on 2', 5' ADP Sepharose 4B column: -----	126
B- Characterization of the sheep liver glucose-6-phosphate dehydrogenase SLG6PD1 and SLG6PD2:-----	131
1- Molecular weight determination of the sheep liver glucose-6-phosphate dehydrogenase by gel filtration: ----	131
2- Electrophoretic analyses of sheep liver glucose-6-phosphate dehydrogenase: -----	131
A- Homogeneity by native 7 % PAGE: -----	131
B- Subunit molecular weight by SDS-PAGE: -----	136
C- Isoelectric point determination: -----	136
3- Determination of optimum pH: -----	140
4- Effect of divalent cations: -----	140
5- Michaelis-Menten constant (K_m) value: -----	143
6- Effect of various inhibitors: -----	145
7- Kinetics of SLG6PD1 and SLG6PD2 inhibition by NADPH: -----	150
A- Effect of NADPH concentration on SLG6PD1 and SLG6PD2 activity: -----	150
B- Number of binding site: -----	152
C- Type of inhibition: -----	152

- VI -

D- Determination of the inhibition constant (K_i): -----	155
IV- Comparison of the constructed kit with the commercially available kits -----	155
Discussion-----	160
References-----	178
Summary-----	192
Arabic Summary	
Arabic Abstract	

LIST OF FIGURES

Figure No.	Page
(1): Standard curve of the protein concentration using bovine serum albumin as a standard protein -----	23
(2): A Calibration curve for the molecular weight determination of glucose-6-phosphate dehydrogenase by gel filtration on the Sephacryl S-300 column-----	30
(3): A Calibration curve for the molecular weight determination by 12 % SDS-PAGE-----	38
(4): A calibration curve for isoelectric point (<i>pI</i>) value determination by isoelectric focusing (IEF) -----	44
(5): Standard curve of the prepared glucose hexokinase diagnostic kit using glucose as a standard (100 mg/dl) -----	46
(6): A typical elution profile for the chromatography of the buffalo liver crude extract on DEAE-cellulose column-----	52
(7): A typical elution profile for the chromatography of the camel liver crude extract on DEAE-cellulose column -----	53
(8): A typical elution profile for the chromatography of the sheep liver crude extract on DEAE-cellulose column-----	54
(9): Electrophoretic analysis of liver crude extract of the isoenzyme pattern of three mammals on 7 % native polyacrylamide gel -----	56
(10): Electrophoretic analysis of liver crude extract of the protein pattern of three mammals on 7 % native polyacrylamide gel -----	57
(11): A typical elution profile for the chromatography of the buffalo liver ammonium sulfate fraction on DEAE-cellulose column -----	61
(12): A typical elution profile for the chromatography of the concentrated pooled DEAE-cellulose fractions containing the buffalo liver glucose-6-phosphate dehydrogenase activity (BLG6PD1) on Sephacryl S-300 column-----	63

- VIII -

-
-
- (13): A typical elution profile for the chromatography of the concentrated pooled DEAE-cellulose fractions containing the buffalo liver glucose-6-phosphate dehydrogenase activity (BLG6PD2) on Sephacryl S-300 column -----64
- (14): A typical elution profile for the chromatography of the concentrated pooled Sephacryl S-300 column fractions containing the buffalo liver glucose-6-phosphate dehydrogenase activity (BLG6PD1) on 2', 5' ADP sepharose 4B column ----- 66
- (15): A typical elution profile for the chromatography of the concentrated pooled Sephacryl S-300 column fractions containing the buffalo liver glucose-6-phosphate dehydrogenase activity (BLG6PD2) on 2', 5' ADP sepharose 4B column -----67
- (16): Electrophoretic analysis of buffalo liver glucose-6-phosphate dehydrogenase (BLG6PD1) of the different purification steps on 7 % native polyacrylamide gel, protein pattern ----- 70
- (17): Electrophoretic analysis of buffalo liver glucose-6-phosphate dehydrogenase (BLG6PD1) of the different purification steps on 7 % native polyacrylamide gel, isoenzyme pattern -----71
- (18): Electrophoretic analysis of buffalo liver glucose-6-phosphate dehydrogenase (BLG6PD2) of the different purification steps on 7 % native polyacrylamide gel, protein pattern:----- 72
- (19): Electrophoretic analysis of buffalo liver glucose-6-phosphate dehydrogenase (BLG6PD2) of the different purification steps on 7 % native polyacrylamide gel, isoenzyme pattern -----73
- (20): Subunit molecular weight determination by electrophoretic analysis of buffalo liver glucose-6-phosphate dehydrogenase isoenzyme (BLG6PD1) on 12 % SDS-polyacrylamide gel ----- 74
- (21): Subunit molecular weight determination by electrophoretic analysis of buffalo liver glucose-6-
-
-

- IX -

phosphate dehydrogenase isoenzyme (BLG6PD2) on 12 % SDS-polyacrylamide gel -----	75
(22): Isoelectrofocusing; (1) Isoelectric point (<i>pI</i>) marker proteins, (2) the purified buffalo liver glucose-6- phosphate dehydrogenase BLG6PD1 and (3) the purified buffalo liver glucose-6-phosphate dehydrogenase BLG6PD2-----	76
(23): Effect of pH on the purified buffalo liver glucose-6- phosphate dehydrogenase (BLG6PD1 and BLG6PD2) using 0.02 M Tris / HCl buffer of various pH values -	93
(24): Effect of divalent cations on BLG6PD1 and BLG6PD2--- -----	79.
(25): Effect of the substrate β -Nicotinamide adenine dinucleotide phosphate (NADP^+) concentration in mM on the reaction velocity of the purified buffalo liver BLG6PD1 and BLG6PD2-----	81
(26): Lineweaver-Burk plot relating the reciprocal of the reaction velocity of the purified buffalo liver BLG6PD1 and BLG6PD2 to β -Nicotinamide adenine dinucleotide phosphate (NADP^+) concentration in mM -----	83
(27): Effect of inhibitors on BLG6PD1 and BLG6PD2-----	84
(28): Inhibition of the purified buffalo liver BLG6PD1 and BLG6PD2 by varying concentrations of NADPH ----	89
(29): Hill plot for inhibition of the purified liver BLG6PD1 and BLG6PD2 by varying concentrations of NADPH -----	90
(30): Lineweaver-Burk plots showing the type of inhibition of the purified buffalo liver BLG6PD1 and BLG6PD2 by NADPH. -----	91
(31): Determination of the inhibition constant (K_i) value for the inhibition of the purified buffalo liver BLG6PD1 and BLG6PD2 by NADPH -----	93
(32): A typical elution profile for the chromatography of the camel liver ammonium sulfate fraction on DEAE- cellulose column -----	97

-
-
- (33): A typical elution profile for the chromatography of the concentrated pooled DEAE-cellulose fractions containing the camel liver glucose-6-phosphate dehydrogenase activity (CLG6PD) on Sephacryl S-300 column----- 98
- (34): A typical elution profile for the chromatography of the concentrated pooled Sephacryl S-300 column fractions containing the camel liver glucose-6-phosphate dehydrogenase activity (CLG6PD) on 2', 5' ADP sepharose 4B column ----- 100
- (35): Electrophoretic analysis of camel liver glucose-6-phosphate dehydrogenase (CLG6PD) of the different purification steps on 7 % native polyacrylamide gel, protein pattern ----- 102
- (36): Electrophoretic analysis of camel liver glucose-6-phosphate dehydrogenase (CLG6PD) of the different purification steps on 7 % native polyacrylamide gel, isoenzyme pattern ----- 103
- (37): Subunit molecular weight determination by electrophoretic analysis of camel liver glucose-6-phosphate dehydrogenase CLG6PD on 12 % SDS-polyacryl-amide gel ----- 105
- (38): Isoelectrofocusing; (1) Isoelectric point (pI) marker proteins, (2) the purified camel liver glucose-6-phosphate dehydrogenase CLG6PD ----- 106
- (39): Effect of pH on the purified camel liver glucose-6-phosphate dehydrogenase CLG6PD using 0.02 M Tris / HCl buffer of various pH values ----- 107
- (40): Effect of divalent cations on the purified camel liver glucose-6-phosphate dehydrogenase CLG6PD ----- 109
- (41): Effect of the substrate β -Nicotinamide adenine dinucleotide phosphate ($NADP^+$) concentration in mM on the reaction velocity of the purified camel liver CLG6PD ----- 110
- (42): Lineweaver-Burk plot relating the reciprocal of the reaction velocity of the purified camel liver CLG6PD to
-
-

- XI -

β -Nicotinamide adenine dinucleotide phosphate (NADP ⁺) concentration in mM -----	112
(43): Effect of inhibitors on the purified camel liver glucose-6- phosphate dehydrogenase CLG6PD -----	113
(44): Inhibition of the purified camel liver CLG6PD by varying concentrations of NADPH -----	117
(45): Hill plot for inhibition of the purified camel liver CLG6PD by varying concentrations of NADPH -----	118
(46): Lineweaver-Burk plots showing the type of inhibition of the purified camel liver CLG6PD by NADPH. The activity of CLG6PD was measured with varying concentrations of the substrate β -Nicotinamide adenine dinucleotide phosphate (NADP ⁺) in absence and presence of three various concentrations of NADPH -----	120
(47): Determination of the inhibition constant (<i>K_i</i>) value for the inhibition of the purified camel liver CLG6PD by NADPH-----	121
(48): A typical elution profile for the chromatography of the sheep liver ammonium sulfate fraction on DEAE- cellulose column -----	125
(49): A typical elution profile for the chromatography of the concentrated pooled DEAE-cellulose fractions containing the sheep liver glucose-6-phosphate dehydrogenase activity (SLG6PD1 and SLG6PD1) on Sephacryl S-300 column -----	127
(50): A typical elution profile for the chromatography of the concentrated pooled Sephacryl S-300 column fractions containing the sheep liver glucose-6-phosphate dehydrogenase activity (SLG6PD1) on 2', 5' ADP sepharose 4B column -----	129
(51): A typical elution profile for the chromatography of the concentrated pooled Sephacryl S-300 column fractions containing the sheep liver glucose-6-phosphate dehydrogenase activity (SLG6PD2) on 2', 5' ADP sepharose 4B column -----	130

- XII -

(52): Electrophoretic analysis of sheep liver glucose-6-phosphate dehydrogenase (SLG6PD1) of the different purification steps on 7 % native polyacrylamide gel, protein pattern -----	132
(53): Electrophoretic analysis of sheep liver glucose-6-phosphate dehydrogenase (SLG6PD1) of the different purification steps on 7 % native polyacrylamide gel, isoenzyme pattern -----	133
(54): Electrophoretic analysis of sheep liver glucose-6-phosphate dehydrogenase (SLG6PD2) of the different purification steps on 7 % native polyacrylamide gel, protein pattern -----	134
(55): Electrophoretic analysis of sheep liver glucose-6-phosphate dehydrogenase (SLG6PD2) of the different purification steps on 7 % native polyacrylamide gel, isoenzyme pattern -----	135
(56): Subunit molecular weight determination by electrophoretic analysis of sheep liver glucose-6-phosphate dehydrogenase isoenzyme (SLG6PD1) on 12 % SDS-polyacrylamide gel -----	137
(57): Subunit molecular weight determination by electrophoretic analysis of sheep liver glucose-6-phosphate dehydrogenase isoenzyme (SLG6PD2) on 12 % SDS-polyacrylamide gel: -----	138
(58): Isoelectrofocusing; (1) Isoelectric point (<i>pI</i>) marker proteins, (2) the purified sheep liver glucose-6-phosphate dehydrogenase SLG6PD1-----	139
(59): Effect of pH on the purified sheep liver glucose-6-phosphate dehydrogenase (SLG6PD1 and SLG6PD2) using 0.02 M Tris / HCl buffer of various pH values -	141
(60): Effect of divalent cations on SLG6PD1 and SLG6PD2--- -----	142
(61): Effect of the substrate β -Nicotinamide adenine dinucleotide phosphate (NADP ⁺) concentration in mM on the reaction velocity of the purified sheep liver SLG6PD1 and SLG6PD2-----	144
