

The Effect of Chronic Aluminium Toxicity on Fungiform and Circumvallate Papillae of Albino Rat and the Possible Protective Role of Ginger Co-administration

Thesis
Submitted For Partial Fulfilment of the Requirements
of Doctor Degree in Oral Biology

By Rania Ahmed Mahmoud Awwad

B.D.S – 2000 MSC- 2010 Faculty of Dentistry Ain Shams University

Under Supervision of

Dr. Ahmed M. Halawa

Associate Professor of Oral Biology Faculty of Dentistry, Ain Shams University

Dr. Reham Magdy Ameen

Associate Professor of Oral Biology Faculty of Dentistry, Ain Shams University

> Faculty of Dentistry Ain Shams University 2014

بِسمِ اللهِ الرّحمٰنِ الرّحيمِ

{وعَلَّمَكَ مَا لَمْ تَكُنْ تعلمُ و كَان فَضلُ اللهِ عليكَ عظيماً} النساء 113

{ويُسقونَ فِيها كَأْساً كَانَ مِزاجُها زَنْجَبِيلاً} الإنسان 17

صدق الله العظيم

Dedication

To my small precious family,
My beloved Youssof, Yahia and Yassin,
Thank you for your love, support, and for
helping me finish this work.

My dear husband,
I thank you from the deepest point of my
heart for your tremendous efforts in this
work and for your love and support.

To my beloved mother and father...this thesis is my gift for you...

To my beloved sister and brothers, My mother and father in law,

I'm deeply grateful for your love and support throughout this work, thank you so much.

Acknowledgment

First of all, I thank Allah for everything. Without his mercy and care, I wouldn't be here.

My deepest gratitude and appreciation are presented to **Dr. Ahmed Halawa** Associate professor of Oral Biology, Faculty of Dentistry; Ain shams University, for his kindness, sincere advice, great effort, valuable time and precious support...

I am also so grateful to **Dr. Reham Magdy** Associate professor of oral biology,

Faculty of Dentistry, Ain Shams University,

for her great support and guidance

throughout this work.

I am also grateful to all the staff members of the Oral Biology Department, Faculty of Dentistry, Ain Shams University.

Contents

	Page
Contents	I
List of Figures	111
List of Tables	ıx
List of Abbreviations	x
Introduction	1
Review of Literature	3
Aluminium Mineralogy	3
Human Exposure to Aluminium:	
Aluminium Absorption and Metabolism	
Effect of Aluminium on Various Body Tissues	
Effect of Al & Heavy Metals Toxicity on Oral & Gastro Intestinal tissues	
Tissue Aluminium Detection	
Beneficial Role of Antioxidants in Metal Toxicity	
Ginger pharmacology	
Aim of the study	33
Materials and Methods	34
Group I (Control Group)	34
Group II: (Al group)	
Group III: (Al + ginger group)	35
I. light microscopic examination	
II. Ultra-structural examination	
III. Statistical Analysis	
Results	
I. Light Microscopic Results	41
1. Histological (H&E) Results	
2. Histochemical Solochrome Azurine Results	
II. Ultra Structural Results	
Group I (Control Group)	
Group II (AL group)	
Group III (AL& Ginger):	
III. Statistical Results	
Discussion	
Conclusions	
Recommendations	151
Summary	152

### Group I (Control Group) ### 15 ### Group II (AI group) ### 15 ### Group III (AI + ginger group) ## 15 ### Results ### 15 ### Light Microscopic results: ## 15 ### Electron Microscopic Examination: ## 16 ### Statistical Results: ## 16 ### References ### 16 ### References ### 16 ### ### I Maple I I I I I I I I I I I I I I I I I I I	Materials and Methods	153
### Group III (AI + ginger group) ### 15. ###################################	Group I (Control Group)	154
### Results	Group II (Al group)	154
Light Microscopic results: 15. Electron Microscopic Examination: 16. Statistical Results: 16. References 16. الملخص العربي المواد و طرق البحث المواد المستخدمة المواد المستخدمة (أ) المجموعة الألومينيوم (أ) المجموعة الألومينيوم التحليل الإحصائي (ح) مجموعة الألومينيوم+ الزنجيل التائج البحث النتائج المستولوجية التائج المحور الإلكتروني التائج المحمر الإلكتروني التائج المحصر بالمجهر الإلكتروني التائج المحصر بالمجهر الإلكتروني	Group III (Al + ginger group)	154
Electron Microscopic Examination: 16 Statistical Results: 16 References 16 الملخص العربى المواد المستخدمة المواد المستخدمة (أ) المجموعة الألومينيوم (ح) مجموعة الألومينيوم+ الزنجبيل التحليل الإحصائي التائج البحث النتائج المستولوجية انتائج المستولوجية انتائج المحمر الإلكتروني انتائج الفحص بالمجهر الإلكتروني		
Statistical Results: 16 References 16 الملخص العربى مواد و طرق البحث المواد المستخدمة المواد المستخدمة (أ) المجموعة الألومينيوم (ب) مجموعة الألومينيوم الزنجبيل (ج) مجموعة الألومينيوم الزنجبيل الإحصائي التحليل الإحصائي التائج البحث النتائج البحث النتائج البحث النتائج المستولوجية المنائج المستولوجية المنائج المستولوجية المنائج المستولوجية الفحص بالمجهر الإلكتروني	Light Microscopic results:	158
References	Electron Microscopic Examination:	161
الملخص العربي مواد و طرق البحث المواد المستخدمة المواد المستخدمة (أ) المجموعة الألومينيوم (ب) مجموعة الألومينيوم الزنجبيل (ج) مجموعة الألومينيوم+ الزنجبيل الإحصائي التحليل الإحصائي التائج البحث النتائج البحث النتائج المستولوجية الفحص بالمجهر الإلكتروني	Statistical Results:	164
مواد و طرق البحث المواد المستخدمة المواد المستخدمة (أ) المجموعة الألومينيوم (ب) مجموعة الألومينيوم الزنجبيل (ج) مجموعة الألومينيوم+ الزنجبيل الإحصائي التحليل الإحصائي التائج البحث يتائج البحث المستولوجية المتائج المستولوجية المحص بالمجهر الإلكتروني	References	165
المواد المستخدمة (أ) المجموعة الضابطة (ب) مجموعة الألومينيوم الزنجبيل (ج) مجموعة الألومينيوم+ الزنجبيل التحليل الإحصائي نتائج البحث النتائج الهستولوجية نتائج الفحص بالمجهر الإلكتروني	الملخص العربي	1
المواد المستخدمة (أ) المجموعة الضابطة (ب) مجموعة الألومينيوم الزنجبيل (ج) مجموعة الألومينيوم+ الزنجبيل التحليل الإحصائي نتائج البحث النتائج الهستولوجية نتائج الفحص بالمجهر الإلكتروني	مواد و طرق البحث	2
(أ) المجموعة الألومينيوم (ب) مجموعة الألومينيوم (ب) مجموعة الألومينيوم (ج) مجموعة الألومينيوم+ الزنجبيل الإحصائي التحليل الإحصائي نتائج البحث المستولوجية النتائج المستولوجية المتائج المستولوجية المتائج المستولوجية المتائج المستولوجية المتائج الفحص بالمجهر الإلكتروني		
(ج) مجموعة الألومينيوم+ الزنجبيل الإحصائي التحليل الإحصائي نتائج البحث النتائج المستولوجية النتائج الهستولوجية التائج الفحص بالمجهر الإلكتروني	(أ) المجمو عةالضابطة	3
(ج) مجموعة الألومينيوم+ الزنجبيل الإحصائي التحليل الإحصائي نتائج البحث النتائج المستولوجية النتائج الهستولوجية التائج الفحص بالمجهر الإلكتروني	(ب) مجموعة الألومينيوم	
التحليل الإحصائي نتائج البحث النتائج الهستولوجية نتائج الفحص بالمجهر الإلكتروني	(ج) مجموعةُ الْأَلُومينيوم+ الزنجبيلُ	3
	نتائج البحث	4
نتائج الفحص بالمجهر الإلكتر وني	_	
ا 1 نتائج التحليل الإحصائي	نتائج الفحص بالمجهر الإلكتر وني	8
- ي ي ي	نتائج التحليل الإحصائي	10

List of Figures

Page
Figure 1: Ginger Rhizome & Powder24
Figure 2: A photomicrograph of the control group showing mushroom shaped
fungiform papilla with a taste bud at the centre of its dorsal surface, covered
with thick keratin layer of even thickness c.t. core containing blood vessels
(arrow) (H&E x 400)
Figure 3: A photomicrograph of the control group showing inverted cone-shaped
circumvallate papilla, surrounded by a deep, narrow trough with multiple taste buds on sides of the trough (arrow) with Von Ebner s.g (arrow head)
(H&E x 100)
Figure 4: A photomicrograph of the control group showing the c.t core of a
circumvallate papilla with a narrow trough and well developed taste buds
aligned on the sides of the trough. (H&E x 400)
Figure 5: A photomicrograph of group II (AI) showing a square shaped fungiform
papilla, covered with thin keratin layer, with a taste bud at the centre of its
dorsal surface. c.t. core with lymphocytic infiltration and extracellular
oedema (H&E x 400) 46
Figure 6: A photomicrograph of group II showing a thin narrow based elongated
fungiform papilla whose epithelial covering exhibited numerous
intracytoplasmic vacuolations and covered with thin detached keratin layer
(H&E x 400)
the c.t. core of a fungiform papilla, few blood vessels, multinucleated giant
cell (arrow) as well as mast cells were also detected (arrow head) (H&E x
400)47
Figure 8: A photomicrograph of group II showing short inverted cone shaped
circumvallate papilla with widened trough and hardly detected taste buds
alongside the trough. Atrophied Von Ebner s.g was seen (arrow) (H&E x
100)
Figure 9: A photomicrograph of group II showing c.t. core of a circumvallate
papilla, rich in inflammatory cells infiltrate, few blood vessels, occasional
multinucleated foreign body giant cells (arrows). Some macrophages were detected (arrow heads) (H&Ex400)
Figure 10: A photomicrograph of group III (Al+Ginger) showing a mushroom
shaped fungiform papilla, covered with keratin layer. Intact c.t core with
dilated blood vessels were evident (arrow) (H&E x 400)51
Figure 11: A photomicrograph of group III showing a long inverted cone shaped
circumvallate papilla with deep, narrow trough having multiple taste buds.
Von Ebner salivary gland opens into the trough (arrow) (H&E x 100) 53
Figure 12: A photomicrograph of group III showing dilated blood vessels and
sparse lymphocytic infiltration within the c.t. core of a circumvallate papilla
(H&E x 400)
Figure 13: A photomicrograph of the control group (I) showing few +vely stained
cells (arrow) within the c.t. core of a fungiform papilla (Solochrome Azurine x 400)
^ +00/

Figure 14: A photomicrograph of group I showing few positively stained cells
(arrow) within the c.t. core of a circumvallate papilla (Solochrome Azurine x 100)
Figure 15: A photomicrograph of group II showing a fungiform papilla whose c.t.
core had numerous +vely stained cells (arrows), (Solochrome Azurine x 400).
Figure 16: A photomicrograph of group II showing c.t. core of a circumvallate
papilla rich in +vely stained cells (arrows) (Solochrome Azurine x 100) 57
Figure 17: A photomicrograph of group III showing a fungiform papilla with c.t.
core having rare +ve cells (arrow). (Solochrome Azurine x 400) 59
Figure 18: A photomicrograph of group III showing the c.t core of a circumvallate
papilla with rare +vely stained cells (arrow) (Solochrome Azurine x 100) 59
Figure 19: Electron micrograph of group I fungiform papilla, showing basal cells
joined together by Desmosomes (arrow) and to the basal lamina by
hemidesmosomes (arrow heads). (x 8000)
Figure 20: Electron micrograph of group I fungiform papilla, showing basal cells
and a clear (merkle) cell between them (arrow) which was closely related to
an unmyelinated nerve axon (arrow head). (x 8000)
Figure 21: Electron micrograph of group I fungiform papilla, showing a
keratinocyte from the prikle cell layer, joined to adjacent cells by numerous
processes ended by desmosomes (arrows). Tonofilaments (T) were also
noted within the cytoplasm. (x 8000)
Figure 22: Electron micrograph of group I fungiform papilla, showing mitochondria
(M), and RER (arrow), within the cytoplasm of a prickle cell. (x 30000) 64
Figure 23: Electron micrograph of group I fungiform papilla, showing granular cell
layer with electron dense keratohyaline granules (arrows), covered with
thick keratin layer (K). (x 8000)
tonofilaments (arrows), and keratohyaline granules (K) within the cytoplasm
of a granular cell. (x 8000)
Figure 25: Electron micrograph of group I fungiform papilla, showing
tonofilaments (arrow), mitochondria (M), and free ribosomes (R) within the
cytoplasm of granular cell layer. (x 30000)
Figure 26: Electron micrograph of group I of a fungiform papilla, showing granular
and prickle cell layers with desmosomes joining the cells together (arrows).
(x 3000)
Figure 27: Electron micrograph of group I, showing a well developed taste bud
within the epithelium of a fungiform papilla. (x 3000)
Figure 28: Electron micrograph of group I, showing cells of two adjacent taste
buds in a circumvallate papilla, with alternating dark & light cells that had
oval nuclei. (x 3000) 69
$\label{thm:linear_problem} \textbf{Figure 29: Electron micrograph of group I circumvallate papilla, showing cytoplasm}$
of a dark cell of a taste bud, rich in electron dense cytoplasmic vesicles (V),
mitochondria (M), and free ribosomes (R) (x 30000)70
Figure 30: Electron micrograph of group I circumvallate papilla, showing cytoplasm
of a taste bud light cell with electroluscent cytoplasm rich in mitochondria
(M) (x 30000) 70

Figure 31: Electron micrograph of group I, showing intraepithelial nerve within the taste bud of a circumvallate papilla. (x 15000)
Figure 32: Electron micrograph of group I fungiform papilla, showing spindle shaped fibroblast within the c.t. core of the papilla, with oval open face nucleus. (x 8000)
Figure 33: Electron micrograph of group I circumvallate papilla, showing a
fibroblast with open face nucleus, cytoplasm rich in mitochondria (M) and RER (arrow), and intimately associated with collagen fibers (C). (x 30000). 72
Figure 34: Electron micrograph of group I fungiform papilla, showing a blood vessel lined by endothelial cells (E), resting on a basal lamina (arrow). (x
10000)
Figure 35: Electron micrograph of group I circumvallate papilla, showing a myelinated nerve with the onion-skin-appearance myelin sheath (arrow), numerous mitochondria (M) appeared within the nerve. (x 30000)
Figure 36: Electron micrograph of group I fungiform papilla, showing a lymphocyte
within the c.t core, with rounded open face nucleus occupying most of the
cell, leaving narrow rim of cytoplasm. (x 10000)
Figure 37: EM of group II fungiform papilla, showing apparently small sized
cuboidal basal cells with electron dense cytoplasm and nuclei with apparent
chromatin clumping (C) and irregular nuclear membrane. The cells were
joined by desmosomes (x 3000)
Figure 38: EM of group II fungiform papilla, showing prickle cells, joined together
by desmosomes (arrows) and a clear (merkle) cell (C) with electron dense
nucleus, irregular nuclear membrane, perinuclear spacing. (x 6000) 77
Figure 39: EM of group II fungiform papilla, showing prickle cell with electron
dense nucleus (N) and irregular nuclear membrane, mitochondria (M)
devoid of cristae. Desmosomes between adjacent cells (arrows) were noted
(x 30000) 79
Figure 40: EM of group II circumvallate papilla, showing granular cells with
keratohyaline granules (arrow), covered by a thin irregular keratin layer (K).
(x 3000)
Figure 41: EM of a fungiform papilla of group II, showing apparently small sized
taste bud with different sized cytoplasmic vacuolations and no distinction
between cell borders of taste cells. (x 3000)
Figure 42: EM of group II, showing dark & light taste cells within a taste bud of a fungiform papilla. Numerous cytoplasmic vacuoles and electron dense
vesicles were detected within the dark cell. (x 8000)
apoptotic taste cells whose cytoplasm showed numerous vacuoles and
electron dense nuclei with irregular nuclear membrane and widened
perinuclear space (arrow) (x 6000)82
Figure 44: EM of a light taste cell in a taste bud of a circumvallate papilla of group
II, showing electroluscent cytoplasm, mitochondria with ruptured
membrane (arrow), and mitochondria with ill-defined cristae (M). (x30000)
82

Figure 45: EM of a dark taste cell in a taste bud of a circumvallate papilla of group
II, showing electron dense cytoplasm, widened irregular perinuclear space
(arrow) and mitochondria with ill defined cristae (M). (X 30000)83
Figure 46: EM of group II fungiform papilla, showing a fibroblast (F) with electron
dense nucleus surrounded by irregular widened perinuclear space. Budding
of the plasma membrane was detected. Extracellular oedema (arrows) was
noted (x 6000)
Figure 47: EM of group II fungiform papilla, showing a fibroblast with dilated RER
and degenerated mitochondria devoid of cristae (M) (x 30000) 85
Figure 48: EM of group II circumvallate papilla, showing a fibroblast with different
sized, electron dense membrane bound vesicles (arrows) close to Golgi
apparatus (G); degenerated mitochondria devoid of cristae were noted in
the cytoplasm (M) (x 8000)85
Figure 49: EM of group II fungiform papilla, showing blood vessel with almost
occluded lumen, lined by endothelial cells with electron dense nuclei and
irregular nuclear membranes (x 6000)
Figure 50: EM of group II fungiform papilla, showing multinucleated giant cell with
electron dense cytoplasm and nuclei, numerous cytoplasmic vacuoles and
electron dense vesicles (x 6000)
Figure 51: Electron micrograph of group II circumvallate papilla, showing
lymphocyte with thin rim of electron dense cytoplasm and indistinct cell
membrane (x 8000)
Figure 52: EM of group II circumvallate papilla, showing a myelinated nerve with
disrupted myelin sheath (arrows), mitochondria with ill defined cristae (M)
(x10000)
Figure 53: EM of group III fungiform papilla, showing basal cells with electron
dense cytoplasm, separated from the c.t. by a basal lamina. Abundant
collagen fibers also appear in the c.t. beneath the basal cells (x3000) 90
Figure 54: EM of group III fungiform papilla, showing a clear (merkle) cell (C)
between the basal cells. (x 6000)90
Figure 55: EM of group III fungiform papilla, showing a prickle cell with open face
nucleus, cytoplasm rich in tonofilaments (T), mitochondria (M), and RER. (x
15000)
Figure 56: EM of group III fungiform papilla, showing keratin layer (K) overlying
granular cells with electron dense cytoplasm and keratohyaline granules
(arrow) (x10000) 91
Figure 57: EM of group III, showing well developed taste bud, within a fungiform
papilla, covered by a distinct keratin layer except over the taste pore
(arrow), and showing alternating dark& light longitudinal cells. (x 2000) 93
Figure 58: EM of group III, showing dark & light taste cells with open face nuclei,
numerous vesicles and mitochondria within a fungiform papilla (x 6000) 93
Figure 59: EM of a taste bud in a circumvallate papilla of group III showing intra
epithelial nerves touching the taste cells (arrows) (x 3000)94
Figure 60: EM of group III circumvallate papilla, showing fibroblasts with open face
nucleus. Abundant collagen fibers surrounded the fibroblast. (x 6000) 94
Figure 61: EM of group III circumvallate papilla, showing dilated blood vessel, lined
by endothelial cells with open face nucleus (E), in the c.t core (x 10000) 95
by endotherial certs with open race flucieus (E), in the cit core (x 10000) 93

Figure 62: EM of group III, showing a myelinated nerve with intact myelin sheath
within the c.t core of a fungiform papilla (arrow) (x 8000)95
Figure 63: EM of group III, showing unmyelinated nerve containing many nerve
fibers and embraced by a Schwann cell (S) within the c.t core of a
circumvallate papilla (x6000)96
Figure 64: Bar Chart showing highly significant increase in number of vacuolated
cells within the epithelial covering of Al group papillae, than those of the
control or Al+ginger groups
Figure 65: Bar Chart showing significant reduction in taste cells of the Al group
than those of the control or Al+ginger groups
Figure 66: Bar Chart showing significant increase in inflammatory cells in the Al
group more than the control and Al+ginger group 101
Figure 67: Bar Chart showing significant increase in solochrome-Azurine +ve cells
within the Al group than in the control and Al+ginger groups 102
Figure 68: Bar Chart showing significant increase in the vacuolated epithelial cells,
inflammatory cells, Solochrome Azurine +ve cells and significant decrease in
the taste cells within the circumvallate papillae of Al group 104
Figure 69: Bar Chart showing significant increase in vacuolated cells,
inflammatory cells, and Solochrome Azurine +ve cells and significant
decrease in taste cells, of fungiform papillae of the Al group 106
Figure 70: Bar chart showing highly significant increase in no. of vacuolated cells
within epithelial covering of circumvallate papillae of Al group 108
Figure 71: Bar chat showing highly significant increase in number of vacuolated
cells within the epithelial covering of fungiform papillae of Al group 110
Figure 72: Bar chart showing insignificant differences between circumvallate and
fungiform papillae of control & Al groups, while there was significant
difference between both papillae in group III 112
Figure 73: Bar chart showing significant reduction in number of taste cells of
circumvallate papillae of Al group more than other groups
Figure 74: Bar chart showing significant reduction of taste cells number in Al
group, more than other groups 116
Figure 75: Bar chart showing significant reduction in number of taste cells of
circumvallate papillae of the Al group more than fungiform papillae.
Insignificant differences were observedbetween both paillae in the other
groups
Figure 76: Bar chart showing significant increase of inflammatory cells within c.t.
core of Al group more than other groups
Figure 77: Bar chart showing significant increase in number of inflammatory cells
within the c.t. core of fungiform papillae of Al group more than other
groups 122
Figure 78: Bar chart showing highly significant increase in number of inflammatory
cells in the circumvallate papillae of Al group more than fungiform papillae.
Figure 79: Bar chart showing significant increase in number of Solochrome Azurine
+ve cells within the c.t. core of circumvallate papillae of Al group 126
Figure 80: Bar chart showing significant increase in number of Solochrome Azurine
+ve cells within the citic core of fungiform papillae of Aligroup 128

Figure 81: Bar chart showing insignificant differences, in numbers of Solochrome	
Azurine +ve cells, between both papillae of group I, II and significant	
difference in the Al group	0

List of Tables

Page
Table 1: showing the mean, standard deviation and the median values of
vacuolated cells within the control, Al and Al+ginger groups
Table 2: showing the mean, standard deviation and median values of taste cells
within the control, Al and Al+ginger groups taste buds
Table 3: showing the mean, standard deviation and the median values of
inflammatory cells within the c.t, core of the control, Al, and Al+ginger
groups papillae100
Table 4: showing the mean, standard deviation and median values of Solochrome-
Azurine +ve cells within the control, Al and Al+ginger groups 102
Table 5: showing the mean and standard deviation values of vacuolated cells,
taste cells, inflammatory cells and Solochrome Azurine +ve cells in
circumvallate papillae of different groups 104
Table 6: showing the mean and standard deviation of vacuolated cells, taste cells,
inflammatory cells and Solochrome Azurine +ve cells in the fungiform
papillae of different groups
Table 7: Showing mean and standard deviation of vacuolated cells in the epithelial
covering of circumvallate papellae
Table 8: Showing mean and standard deviation of vacuolated epithelial cells in the
epithelial covering of fungiform papillae
Table 9: Showing the mean and standard deviation of vacuolated cells within the
epithelial covering of both fungiform and circumvallate papillae
Table 10: Showing mean and standard deviation of taste cells within the epithelial covering of circumvallate papillae of different groups
Table 11: Showing mean and standard deviation of taste cells within the epithelial covering of fungiform papillae of different groups
Table 12: Showing mean and standard deviation of taste cells within both
fungiform and circumvallate papillae
Table 13: Showing mean and standard deviation of inflammatory cells within the
c.t. core of cicumvallate papillae
Table 14: Showing mean and standard deviation of inflammatory cells within the
c.t. core of fungiform papillae
Table 15: Showing the mean and standard deviation of inflammatory cells within
both circumvallate and fungiform papillae of different groups 124
Table 16: Showing the mean and standard deviation of Solochrome Azurine +ve
cells in the c.t. core of circumvallate papillae
Table 17: Showing mean and standard deviation of Solochrome Azurine +ve cells
in the c.t. core of fungiform papillae
Table 18: Showing the mean and standard deviation of Solochrome Azurine +ve
cells within both circumvallate and fungiform papillae of different groups
Table 19: showing summary of results

List of Abbreviations

Abbreviation	Meaning
+ ve	Positive
AChE	Acetyl Choline Esterase
Al	Aluminium
Al ₂ (SO ₄) ₃	Aluminium sulphate
AlCl ₃	Aluminium chloride
Alum	Aluminium Sulphate
ATP	Adenosine Triphosphate
b.w	Body weight
Bi	Bismuth
c.t	Connective Tissue
Cd	Cadmium
Co	Cobalt
DNA	Deoxyribonucleic Acid
DPX	Distyrene Plasticizer in Xylene
EM	Electron micrograph
FAO	Food and Agriculture Organization
FG	Formaldehyde-Gluteraldehyde
GI	Gastrointestinal
GPX	Glutathione peroxidase
GSH	Glutathaione
GST	Glutathione-s-transferase
H&E	Haematoxyline & Eosin

Abbreviation	Meaning
Hg	Mercury
h	Hour
Kg	Kilograms
LPS	Lipo Poly Saccharide
MDA	Malon di aldehyde
Mn	Manganise
MT	Metallothioneins
Ni	Nickel
NO	Nitric Oxide
NPDFs	Nasal Polyp-derived Fibroblasts
OSO ₄	Osmium tetroxide
PCC	Protein Carbonyle Contents
PKC	Protein Kinase C
RNA	Ribonuclein Acid
ROS	Reactive Oxygen Species
SOD	Super oxide dismutase
TEM	Transmission Electron Microscope
TGFβ	Transforming Growth Factor β
WHO	World Health Organization
Zn	Zinc