

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

### جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

#### قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



## بعض الوثائـــق الإصليــة تالفــة



# بالرسالة صفحات لم ترد بالإصل

در الا

CEPHALOMETRIC STUDY OF MANDIBULAR
MORPHOLOGY IN DIFFERENT FACIAL TYPES
IN AN EGYPTIAN SAMPLE

By

617,643

Mohamed Mostafa EL-Maraghi

**BDS** (1994)

#### THESIS PROPOSAL

Presented to the Faculty of Dentistry,

Alexandria University

In partial fulfillment of the requirements

For the degree of

#### **MASTER IN ORTHODONTICS**

FACULTY OF DENTISTRY
ALEXANDRIA UNIVERSITY
2001

#### **Supervisors**

#### Prof. Dr. Nagwa Mostafa Enany

Professor of Orthodontics

Head of Orthodontics Department

Faculty of Dentistry

University of Alexandria

#### Dr. Wessam Wagdi Marzouk

Associate Professor of Orthodontics
Faculty of Dentistry
University of Alexandria

To

My lovely parents,

My wife,

and

My guarding angel

Youssef

#### **ACKNOWLEDGMENT**

#### Thanks to god the most kind, the most merciful.

My deepest thanks, sincerest appreciation and feeling of indebtedness is to **Prof. Dr. Nagwa Mostafa Enany**, Professor of Orthodontics, Head of Orthodontic Department, Faculty of Dentistry, Alexandria University, for her valuable suggestions, enthusiastic encouragement and for the great efforts and help in producing this work.

My sincere sense of gratitude is to **Dr. Wessam Wagdi Marzouk**, Associate professor of Orthodontics, Faculty of Dentistry,
Alexandria University, for direct contribution, constant concern,
continuous motivation and help in producing this work.

My thanks are to **Dr. Hassan Abdel-Latif Moussa** Lecturer of Orthodontics, Faculty of Dentistry, Alexandria University, for helping me to select the subject and producing the protocol of this thesis.

Credit and thanks should be given to Prof. Dr. Samir Fouad Aboul-Azm, Prof. Dr. Myra Abdel-Salam Fahmy, Professors of Orthodontics and to all Faculty and staff members of the Orthodontic Department, Faculty of Dentistry, Alexandria University, for their direct and indirect contributions.

Finally, my thanks are to all my colleagues studying in the Orthodontic Department for their support and motivation.

#### **LIST OF FIGURES**

<u>Figure</u> <u>Page</u>				
1 (a) Case classified as group 1 with average facial type (frontal				
view) 28				
1 (b) Case classified as group 1 with average facial type (Lateral				
view) 28				
1 (c) Case classified as group 1 with average facial type (Lateral				
cephalometric X-ray) 28				
1 (d) Case classified as group 1 with average facial type (Tracing of				
the X-ray) 28				
2 (a) Case classified as group 2 with long facial type (frontal				
view) 29				
2 (b) Case classified as group 2 with long facial type (Lateral				
view) 29				
2 (c) Case classified as group 2 with long facial type (Lateral				
cephalometric X-ray) 29				
2 (d) Case classified as group 2 with long facial type (Tracing of the				
X-ray) 29				
3 (a) Case classified as group 3 with short facial type (frontal				
view) 30				
3 (b) Case classified as group 3 with short facial type (Lateral				
view) 30				
3 (c) Case classified as group 3 with short facial type (Lateral				
cephalometric X-ray) 30				

3 (d) Case classified as group 3 with short facial type (Tracing of the			
X-ray) 30			
4	The cephalometric landmarks.	34	
5	The lines and planes.	36	
6	The linear measurements.	39	
7	The angular measurements.	40	
8	The indexical measurements.	42	

#### **LIST OF TABLES**

<u>Table</u> <u>Page</u>			
I The mean age and standard deviation of the three groups. 44			
II (a) Paired t - test for means of linear cephalometric measurements			
(LCM) between sexes within group 1.			
II (b) Paired t - test for means of angular cephalometric measurements			
(ACM) between sexes within group 1.			
II (c) Paired t - test for means of indexical cephalometric measurements			
(ICM) between sexes within group 1.			
III (a) Paired t - test for means of linear cephalometric measurements			
(L C M) between sexes within group 2.			
III (b) Paired t - test for means of angular cephalometric measurements			
(ACM) between sexes within group 2. 50			
III (c) Paired t- test for means of indexical cephalometric measurements			
(I C M) between sexes within group 2.			
(1 C 1vi ) octwood sexes within group 2.			

IV (a) Paired t - test for means of linear cephalometric measurements
(LCM) between sexes within group 3.
IV (b) Paired t – test for means of angular cephalometric measurements
(ACM) between sexes within group 3. 53
IV (c) Paired t - test for means of indexical cephalometric measurements
(I C M ) between sexes within group 3. 53
V (a) ANOVA – test for means of linear cephalometric measurements
(LCM) group 1,2&3. 57
V (b) ANOVA - test for means of angular cephalometric measurements
(ACM) group 1,2&3. 58
V (c) ANOVA - test or means of indexical cephalometric measurements (ICM) group 1.2&3.
VI The least significant difference (LSD) test for the significant cephalometric measurements (CM) obtained from the ANOVA test. 60
VII (a) The correlation coefficient (r) test for the significant
cephalometric measurements (CM) obtained from the ANOVA test for
group 1. 63

- VII (b) The correlation coefficient (r) test for the significant cephalometric measurements (CM) obtained from the ANOVA test for group 2.
- VII (c) The correlation coefficient (r) test for the significant cephalometric measurements (CM) obtained from the ANOVA test for group 3.