

127, 17 27, 17 (20) 77, 17 (20









جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد اعدت دون آية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15-20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of 15 – 25c and relative humidity 20-40 %



ثبكة المعلومات الجامعية





Information Netw. " Shams Children Sha شبكة المعلومات الجامعية @ ASUNET بالرسالة صفحات لم ترد بالأص

STUDIES ON WHITE MOLD OF CUCURBITS

BY

AHMED SEIF EL – ESLAM YEHIA AHMED

B.Sc., Agric., (Plant Pathology) Al- Azhar University, 1980

M.Sc., (Plant Pathology) Al – Azhar University, 1995

THESIS

Submitted in Partial Fulfillment of the Requirements for the Degree

OF
DOCTOR OF PHILOSOPHY
IN
AGRICULTURAL
SCIENCES
(Plant Pathology)

Department of Agricultural Botany
Faculty of Agriculture
Al – Azhar University

Barry

1421 A. H. 2001 A. D.



APPROVAL SHEET

NAME: AHMED SEIF EL – ESLAM YEHIA AHMED TITIL: STUDIES ON WHITE MOLD OF CUCURBITS.

THESIS

Submitted in Partial Fulfillment of the Requirement for the Degree

Of
DOCTOR OF PHILOSOPHY
In
AGRICULTURE SCIENCES

(Plant Pathology)

Agricultural Botany Department
Faculty of Agriculture
Al – Azhar University
1421 A. H.
2001 A. D.

Approved by:

Prof. Dr. FAROUK EL-WAGHI EL - BANOBY Followy
Prof. of Pl. Path., Botany Dept., Fac. of Agric., Al Azhar University.
Prof. Dr. HUSSIEN ROSHDY ABD EL AL. H. A. Abdull
Prof. of Pl. Path., Botany Dept., Fac. of Agric., Al Azhar University.
Prof. Dr. MONA ABDEL-MONIEM EL-SHAMY
Prof. of Pl. Path., Veg. Dis. Dep., Pl. Path. Ins., Agric. Res. Center, Giza,
El ypt.

Date: / / 1421 A.H. / / 2001 A.D.

NAME: AHMED SEIF EL – ESLAM YEHIA AHMED TITIL: STUDIES ON WHITE MOLD OF CUCURBITS.

THESIS

Submitted in Partial Fulfillment of the Requirement for the Degree

OF
DOCTOR OF PHILOSOPHY
In
AGRICULTURE SCIENCES
(Plant Pathology)

Agricultural Botany Department Faculty of Agriculture Al – Azhar University 1421 A. H. 2001 A. D.

upervisory Committee:

of. Dr. FAROUK EL-WAGHI EL - BANOBY


of. of Plant pathology, Botany Dept., Fac. of Agric. ,Al. Azhar University.

of. Dr. YOUSSEF AL - SAIED ARAB

of Plant pathology, Botany Dept., Fac. of Agric. ,Al. Azhar University.

of. Dr. NABIL HUSSEIN SAAD,

of. of Plant Pathology Veg. Dis., Dep., Pl. Path., Inst., Agric. Res. Center, Giza .



ACKNOWLEDGMENT

The author wishes to express his appreciation and deepest gratitude to the spirit Prof. Dr. A.M.EL-Fahl. Prof. of Plant Pathology, Prof. Dr. Farouk El – Wagih Prof. of Plant Pathology, Prof. Dr. Y.A. Arab, Prof. of plant pathology, Dept. Agric. Bot., Faculty of Agric., Al Azhar Univ. sincere thanks are also due to Prof. Dr. Nabil Hussein Saad, Chief Researcher of Vegetable Diseases Department, Plant Pathology Institute for their supervisions, valuable advice, useful suggestion and the encouragement throughout this investigation.

Moreover, thanks are due to the head and staff members of Vegetables Diseases Dep., Plant Pathology Research Institute, ARC, Ministry of Agriculture, who helped in completion of this investigation.



CONTENTS

		Page
I.	INTRODUCTION	1
Ί.	ABSTRACT	3
III.	REVIEW OF LITRATURE	6
IV.	MATERIALS AND METHIDS	25
V.	EXPERIMENTAL RESULTS	51
	1. White mould disease estimation	51
	under Egyptian conditions.	
	2. Isolation and identification of	55
	the causal pathogen.	
	3. Factors affect pathogenicity:	55
	3.1 Isolate virulence.	55
	3.2 Inoculum potential.	56
	3.3 Inoculum type.	59
	3.4 Inoculation date.	62
	3.5 Inoculum burial depth.	64
	3.6 Soil type.	65
	3.7 Varietal reaction.	68

4. Electrophoresis analysis of proteins of	75
S.sclerotiorum_mat.	
5. Relation between age of S. sclerotiorum	76
sclerotia and apothecial number.	
6. Relation between length and weight of	76
S. sclerotiorum sclerotia and apothecial numbers.	
7. Microbial count associated with scleroliat of	82
S.sclerotiorum_in soil.	
8. Interaction type between S. sclerotiorum and	84
different antagonists.	
9. Effect of biocntrol agent culture filtrate on:	86
9.1 Mycelial growth of S. sclerotiorum.	86
9.2 Sclerortial formation of S. sclerotiorum.	87
9.3 Binary control treatment against	88
cucumber white mold disease with some bio-	
preparations and some seed dressing fungicides	
under greenhouse conditions.	
VI. DISCUSSION.	90
VII. SUMMARY.	10
VIII. REFERENCES.	11
IX ARABIC SUMMARY	

Pag