EFFECT OF SOME CHEMICAL THINNING COMPOUNDS ON FRUIT QUALITY OF TABLE OLIVES

 $\mathbf{B}\mathbf{y}$

DALIA MOHAMED HUSSEIN MOHAMED

B.Sc. (Pomology), Fac. Agric., Cairo Univ., 2006

THESIS

Submitted In Partial of the Requirements of the Degree of

MASTER OF SCIENCE

In

Agricultural Sciences (Pomology)

Department of Pomology Faculty of Agriculture Cairo University EGYPT

2017

SUPERVISION SHEET

EFFECT OF SOME CHEMICAL THINNING COMPOUNDS ON FRUIT QUALITY OF TABLE OLIVES

M.Sc. Thesis In Agricultural Sci. (Pomology)

By

DALIA MOHAMED HUSSEIN MOHAMED

B.Sc. (Pomology), Fac.Agric., Cairo Univ., 2006

SUPERVISION COMMITTEE

Dr. El Said Sadek Hegazi Professor of Pomology, Fac.Agric., Cairo University

Dr. Ayman Abd El-Momen Hegazi Professor of Pomology, Fac.Agric., Cairo University

Name of Candidate: Dalia Mohamed Hussein Mohamed Degree: Ms.C. Title of Thesis: Effect of Some Chemical Thinning Compounds on Fruit

Quality of Table Olives

Supervisors: Dr. El Said Sadek Hegazi

Dr. Ayman Abd El-Momen Hegazi

Department: Pomology **Approval:** / /

ABSTRACT

This investigation was conducted during two successive seasons (2009-2010) on two olive cultivars (Manzanillo and Eggizi Shami) in a private orchard in the Alex. desert road. The aim of this study is to investigate the effect of some chemical thinning agents GA3 (100,150 and 200 ppm), NAA (100,150 and 200 ppm) and Urea (4,6,8 and 10%) sprayed at full bloom, five days after full bloom, ten days after full bloom and fifteen days after full bloom on initial fruit set (twenty one days after full bloom), final fruit set (forty five days after full bloom), sixty days after full bloom and at harvest date. The effect of these treatments on fruit characteristics (fruit length, diameter and weight) and oil content of Manzanillo and Eggizi Shami olive cvs. was also studied. The results showed that used chemical thinning agents reduced fruit set significantly and improved fruit quality and oil content compared with control (sprayed with water only). Urea spray was the most effective in reducing fruit set compared with GA3 and NAA. The highest concentration was more effective than the lower one in each chemical component. Fruiting of Manzanillo cv. was significantly lower than Eggizi Shami cv. GA3 of studied showed moderate effect in reducing fruit set (between Urea and NAA). The most effective date in reducing fruiting was at full bloom, while the lowest was at fifteen day after full bloom. It could be recommended that spraying with Urea or NAA at moderate concentration (4% and 150 ppm) was effective in reducing fruit set and improving fruit quality and oil content in both cultivars of study.

Key Words: Olive, Manzanillo, Eggizi Shami, Thinning agents, NAA, GA3, Urea, Fruit set, Fruit characteristics, and Oil content.

ACKNOWLEDGEMENT

I wish to express deepest gratitude and appreciation to **Dr. Elsaid**Sadek, Hegazi Professor of Pomology, Faculty of Agriculture, Cairo university. For giving me the honor of working under his supervision, suggesting research problem, valuable advice and revision of the manuscript.

I also indebted to **Dr. Ayman A. Hegazi** Professor of Pomology, Faculty of Agriculture, Cairo university for his valuable assistance and great support during all steps of the study.

Lastly I would like to thank my friends and my family specially my mother, my husband, my brother and sisters for giving me their whole heartly support and unlimited help.

CONTENTS

	Page
INTRODUCTION	1
REVIEWOFLITEERATURE	5
1- Problems of olive production	5
2- Alternate bearing	. 6
3-Solving of alternate bearing	9
4-Thinning.	9
5-Types of thinning.	10
a. Hand thinning	10
b. Chemical thinning	12
- Chemical compounds used in chemical thinning.	
a. Naphthalene acetic acid (NAA)	12
b. Gibbrellic acid (GA3)	16
c. Urea	17
6- Time of application	18
7- Effect of thinning compounds on fruit physical characteristics	20
8- Effect of thinning compounds on fruit oil content	23
MATERIALS AND METHODS	24
RESULTSAND DISSICUSION	28
SUMMARY AND CONCLUSION	79
REFRENCES	86
ARABIC SUMMARY	

LIST OF TABLES

No.	Title	Page
1. Countries and	d production with ton of olive trees (FAO, 2013)	2
	vernorates area and production of olives (Ministry of Agriculture clamation, (2013)	2
3. Physical and	chemical analyses of the orchard soil	24
4. Chemical mat	terials used in the experiment	25
	he chemical compounds on number of fruits/m at (FB+21) after Manzanillo and Eggizi Shami olive cvs. season (2009)	30
	ne chemical compounds on number of fruits/m at (FB+21) after Manzanillo and Eggizi Shami olive cvs. season (2010)	31
	ne chemical compounds on number of fruits/m at (FB+45) after Manzanillo and Eggizi Shami olive cvs. season (2009)	34
	ne chemical compounds on number of fruits/m at (FB+45) after Manzanillo and Eggizi Shami olive cvs. season (2010)	35
	ne chemical compounds on number of fruits/m at (FB+60) after Manzanillo and Eggizi Shami olive cvs. season (2009)	38
	me chemical compounds on number of fruits/m at (FB+60) after Manzanillo and Eggizi Shami olive cvs. season (2010)	39
	me chemical compounds on number of fruits/m at harvest of and Eggizi Shami olive cvs. season (2009)	42
	me chemical compounds on number of fruits/m at harvest of and Eggizi Shami olive cvs. season (2010)	43
	me chemical compounds on fruit length (cm) of Manzanillo and ni olive cvs. season (2009)	46

14. Effect of some chemical compounds on fruit length (cm) of Manzanillo and Eggizi Shami olive cvs. season (2010)
15. Effect of some chemical compounds on fruit diameter (cm) of Manzanillo and Eggizi Shami olive cvs. season (2009)
16. Effect of some chemical compounds on fruit diameter (cm) of Manzanillo and Eggizi Shami olive cvs. season (2010)
17. Effect of some chemical compounds on fruit weight (g) of Manzanillo and Eggizi Shami olive cvs. season (2009)
18. Effect of some chemical compounds on fruit weight (g) of Manzanillo and Eggizi Shami olive cvs. Season (2010)
19. Effect of some chemical compounds on fruit L/D ratio of Manzanillo and Eggizi Shami olive cvs. season (2009)
20. Effect of some chemical compounds on fruit L/D ratio of Manzanillo and Eggizi Shami olive cvs. season (2010)
21. Effect of some chemical compounds on seed diameter (cm) of Manzanillo and Eggizi Shami olive cvs. season (2009)
22. Effect of some chemical compounds on seed diameter (cm) of Manzanillo and Eggizi Shami olive cvs. season (2010)
23. Effect of some chemical compounds on seed length (cm) of Manzanillo and Eggizi Shami olive cvs. season (2009)
24. Effect of some chemical compounds on seed length (cm) of Manzanillo and Eggizi Shami olive cvs. season (2010)
25. Effect of some chemical compounds on seed weight (g) of Manzanillo and Eggizi Shami olive cvs. season (2009)
26. Effect of some chemical compounds on seed weight (g) of Manzanillo and Eggizi Shami olive cvs. season (2010)

Effect of some chemical compounds on seed L/D ratio of Manzanillo and	
Eggizi Shami olive cvs. season (2009)	71
Effect of some chemical compounds on seed L/D ratio of Manzanillo and	
Eggizi Shami olive cvs. season (2010)	72
Effect of some chemical compounds on oil content of Manzanillo and Eggizi	
Shami olive cvs. season (2009)	75
Effect of some chemical compounds on oil content of Manzanillo and Eggizi	
Shami olive cvs. season (2010)	76
	Eggizi Shami olive cvs. season (2009)