

Antibacterial Effect, Fluoride Release and Compressive Strength of Conventional Glass Ionomer Containing Different Nanoparticles

Thesis

Submitted to the Department of Pediatric Dentistry and

Dental Public Health-Faculty of Dentistry

Ain Shams University

In

Partial fulfillment of the requirements of the Master's degree in
Pediatric Dentistry

By

Rana Adel Mahmoud Asran

B.D.S. Ain Shams University

2009

Faculty of Dentistry Ain Shams University

2017

Supervisors

Prof. Noha Samir Kabil

Professor, Pediatric Dentistry and Dental Public Health Department

Faculty of Dentistry

Ain Shams University

Dr. Mariem Osama Mohamed Wassel

Lecturer of Pediatric Dentistry and Dental Public Health

Faculty of Dentistry

Ain Shams University

Dr. Wael Sabry Mohamed

Assistant Professor, Polymers and Pigments Department

National Research center

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



سوره طه آیه رقم ۱۱۴

Acknowledgement

First, I would like to express my deepest thanks and deepest gratitude as well as appreciation to ***Professor Dr. Noha Samir Kabil***, Professor of Pediatric Dentistry, Dental Public Health and Community Dentistry, Faculty of Dentistry, Ain Shams University. Her valuable advice, devoted effort and unique cooperation, will always be deeply remembered. This work could have never been completed without her extraordinary assistance and sincere guidance.

I would also like to express my special appreciation and thanks to ***Dr. Mariam Osama Wassel***, Lecturer of Pediatric Dentistry, Dental Public Health and Community Dentistry, Faculty of Dentistry, Ain Shams University, for her patience, time, continuous support and all what she taught me throughout the writing process.

I must express my gratitude to ***Dr Wael Sabry Mohamed***, Assistant Professor, Polymers and Pigments Department, National Research Center for guiding and providing me with all the facilities to carry out this research work.

Last and not least, I would like to thank my dear professors, colleagues and staff members of Pediatric Dentistry, Dental Public Health and Community Department, Faculty of Dentistry, Ain Shams University, for their great support, encouragement and cooperation.

Dedicated to

My Mother

Who always inspires me with her love and prayers. I wouldn't have accomplished any of thesis work without her support.

My Father

Who taught me that dedication and hard work are the essentials for a successful life.

My Brothers

Without their love, encouragement and hi-tech services, this thesis would not have been possible.

And my Family

For their love, patience, tremendous support and help. Without them this piece of work would have been a long lonely trip.

Table of Contents

TABLE OF CONTENTS.....	i
LIST OF TABLES.....	ii
LIST OF FIGURES.....	iii
LIST OF ABBREVIATIONS.....	v
INTRODUCTION.....	1
REVIEW OF LITERATURE	3
AIM OF THE STUDY.....	27
MATERIALS AND METHODS.....	28
RESULTS.....	45
DISCUSSION	57
SUMMARY.....	65
CONCLUSIONS	68
RECOMMENDATIONS	69
REFERENCES	70
ARABIC SUMMARY	-

List of Tables

Table 1: Materials, Compositions and Manufacturers.....	28
Table 2: Different in vitro tests and their assigned symbols.....	31
Table 3: Mean and standard deviation (SD) of bacterial inhibition zones (mm) for different tested group.....	45
Table 4: Mean and standard deviation (SD) of fluoride release ($\mu\text{g}/\text{mm}^2$) for different tested groups at different follow-up intervals.....	47
Table 5: Mean and standard deviation (SD) of cumulative fluoride release ($\mu\text{g}/\text{mm}^2$) for different tested groups.....	49
Table 6: Mean and standard deviation (SD) for the compressive strength, cumulative fluoride release and their correlation.....	51
Table 7: Mean and standard deviation (SD) of compressive strength (Mpa) for different tested groups.....	53
Table 8: Mean and standard deviation (SD) for the compressive strength, cumulative fluoride release and their correlation.....	54

List of Figures

Figure 1: Glass ionomer restorative material.....	29
Figure 2: Nano-Hydroxyapatite powder.....	29
Figure 3: Nano-titanium dioxide powder	29
Figure 4: Graph showing sample size distribution.....	30
Figure 5: A flowchart representing groups and subgroups.....	32
Figure 6: Digital balance.....	33
Figure 7: Teflon mould (10 mm in diameter and 2 mm in height).	33
Figure 8: Glass ionomer cement disc specimen.....	35
Figure 9: Mitis Salivarius agar powder.....	36
Figure 10: Sterile agar plates.....	36
Figure 11: Streptococcus mutans bacteria.....	37
Figure 12: S. mutans on Mitis Salivarius agar.....	38
Figure 13: Laminar cabinet.....	38
Figure 14(a): C _{sm} subgroup.....	39
Figure 14(b): HA _{sm} subgroup.....	39
Figure 14(c): Ti _{sm} subgroup.....	39
Figure 15: Ion selective electrode	41
Figure 16: Cylindrical GIC specimens.....	42
Figure 17: Fabricated Teflon moulds (4 mm in height and 6 mm in diameter).....	42
Figure 18: Incubator.....	42
Figure 19: GIC before being compressed in a universal testing machine.....	43
Figure 20: A bar chart showing the mean width of bacterial inhibition zones (mm) for different tested groups.....	46