

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ٢٥-١٥ مئوية ورطوبة نسبية من ٢٠-٠٤% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%




ب الوثائق شبخة المعلومات المامعية



بالرسالة صفحات لم

ترد بالاصل



STUDIES ON ACCLIMATIZATION OF TISSUE CULTURE COMMUNIS PEAR ROOTSTOCK

THESIS

Submitted in partial fulfillment of the requirements for the Degree of

MASTER SCIENCE

IN

FRUIT SCIENCE

By Nehad Mostafa Alimad Abd El-Gawad

B.Sc. Co-operative and Agric. Sci., 1991
Higher Inst. of Agric. Co-operation
Ministry of Higher Education
Fulfillment of B. Sc. (Hort.), Fac. Agric.,
Moshtohor, Zagazig Univ., 1996

Department of Horticulture Faculty of Agriculture, Moshtohor

Zagazig University Benha Branch

2001

SUPERVISION COMMITTEE

STUDIES ON ACCLIMATIZATION OF TISSUE CULTURE COMMUNIS PEAR ROOTSTOCK

By Nehad Mostafa Ahmad Abd El-Gawad

湖河沿河

B.Sc. Co-operative and Agric. Sci., 1991
Higher Inst. of Agric. Co-operation
Ministry of Higher Education
Fulfillment of B. Sc. (Hort.), Fac. Agric.,
Moshtohor, Zagazig Univ., 1996

Under the Supervision of:

Prof. Dr. Mohamed G. E. Mogheith

Professor of Fruit Science, Faculty of Agriculture, Moshtohor, Zagazig University

Prof. Dr. Nabawy A. A. Hagagy

Professor of Fruit Science, Faculty of Agriculture, Moshtohor, Zagazig University

Dr. Nagwa S. Zaied

Researcher Professor of Fruit Science, Hort. Dept., National Research Center Nagwa S. Zaie

M. G. Mogh

Department of Horticulture Faculty of Agriculture, Moshtohor Zagazig University, Benha Branch

CONTENTS

	Page
LIST OF TABLES	i
LIST OF FIGURES	ii
LIST OF PHOTOS	iii
I-INTRODUCTION	1
II-REVIEW OF LITERATURE	4
III-MATERIALS AND METHODS	29
IV-RESULTS AND DISCUSSION	42
V-CONCLUSION	100
VI-SUMMARY	101
VII-LITERATURE CITED	106
ADARIC SUMMARV	

LIST OF TABLES

		Page
Table (1):	Effect of micronutrient medium strength on growth and rooting parameters of <i>in vitro</i> communis pear	43
Table (2):	Effect of different growth retardants with different concentrations on growth and rooting parameters of <i>in vitro</i> communis pear	48
Table (3):	Effect of light intensity on growth and rooting parameters of <i>in vitro</i> communis pear	54
Table (4):	Effect of different photoperiods on growth and rooting parameters of <i>in vitro</i> communis pear	58
Table (5):	Effect of irradiation of growth retardants treated plantlets on shoot length, shoot thickness and number of leaves of <i>in vitro</i> communis pear	60
Table (6):	Effect of root state and irradiation treatments on shoot length, shoot thickness and number of leaves on <i>in vitro</i> communis pear	64
Table (7):	Effect of growth retardants and irradiation treatments on molecular weights (MW) of protein patterns of Communis pear plantlets, cultured in vitro	70
Table (8):	Effect of root stage and irradiation treatments on the molecular weight (MW) of protein patterns of Communis pear plantlets, cultured in vitro	78
Table (9):	Effect of different agricultural media on survival percentage and growth parameters of acclimatized communis pear plants	83
Table (10):	Effect of auxin type and concentration on growth and rooting of <i>in vivo</i> communis pear	86
Table (11):	Effect of plantlets length (cm) on growth parameters and survival percentage of <i>in vitro</i> communis pear	93
Table (12):	Effect of plantlets density on plantlets length, number of leaves, shoot thickness, greening and rooting of <i>in vivo</i> communis pear.	95
Table (13):	Effect of rooting state of plantlets on growth, rooting parameters and greening of <i>in vivo</i> communis pear	96
Table (14):	Effect of colloidal compounds on growth parameters and survival percentage of <i>in vivo</i> communis pear	98

. • ' •

LIST OF FIGURES

	Fa
Fig. (1):	Effect of modification micronutrient medium strength on some growth and rooting parameters of <i>in vitro</i> of communis pear
Fig. (2):	Effect of light intensity on growth and rooting parameters of <i>in vitro</i> communis pear
Fig. (3):	Effect of different photoperiods on necrosis, greening and rooting parameters of <i>in vitro</i> communis pear
Fig. (4):	Effect of irradiation doses on electrophoretic separation of protein of Communis pear plantlets
Fig. (5):	Effect of irradiation of growth retardants treated Communis pear plantlets on electrophoretic separation of protein
Fig. (6):	Effect of irradiation of growth retardants (PP333) or coumarin) treated Communis pear plantlets
Fig. (7):	Effect of irradiation of coumarin treated Communis pear plantlets on electrophoretic separation of protein
Fig. (8):	Effect of irradiation treatments on electrophoretic separation of protein of growth retardants treated Communis pear plantlets
Fig. (9):	Effect of irradiation (2Krad) of root state (pre-, post-rooting) treated Communis pear plantlets
Fig. (10):	Effect of irradiation (3Krad) of root state (pre-, post-rooting) treated Communis pear plantlets
Fig. (11):	Effect of different agricultural media on survival percentage of acclimatized communis pear plantlets
Fig. (12):	Effect of the interaction between auxin type and concentrations

LIST OF PHOTOS

		rage
Photo (1):	Effect of micronutrients medium strength modifications on some growth parameters of <i>in vitro</i> communis pear	45
Photo (2):	Effect of micronutrients medium strength modifications on rooting of in vitro communis pear	46
Photo (3):	Effect of different growth retardants with different concentrations on growth parameters of <i>in vitro</i> communis pear	51
Photo (4):	Effect of coumarin concentrations on rooting parameters of <i>in vitro</i> communis pear	52
Photo (5):	Effect of light intensity on growth and rooting parameters of <i>in vitro</i> communis pear	56
Photo (6):	Effect of different photoperiods on growth parameters of <i>in vitro</i> communis pear	59
Photo (7):	Effect of irradiation of growth retardant treated plantlets, on growth parameters of <i>in vitro</i> communis pear	63
Photo (8):	unrooted <i>in vitro</i> shoots communis pear plantlets on growth parameters.	66
Photo (9):	Effect of different agricultral media on survival percentage and growth of acclimatized communis pear plants	85
Photo (10):	Effect of auxin type and concentration on growth and rooting of <i>in vivo</i> communis pear	92
Photo (11):	Effect of plantlets length on growth parameters and survival percentage of <i>in vivo</i> communis pear	94
Photo (12):	Effect of rooting state of plantlets on growth, and rooting paramerts of <i>in vivo</i> communis pear	97
Photo ₍ (13):	Effect of colloidal compounds additives on growth paramerts and survival percentage of <i>in vivo</i> communis pear	99

ACKNOWLEDGEMENT

I feel grateful to "ALLAH" who always help me

The author likes to express her deep gratitude to **Dr. Mohamed G. Mogheith,** Professor of Fruit Science, Faculty of Agriculture, Moshtohor, Zagazig University, for suggesting the research problem, valuable guidance, direct supervision, and constructive criticism during of this investigation.


Deep thanks and appreciation to **Dr. Nabawi A.A. Hagagy** Associate Professor of Fruit Science, and advisor of Tissue Culture Laboratory, Hort. Dept., Faculty of Agriculture, Moshtohor, Zagazig University, for suggesting and planing of the research problem, direct supervision, providing every facility needed for this work and guidance during this study and preparation of this manuscript.


It is also, my pleasure to express my deep thanks to **Dr. Nagwa S. Zaied**, Researcher of Fruit Science, Hort. Dept., National Research
Center, for her guidance, generous personal encouragement, and valuable
discussion during this investigation.

Thanks extended to **Dr. Gamal El-Metabteb**, Researcher of Radiation Research and Technology, Nasr City, Cairo, Egypt, for his valuable advice during this work.

Sincere thanks are extended to my **Colleagues** and **assistants** at Tissue Culture Laboratory, Hort. Dept., Fac. of Agric., Moshtohor, for being ready to help when needed.

Heartily thanks extended to my Father, my Mother, my Sisters, my Brothers and all my Family members for their kind help and patience.





INTRODUCTION

