



# **“Remediation of Water Contamination via Nanomaterials”**

**A Thesis Submitted by  
Amr Ahmed Mahmoud Nada  
Master of Science (Chemistry-2011)**

**A Dissertation Submitted for the Degree of Doctor of  
Philosophy of Science in Chemistry**

**To  
Department of Chemistry, Faculty of Science,  
Ain Shams University  
Cairo, Egypt  
(2015)**



# **“Remediation of Water Contamination via Nanomaterials”**

**Amr Ahmed Mahmoud Nada**

Master of Science (Chemistry 2011)

Submitted for the Degree of Doctor of Philosophy of  
Science in Chemistry

Ph.D. Thesis

Thesis Advisors

Approved

**Prof. Dr. Saad Abd Elwahab**

**Dr. Dena Yahea Sabry**

**Prof. Dr. Yasser Mohamed Moustafa**

**ASS. Prof. Amal Hamdy aoud-allah**

**Head of Chemistry Department**

**Prof. Dr. / Hamed Younes Derbala**

## CONTENTS

---

### *CONTENTS*

#### **PAGE**

*ACKNOWLEDGMENT*

*ABSTRACT*

*THE AIM OF THE PRESENT WORK*

*CHAPTER 1*

*INTRODUCTION AND LITERATURE REVIEW*

1.1. Background	1
1.2. What is Photolysis?	5
1.3. Photocatalysis Process	8
1.4. Photocatalytic Metal Oxides	10
1.4.1. Zinc Oxide	12
1.4.2. Titanium Dioxide	14
1.5. Improvement of Photocatalytic Efficiency by Nanostructure Growth Techniques	17
1.6. Practical Application	19
1.6.1. Self-Cleaning Surfaces	20
1.6.2. Remediation of Water	22
1.6.3. Hydrogen Production	24

*CHAPTER 2*

**EXPERIMENTAL**

2.1. Materials	25
----------------	----

## CONTENTS

---

2.2. Preparations	25
2.2.1. Preparation of TiO <sub>2</sub> nanoparticles	25
2.2.2. Preparation of TiO <sub>2</sub> nanotubes (TNTs)	26
2.2.3. Preparation of ZnO nanotubes	28
2.2.4. Preparation of TiO <sub>2</sub> nanotubes on ZnO nanoflower as nanocomposite	28
2.3. Characterization of prepared samples	30
2.3.1 High Resolution Transmission Electron Microscope (HRTEM)	30
2.3.2. X-Ray diffraction analysis (XRD)	30
2.3.3. Fourier transform infrared spectroscopy (FT-IR)	31
2.3.4. Dispersive Raman spectroscopy	31
2.3.5. Thermal analysis	31
2.3.6. UV/vis Spectrophotometer	32
2.3.7. Spectrofluorophotometer	32
2.4. Determination of Photocatalytic activity	32
<i>CHAPTER 3</i>	
<b>RESULTS AND DISCUSSION</b>	
3.1. Characterization and catalytic activity of prepared TiO <sub>2</sub> nanotubes	34
3.1.1 Influence of calcination temperature on prepared TiO <sub>2</sub> nanotubes	34

---

## CONTENTS

---

3.1.1.1. Morphology and structural characterization	34
3.1.1.2. Photocatalytic Activity	45
3.1.2. Influence of washing on prepared TiO <sub>2</sub> nanotubes	47
3.1.2.1 Morphology and structural characterization	47
3.1.2.2 Photocatalytic Activity	58
3.1.3. Influence of NaOH concentration on prepared TiO <sub>2</sub> nanotubes	59
3.1.3.1 Morphology and structural characterization	60
3.1.3.2 Photocatalytic Activity	70
3.1.4. Influence of hydrothermal temperature and duration time on prepared TiO <sub>2</sub> nanotubes	72
3.1.4.1 Morphology and structural characterization	72
3.1.4.2 Photocatalytic Activity	81
3.2. Characterization and catalytic activity of prepared ZnO nanotubes	83
3.2.1. Influence of NaOH concentration on the structure of ZnO nanotubes	83
3.2.1.1. Morphology and structural characterization	83
3.2.1.2. Photocatalytic Activity	93
3.2.2. Influence of Hydrazine volume on the structure of ZnO nanotubes	94
3.2.2.1. Morphology and structural characterization	94
3.2.2.2. Photocatalytic Activity	102

## CONTENTS

---

3.2.3. Influence of reaction temperature on the structure of ZnO nanotubes	103
3.2.3.1. Morphology and structural characterization	104
3.2.3.2. Photocatalytic Activity	112
3.2.4. Influence of reaction time on the structure of ZnO nanotubes	113
3.2.4.1. Morphology and structural characterization	113
3.2.4.2. Photocatalytic Activity	120
3.3. Characterization and catalytic activity of prepared ZnO/TiO <sub>2</sub> nanotubes	121
3.3.1. Morphology and structural characterization	122
3.3.2. Photocatalytic Activity	128
3.4. Phenol Photodegradation Mechanism	130
<b><i>SUMMARY AND CONCLUSIONS</i></b>	<b><i>133</i></b>
<b><i>REFERENCES</i></b>	<b><i>138</i></b>
<b><i>ARABIC SUMMARY</i></b>	

## LIST OF FIGUREURES

---

### LIST OF FIGUREURES

Figure	Description	Page
Figure (1):	Atmospheric Photolysis	7
Figure (2):	Fundamental Photocatalysis	9
Figure (3):	Self Cleaning Surface	21
Figure (4):	Solar Water Remediation System (Top View)	23
Figure (5):	HRTEM images and electron diffraction patterns of prepared TiO <sub>2</sub> nanoparticles (TNPs) and TiO <sub>2</sub> nanotubes (TNTs).	35
Figure (6):	XRD patterns of prepared TiO <sub>2</sub> nanoparticles (TNPs) and TiO <sub>2</sub> nanotubes (TNTs).	37
Figure (7):	FT-IR spectra of TNPs and TNTs obtained under different calcination temperature.	39
Figure (8):	Raman spectra of prepared TNP and TNTs obtained under different calcination temperature.	41
Figure (9):	the TG curves of prepared TNPs and TNTs at different degrees of calcination temperature.	42
Figure (10):	UV–vis diffuse reflectance spectra of TNP-450, TNT-350 and TNT-450.	44
Figure (11):	Photoluminescence (PL) spectra of prepared TNPs	

## LIST OF FIGUREURES

---

and TNTs at different degrees of calcination temperature.	45
Figure (12): The photocatalytic degradation of aqueous phenol over the prepared TNPs and TNTs at different degrees of calcination temperature.	47
Figure (13): HRTEM images and electron diffraction patterns of prepared TNTs washed with different HCl concentration.	49
Figure (14): XRD patterns of prepared titanate samples at different HCl concentration.	52
Figure (15): FT-IR spectra of TNTs washed with different HCl concentration.	54
Figure (16): Raman spectra of prepared TNTs Washed at different HCl conc.	55
Figure (17): UV–vis diffuse reflectance spectra of prepared titanate with different HCl concentration.	57
Figure (18): Photoluminescence (PL) spectra of prepared titanate with different HCl concentration.	58
Figure (19): The photocatalytic degradation of aqueous phenol over the prepared titanate with different HCl concentration.	59
Figure (20): HRTEM images and electron diffraction patterns of prepared TNTs with different NaOH concentration.	61

## LIST OF FIGUREURES

---

Figure (21): XRD patterns of prepared titanate with different NaOH concentration.	63
Figure (22): FT-IR spectra of TNTs obtained with different NaOH concentration.	64
Figure (23): Raman spectra of prepared TNTs with different NaOH concentration.	66
Figure (24): UV-vis DR spectra of prepared TNTs with different NaOH concentration.	68
Figure (25): Photoluminescence spectra of samples obtained at several sodium hydroxide concentration.	70
Figure (26): The photocatalytic degradation of aqueous phenol over the prepared TNTs with different NaOH concentration.	72
Figure (27): HRTEM images and electron diffraction patterns of of samples obtained at different hydrothermal temperature and duration time.	74
Figure (28): XRD patterns of prepared of samples obtained at different hydrothermal temperature and duration time.	76
Figure (29): FT-IR spectra of samples obtained at different hydrothermal temperature and duration time.	77
Figure (30): Raman spectra of samples obtained at different hydrothermal temperature and duration time.	78

## LIST OF FIGUREURES

---

- Figure (31): The UV–vis diffuse reflectance spectra of samples obtained at different hydrothermal temperature and duration time. 80
- Figure (32): The PL spectra of samples obtained at different hydrothermal temperature and duration time. 81
- Figure (33): The photocatalytic degradation of aqueous phenol over prepared titanate catalyst with different hydrothermal temperature and duration time. 82
- Figure (34): HRTEM images with the SAED of the prepared ZnO samples with different NaOH concentration. 86
- Figure (35): XRD pattern of the prepared ZnO samples with different NaOH concentration. 87
- Figure (36): FTIR spectra of the prepared ZnO samples with different NaOH concentration. 89
- Figure (37): Raman spectra of the prepared ZnO samples with different NaOH concentration. 90
- Figure (38): UV–vis diffuses reflectance spectra of the prepared ZnO samples with different NaOH concentration. 92
- Figure (39): PL spectra of the prepared ZnO samples with different NaOH concentration. 93
- Figure (40): The photocatalytic degradation of aqueous phenol over prepared ZnO catalyst with different NaOH concentration. 94
-

## LIST OF FIGUREURES

---

Figure (41): The HRTEM images with the SAED of the prepared ZnO samples with different Hydrazine volume.	96
Figure (42): The XRD pattern of the prepared ZnO samples with different hydrazine volume.	98
Figure (43): The wurtzite HCP "hexagonal close-pack" Structure	98
Figure (44): FTIR spectra of the prepared ZnO samples with different hydrazine volume.	94
Figure (45): Raman Spectra of the prepared ZnO samples with different hydrazine volume.	100
Figure (46): UV–vis diffuses reflectance spectra of the prepared ZnO samples with different hydrazine volume.	101
Figure (47): PL spectra of the prepared ZnO samples with different Hydrazine volume.	102
Figure (48): The photocatalytic degradation of aqueous phenol over prepared ZnO catalyst with different Hydrazine volume.	103
Figure (49): The HRTEM images with the SAED of the prepared ZnO samples with different hydrothermal temperature.	105
Figure (50): The XRD pattern of the prepared ZnO samples with different hydrothermal temperature.	106

---

## LIST OF FIGUREURES

---

Figure (51): The FTIR of the prepared ZnO samples with different hydrothermal temperature.	107
Figure (52): The Raman spectra of the prepared ZnO samples with different hydrothermal temperature.	109
Figure (53): The UV–Vis absorption spectrum of the prepared ZnO samples with different hydrothermal temperature.	110
Figure (54): The PL spectrum of the prepared ZnO samples with different hydrothermal temperature.	111
Figure (55): The photocatalytic degradation of aqueous phenol over prepared ZnO catalyst with different hydrothermal temperature.	112
Figure (56): TEM images and SAED of prepared ZnO samples with different hydrothermal duration time.	114
Figure (57): The XRD patterns of prepared ZnO samples with different hydrothermal duration time.	116
Figure (58): FTIR spectra of prepared ZnO samples with different hydrothermal duration time.	117
Figure (59): Raman spectra of prepared ZnO samples with different hydrothermal duration time.	118
Figure (60): Abs properties of prepared ZnO samples with different hydrothermal duration time.	119
Figure (61): PL spectrum of prepared ZnO samples with different hydrothermal duration time.	120

---

## LIST OF FIGUREURES

---

- Figure (62): The photocatalytic degradation of aqueous phenol over prepared ZnO catalyst with different hydrothermal duration time. 121
- Figure (63): HRTEM images and SAED patterns of hydrothermal prepared TiO<sub>2</sub> NTs, ZnO NFs and TiO<sub>2</sub>/ZnO NTs samples. 123
- Figure (64): XRD patterns of hydrothermal prepared TiO<sub>2</sub> NTs, ZnO NFs and TiO<sub>2</sub>/ZnO NTs samples. 124
- Figure (65): FTIR spectra of hydrothermal prepared TiO<sub>2</sub> NTs, ZnO NFs and TiO<sub>2</sub>/ZnO NTs samples. 125
- Figure (66): Raman spectra of hydrothermal prepared TiO<sub>2</sub> NTs, ZnO NFs and TiO<sub>2</sub>/ZnO NTs samples. 126
- Figure (67): UV–vis diffuse reflectance spectra of hydrothermal prepared TiO<sub>2</sub> NTs, ZnO NFs and TiO<sub>2</sub>/ZnO NTs samples. 127
- Figure (68): PL spectra of hydrothermal prepared TiO<sub>2</sub> NTs, ZnO NFs and TiO<sub>2</sub>/ZnO NTs samples. 128
- Figure (69): The photocatalytic degradation of aqueous phenol over prepared TiO<sub>2</sub> NTs, ZnO NFs and TiO<sub>2</sub>/ZnO NTs catalyts. 129
- Figure (70): Intermediate compounds of phenol photodegradation. 131
-

## LIST OF FIGUREURES

---

Figure (71): Intermediate compounds concentration of phenol  
photodegradation. 132

## LIST OF TABLES

---

### LIST OF TABLES

Table	Description	Page
Table (1):	Chemical reagents	25
Table (2):	Samples named of TNP and TNTs	27
Table (3):	Samples named of ZnO nanotubes	29
Table (4):	Energy dispersive x-ray analysis of titanate samples	50
Table (5):	Band gap results for samples varying synthesis sodium hydroxide concentration	68
Table (6):	elemental composition of ZnO obtained through EDX analysis	85