

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

## جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

#### قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



## بعض الوثائـــق الإصليــة تالفــة



# بالرسالة صفحات لم ترد بالإصل

## AN ENVIRONMENTAL STUDY ON THE CONTAMINATION OF MANZALA LAKE WITH PESTICIDES





#### Thesis

Submitted in partial fulfillment for the degree of

Master of Science in Environmental studies

#### By

#### Hashem Mohammed Mahmoud Abdel- Kader

(B.Sc. in Environmental Science, 1995)

Faculty of Science (Damietta), University of Mansoura.

Department of Environmental studies,
Institute of Graduate Studies and Research,
University of Alexandria

#### **SUPERVISORS**

#### Prof Dr Hesham Zaki Ibrahim

Professor of Pesticide Chemistry and Toxicology
Institute of Graduate Studies and Research
University of Alexandria

Egypt

#### Dr Moustafa Mohammed Abbassy

Lecturer of Pesticide Chemistry

Institute of Graduate Studies and Research

University of Alexandria

Egypt

#### **ACKNOWLEDGMENT**

I thank God, the beneficent and the merciful for helping and supporting me to accomplish this work.

I would like to express my deepest gratitude and thanks to professor Hesham Zaki Ibrahim, professor of Pesticide Chemistry and Toxicology, department of Environmental Studies, Institute of Graduate Studies and Research, Alexandria University, Egypt for his continuos supervision, useful criticism during preparation of this work encouragement, and his constructive discussion of the results and reviewing the manuscript.

I am very grateful to **Dr.Moustafa Mohamed Abbassy**, Lecturer of Pesticide Chemistry, Department of Environmental Studies, Institute of Graduate Studies and Research, Alexandria University, Egypt for his supervision, encouragement, valuable device, and devoted times, he has kindly given unlimited time through this work.

I would like to thank everyone who by any mean helped me to make this study possible especially Mrs. **Karima Abdel**Monem, Mrs. Mofida Shiha IGSR, Alexandria Univerity

Finally, many people have indirectly contributed to accomplisately; my parents, brother, sisters and all my friends; thanks to all.

The reseach in this thesis was supported by the MED-POL, phase II, FAO/UNEP project to Prof Dr M. EL-Raey.

#### LIST OF TABLES

	Pa	ige
Table (1)	Area of Manzala Lake	9
Table (2)	Recovery percentage of organochlorine pesticides and PCBs	55
(1254 and 1260) in samples of Manzala Lake.		
Table (3)	Concentrations of organochlorine pesticides and	57
	polychlorinated biphenyls (PCBs) in water samples from	
·	Manzala Lake (μg/L) n=18	
Table (4)	Concentrations of organochlorine pesticides and	59
	polychlorinated biphenyls (PCBs) in sediment samples	
•	collected from Manzala Lake (µg/kg dry weight ) n=18	
Table (5)	Concentrations of organochlorine pesticides and	62
	polychlorinated biphenyls (PCBs) in four plants species from	
	Manzala Lake (μg/kg wet weight) n=6	
Table (6)	Concentrations of organochlorine pesticides and	65
	polychlorinated biphenyls (PCBs) in fish samples from	
	Manzala Lake (μg/kg wet weight) n=18.	
Table (7)	Concentrations of organochlorine pesticides and	66
	polychlorinated biphenyls (PCBs) in the muscle of bird	
species from Manzala Lake(µg/kg wet weight)		
Table (8)	Bioaccumulation relationships for various trophic levels in	92
	Manzala Lake ecosystem.	

#### LIST OF FIGURES

	P	age
Figure (1)	Manzala Lake main drains	8
Figure (2)	Manzala Lake study area	42
Figure (3)	Manzala Lake sampling sites	43
Figure (4)	Gas chromatogram of 8 organochlorine pesticides (HCB, lindane, aldrin, dieldrin, endrin, p,p'-DDE, p,p'-DDD and p,p'-DDT standard	51
Figure (5)	Gas chromatogram of Arochlor 1254 standard	52
Figure (6)	Gas chromatogram of Arochlor 1260 standard	53
Figure (7-a)	Wet weight (µg/kg) PCBs in fish from Manzala Lake compared to international lakes	68
Figure (7-b)	Wet weight (μg/kg) DDTs in fish from Manzala Lake compared to international lakes	69
Figure (7-c)	Ratio of DDT/DDE in fish from Manzala Lake compared to international lakes	70
Figure (8-a)	Biomagnification of HCB among Manzala Lake ecosystem on a wet weight basis (µg/kg wet weight)	1 74
Figure (8-b)	Biomagnification of HCB among Manzala Lake ecosystem on a lipid weight basis (µg/kg lipid weight)	n 75
Figure (9-a)	Biomagnification of Lindane among Manzala Lake ecosystem on a wet weight basis (µg/kg wet weight)	e 76
Figure (9-b)	Biomagnification of Lindane among Manzala Lake ecosystem on a lipid weight basis (µg/kg lipid weight)	e 77

Figure (10-a)	Biomagnification of p,p'-DDE among Manzala Lake	78	
2 -8 ( )	ecosystem on a wet weight basis (µg/kg wet weight)		
Figure (10-b)	Biomagnification of p,p-DDE among Manzala Lake	79	
	ecosystem on a lipid weight basis (µg/kg lipid weight)		
Figure (11-a)	Biomagnification of p,p'-DDD among Manzala Lake	80	
	ecosystem on a wet weight basis (µg/kg wet weight)		
Figure (11-b)	Biomagnification of p,p'-DDD among Manzala Lake	81	
	ecosystem on a lipid weight basis (μg/kg lipidweight)		
Figure (12-a)	Biomagnification of p,p'-DDT among Manzala Lake	82	
	ecosystem on a wet weight basis (µg/kg wet weight)		
Figure (12-b)	Biomagnification of p,p'-DDT among Manzala Lake	83	
	ecosystem on a lipid weight basis (µg/kg lipid weight)		
Figure (13-a)	Biomagnification of Arochlor 1254 among Manzala Lake	84	
	ecosystem on a wet weight basis (µg/kg wet weight)		
Figure (13-b)	Biomagnification of Arochlor 1254 among Manzala Lake	85	
	ecosystem on a lipid weight basis (µg/kg lipid weight)		
Figure (14-a)	Biomagnification of Arochlor 1260 among Manzala Lake	86	
	ecosystem on a wet weight basis (µg/kg wet weight)		
Figure (14-b)	Biomagnification of Arochlor 1260 among Manzala Lake	87	
	ecosystem on a lipid weight basis (µg/kg lipid weight)		
Figure (15)	Least square linear regression of log bioconcentration	88	
	factor (BCF) vs log Kow for Manzala Lake vegetation		

		1 450
Figure (16)	Least square linear regression of log bioconcentration factor (BCF) vs log Kow for Manzala Lake fishes (fillet)	n 89
Figure (17)	Least square linear regression of log bioconcentration factor (BCF) vs log Kow for Manzala Lake fishes (gills)	n 90
Figure (18)	Least square linear regression of log bioconcentration factor (BCF) vs log Kow for Manzala Lake birds	n 91

#### CONTENTS

	Acknowledgement	
	List of tables	
	List of figures	_
Char	oter	Page
1.	INTRODUCTION	1
2.	AIM OF THE WORK	3
3.	REVIEW OF LITERATURE	4
<b>J.</b>	I- The importance of Manzala Lake	4
	II- Sources of Manzala Lake pollution	5
	1- Agricultural drainage	5
	2- Industrial drainage	6
	III- Drying of the lake	7 10
	IV- Occurrence and distribution of Organochlorine pesticides	10
	and polychlorinated biphenyls (PCBs) in aquatic environment.	35
	V- Analytical procedures for the determination of Organochlorine pesticides and polychlorinated biphenyls	55
	Organochlorine pesticides and polycinormated orphonyrs	38
	VI- The impact of organochlorines  1- Reproduction at risk	38
	2- Reduced resistance	39
	3- Connection with cancer	39
4.	MATERIALS AND METHODS	41
-1.	I- Description of the study area	41
	II- Sampling	44
	1- Water	44
	2- Sediments	44
	3- Biota	45
	3.1. Fish	45
	3.2. Birds	45
	4- Aquatic plants	45
	III- Reagents	46
	IV- Chemical analysis	46
	V- Instruments used	48
	VI- Gas chromatographic procedures	49
	VII_ Quantitative GC analysis	50

	VIII- Bioconcentration	54
		54
	VIII- Recovery	56
5.	RESULTS AND DISCUSSION	93
6.	CONCLUSION	94
7.	SUMMARY	-
8.	REFERENCES	99
9.	ARABIC SUMMARY	

Chapter I

### INTRODUCTION