





ثبكة المعلومات الجامعية





جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد اعدت دون آية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15-20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of 15-25c and relative humidity 20-40 %



ثبكة المعلومات الجامعية







A COMPARATIVE STUDY OF THE EFFICIENCY OF SOME MAIZE TESTERS FOR EVALUATION A NUMBER OF WHITE MAIZE INBRED LINES AND THEIR COMBINING ABILITY UNDER DIFFERENT ENVIRONMENTAL CONDITIONS

By

Hatem El-Hamadey Mosa

B.Sc. (Agron.), Tanta Univ., 1989 M.Sc. (Agron.), Tanta Univ., 1996

THESIS

Submitted in Partial Fulfillment of The Requirements For The Degree of **DOCTOR OF PHILOSOPHY**

In

Agricultural Science

(Agronomy)


Faculty of Agriculture Kafr El-Sheikh

Tanta university

K

1 V V -

(2001)



A COMPARATIVE STUDY OF THE EFFICIENCY OF SOME MAIZE TESTERS FOR EVALUATION A NUMBER OF WHITE MAIZE INBRED LINES AND THEIR COMBINING ABILITY UNDER DIFFERENT ENVIRONMENTAL CONDITIONS

By Hatem El-Hamadey Mosa

B.Sc. (Agron.), Tanta Univ., 1989 M.Sc. (Agron.), Tanta Univ., 1996

THESIS

Submitted in Partial Fulfillment of The Requirements For The Degree of **DOCTOR OF PHILOSOPHY**

In Agricultural Science (Agronomy)

Faculty of Agriculture Kafr El-Sheikh
Tanta university
(2001)

Approved by:

Prof. Dr.

Prof. Dr.

Prof. Dr.

Prof. Dr.

LARIE

VI-Hosar

Date: / /2001

Committee in charge

Deposited in the faculty library

Date: / /2001

Librarian

SUPERVISION COMMITTEE

Prof. Dr. Y.S. Katta

Professor of Agronomy, Faculty of Agriculture, Kafr El-Sheikh, Tanta University

Prof. Dr. A.A. Galal


Professor of Agronomy, Maize Section, Agricultural, Research Center

Prof. Dr. El-Hity

Professor of Agronomy,
Faculty of Agriculture, Kafr El-Sheikh,
Tanta University



To
My Mother,
My Wife,
and
My Son
Ahmed



ACKNOWLEDGEMENT

Grateful appreciation is due to Prof. Dr. Y. S. Katta, Professor of Crop Sci. and statistics, Fac. of Agric., Kafr El-Sheikh, Tanta Univ., for suggesting the problem, his valuable guidance, supervision during the progress of the work, his help in statistical analysis and the preparation of this manuscript of this study.

Thank and sincere appreciation are due to Prof. Dr. A.A. Galal, Maize Res. Sec., Field crop Res. Inst., Agriculture Research Center, for continous valuable encouragement, his kind help during the progress of the work and the preparation of this manuscript.

I am also greatly indebted to **Prof. Dr. M.A. El-Hity** Professor of Crop Sci., Fac. of Agric., Kafr El-Sheikh, Tanta Univ., for his cooperation, kind help and valuable assistance during the preparation of the thesis.

I feel deeply thankful for all staff members and technicians of Maize Research section specially at Sakha, Giza and Sids for providing materials and facilities for this work.

Thanks also due to my wife Marwa for her kind help during the preparation of this study.

