

IMPROVING THE PRODUCTIVE PERFORMANCE OF NATIVE DUCK BREED BY CROSSING WITH STANDARD COMMERCIAL DUCK BREED

By

AMER MAKRAM ALI SAWY

B.Sc. Agric. Sc. (Poultry Production), Cairo University, 2005
M.Sc. Agric. Sc. (Poultry Breeding), Ain Shams University, 2010

**A thesis submitted in partial fulfillment
of
the requirements for the degree of**

**DOCTOR OF PHILOSOPHY
in
Agricultural Science
(Poultry Breeding)**

**Department of Poultry Production
Faculty of Agriculture
Ain Shams University**

2015

Approval Sheet

IMPROVING THE PRODUCTIVE PERFORMANCE OF NATIVE DUCK BREED BY CROSSING WITH STANDARD COMMERCIAL DUCK BREED

By

AMER MAKRAM ALI SAWY

B.Sc. Agric. Sc. (Poultry Production), Cairo University, 2005

M.Sc. Agric. Sc. (Poultry Breeding), Ain Shams University, 2010

This thesis for Ph.D. degree has been approved by:

Dr. Mohamed Bahie El-Deen Mohamed

Prof. of Poultry Breeding, Faculty of Agriculture,
Alexandria University.

Dr. Ali Zein El-Dein Hassan

Prof. Emeritus of Poultry Breeding, Faculty of Agriculture, Ain
Shams University.

Dr. Ahmed Galal El-Sayed

Prof. of Poultry Breeding, Faculty of Agriculture, Ain Shams
University.

Dr. Ahmed Hatem Ibrahim El-Attar

Prof. Emeritus of Poultry Breeding, Faculty of Agriculture, Ain
Shams University.

Date of Examination: 18 / 8 / 2015

IMPROVING THE PRODUCTIVE PERFORMANCE OF NATIVE DUCK BREED BY CROSSING WITH STANDARD COMMERCIAL DUCK BREED

By

AMER MAKRAM ALI SAWY

B.Sc. Agric. Sc. (Poultry Production), Cairo University, 2005

M.Sc. Agric. Sc. (Poultry Breeding), Ain Shams University, 2015

Under the supervision of:

Dr. Ahmed Hatem Ibrahim El-Attar

Prof. Emeritus of Poultry Breeding, Department of Poultry
Production, Faculty of Agriculture, Ain Shams University (Principal
Supervisor)

Dr. Ahmed Galal El-Sayed

Prof. of Poultry Breeding, Department of Poultry Production, Faculty
of Agriculture, Ain Shams University

ACKNOWLEDGMENT

Firstly, I wish to express my prayerful thanks to **ALLAH** for everything.

I would like to initiate display profuse thank to the members of my supervising committee, **Prof. Dr. A.H. El-Attar** (Principal Supervisor), Professor of Poultry Breeding, Poultry Production Department, Faculty of Agriculture, Ain shams University on his treated parental sought by him during this work, support advice, guidance revising the manuscript and interest.

Special thanks and deep gratefulness are due to **Prof. Dr. A. Galal**, Professor of Poultry Breeding, Poultry Production Department, Faculty of Agriculture, Ain shams University for his supervision, writing, encourage and interest.

Many thanks also due to **Prof. Dr. A. Zein El-Dein**, **Prof. Dr. H. Ayoub** and **Prof. Dr. M.M. Fathi** Professors of Poultry Breeding, Poultry Production Department, Faculty of Agriculture, Ain Shams University for encourage, interest and support advice.

I deeply grateful indebted to **Dr. G.N. Rayan** lecturer of Poultry Breeding Poultry Production Department, Faculty of Agriculture, Ain Shams University for his encourage, interest and support advice.

I would also like to express thanks **Mr. A.M. Abdelmoniem** and all staff members of Poultry Production Department.

Special thanks to my Parents and all my Family for continuous support and help at this work.

CONTENTS

	Page
LIST OF TABLES	
LIST OF FIGURES	
LIST OF PHOTOS	
LIST OF ABBREVIATIONS	
INTRODUCTION	1
REVIEW OF LETERATURES	3
.1. Overview on domesticated ducks .	3
1. 1. Common ducks	3
1.2. Muscovy duck	5
1.3. Sterile Hybrid Ducks	5
2. Phenotypic Characteristics	8
2.1. Body weight and Growth rate	8
2.1.1. Pure line	8
2.1.2. Crossbreed	11
2.2. Feed consumption and Feed conversion	12
2.2.1. Pure line	12
2.2.2. Crossbreed	13
2.3. Body measurements	14
2.3.1. Pure line	14
2.3.2. Crossbreed	15
3. Carcass Parameters	15
3.1. Edible and Non- edible meat parts	16
3.1.1. Pure line	16
3.1.2. Crossbreed	17
3.2. Breast, thigh and drumstick muscles	18
3.2.1. Pure line	18
3.2.2. Cross breed	18
3.3. Abdominal fat, gizzard fat, skin, neck and wings	19
3.3.1. Pure line	19
3.3.2. Crossbreed	20
4. Blood Parameters	22
4.1. Pure line	22
4.2. Crossbreed.	22

5. Immune Response Traits	23
5.1. Immune system Mechanisms	23
5.2. Immuno competence measurements	24
5.2.1. Blastogenic response to phytohemagglutinin-P (PHA-P)	24
5.2.1.1. Pure line	24
5.2.1.2. Crossbreed	25
5.2.2. Heterophils/lymphocytes ratio	26
5.2.2.1. Pure line	26
5.2.2.2. Crossbreed	28
5.2.3. Lymphoid organs weight	28
5.2.3.1. Pure line	28
5.2.3.2. Crossbreed	29
6. Sexual dimorphism	29
6.1. Body weight	30
6.1.1. Pure line	30
6.1.2. Crossbreed	31
6.2. Body measurements	31
6.2.1. Pure line	31
6.3. Carcass	32
6.3.1. Pure line	32
6.3.2. Crossbreed	34
7. Mortality & Defects	35
7.1. Pure line	35
7.2. Crossbreed	37
8. Fertility and Hatchability	38
9. Hetrosis	40
MATERIALS AND METHODS	
1. Genetic Flocks and Management	42
2. Mating design	46
3. Maturation Measurements	47
4. Incubation measurements	47
4.1. Fertility and hatchability	47
4.2. Embryonic mortality	48

4.3. Relative 1-day duck weight	48
5. Measurements and observations	49
5.1. Body weight	49
5.2. Growth rate	49
5.3. Feed consumption and feed conversion ratio	49
5.4. Body measurements	50
5.4.1. Shank Length	50
5.4.2. Keel Length.	50
5.4.3. Breast circumference	50
5.4.4. Body Length	50
5.5. Carcass measurements	52
5.6. Blood constituents	52
6. Sexual dimorphism	53
7. Immunocompetence measurements	53
7.1. Phytohemagglutinin injection (In vivo cell-mediated immunity assay)	53
7.2. Relative lymphoid organs weight	53
7.3. White blood cells count (WBCs).	54
8. Heterosis	54
9. Statistical analyses	54
RESULTS AND DISCUSSION	56
1. Parent stock	56
1.1. Phenotypic parameters	56
1.1.1. Growth performance	56
1.1.1.1. Body weight & Body weight gain	56
1.1.1.2. Growth rate	60
1.1.1.3. Feed consumption and feed conversion ratio	62
1.1.1.4. Body measurements	64
1.2. Blood Parameters	66
1.3. Immunocompetence parameters	68
1.3.1. Cell-mediated immunity (CMI)	68
1.3.2. Relative Lymphoid organs weight	71
1.3.3. White blood cells count	72
1.4. Carcass Parameters	75

1.4.1. Non edible meat parts	75
1.4.2. Edible meat parts	78
1.4.3. Relative breast, thigh and drumstick weight	80
1.4.4. Relative gizzard fat, abdominal fat, skin, neck and wings weight	82
1.5. Sexual Dimorphism	85
1.5.1. Body weight and body measurements.	85
1.5.2. Lymphoid organs	86
1.5.3. Carcass parameters	87
1.6. Mortality and Defects	90
2. Sexual maturity	92
2.1. Body weight and measurements	92
3. Fertility and hatchability	97
4. Offspring flock	100
4.1. Phenotypic parameters	100
4.1.1. Growth performance	100
4.1.1.1. Body weight & Body weight gain	100
4.1.1.1.1. MS cross.	100
4.1.1.1.2. PS cross	100
4.1.1.2. Growth rate	108
4.1.1.2.1. MS cross	108
4.1.1.2.2. PS cross	108
4.1.1.3. Feed consumption and feed conversion ratio	112
4.1.1.3.1. MS cross	112
4.1.1.3.1. PS cross	114
4.1.1.4. Body measurements	117
4.1.1.4.1. MS cross	117
4.1.1.4.2. PS cross	117
4.2. Blood Parameters	120
4.2.1. MS cross	120
4.2.2. PS cross	120
4.3. Immunocompetence parameters	122
4.3.1. Cell-mediated immunity (CMI)	122
4.3.1.1. MS cross	122

4.3.1.2. PS cross	122
4.3.2. Relative lymphoid organs weight	126
4.3.2.1. MS cross	126
4.3.2.2. PS cross	127
4.3.3 .White blood cells count	130
4.3.3.1. MS cross	130
4.3.3.2. PS cross	130
4. 4. Carcass Parameters	132
4.4.1. Non edible meat parts	132
4.4.1.1. MS Cross	132
4.4.1.2. PS cross	133
4.4.2. Edible meat parts	135
4.4.2.1. MS Cross	135
4.4.2.2. PS Cross	136
4.4.3. Relative breast, thigh and drumstick weight	138
4.4.3.1. MS Cross	138
4.4.3.2. PS Cross	140
4.4.4. Percentage of abdominal fat, gizzard fat, skin, neck and wings	142
4.4.4.1. MS Cross	142
4.4.4.2. PS Cross	142
4.5. Sexual Dimorphism	144
4.5.1. Body weight and body measurements	144
4.5.2. Lymphoid organs	145
4.5.3. Carcass parameters	146
4.6. Mortality and Defects	149
4.6.1. MS cross	149
4.6.2. PS cross	149
5. Comparison between crosses	152
5.1. Phenotypic parameters	152
5.1.1. Growth performance	152
5.1.1.1. Body weight & Body weight gain	152
5.1.1.2. Growth rate	155
5.1.1.3. Feed consumption and feed conversion ratio	157

5.1.1.4. Body measurements	159
5.2. Blood paramters	160
5.3. Immunocompetence parameters	161
5.3.1. Cell-mediated immunity (CMI)	161
5.3.2. Relative lymphoid organs weight	162
5.3.3 .White blood cells count	163
5.4. Mortality and Defects	164
5. 5. Carcass Parameters	165
5.5.1. Non edible meat parts	165
5.5.2.Edible meat parts	166
5.5.3. Relative breast, thigh and drumstick weight	168
5.5.4. Relative gizzard, abdominal fat, skin, neck and wings weight	169
6. Hetrosis	171
6.1. Between crosses	171
6.1.1. Growth performance	171
6.1.1.1. MS cross	171
6.1.1.2. PS cross	171
6.1.2. Hematological and Immunocompetence	172
6.1.2.1. MS	172
6.1.2.1. PS Cross	173
6.1.3. Carcass Paramters	174
6.1.3.1. MS cross	174
6.1.1.2. PS cross	175
6.2. Sex effect	176
6.2.1. Hematological and Immunocompetence	176
6.2.2. Carcass Paramters	179
SUMMARY AND CONCLUSION	181
REFERENCES	191
ARABIC SUMMARY	

LIST OF TABLES

Table		Page
1	The average high and low ambient temperatures and relative humidity recorded during the experimental period.	43
2	Composition and chemical analysis of experimental diets.	45
3	The distribution of experimental diets among duck strains and their cross	46
4	Marketing and sexual maturity age of Sudani, Muscovy and Peking duck	46
5	Mating design and number of parents and offspring included.	47
6	Body weight and body weight gain (Means \pm SE) of Saudani, Muscovy and Peking duck strains at different ages (Parent Stock).	59
7	Growth rate (Means \pm SE) of Saudani, Muscovy and Peking duck strains (Parent Stock).	61
8	Feed consumption and Feed conversion (Means \pm SE) of Saudani, Muscovy, and Peking duck strains at different ages (Parent Stock).	63
9	Body measurements (Means \pm SE) of Saudani, Muscovy, and Peking duck strains (Parent Stock).	65
10	Effect of sex, strain and their interaction on some blood constituent (Means \pm SE) of duck strains (Parent Stock).	67
11	Toe-web swelling as affected by strain, sex and their interaction (difference) at 8wk of age (Parent Stock).	69
12	Effect of strains, sex and their interaction on WBCs count of duck strains (Parent Stock)	74
13	Relative non edible meat parts weight (Means \pm SE) of duck strains at marketing age (Parent Stock).	77
14	Relative edible meat parts (Means \pm SE) of Saudani, Muscovy, and Peking duck strains at marketing age (Parent Stock).	79
15	Relative breast, thigh and drumstick muscles weight (Means \pm SE) of duck strain at marketing age (Parent Stock).	81
16	Strain and sex effect for relative gizzard fat, abdominal, neck and wings weight (Means \pm SE) of Saudani, Muscovy, and Peking duck strain at marketing age (Parent Stock).	83

17	Sexual dimorphism for live body weight and body measurements at marketing age (Means \pm SE) of Saudani, Muscovy, and Peking duck strains (Parent Stock).	86
18	Sexual dimorphism for non-edible meat parts weight (Means \pm SE) of Sudani, Muscovy, and Peking duck strains (Parent Stock).	88
19	Sexual dimorphism for edible meat parts weight (Means \pm SE) of Sudani, Muscovy, and Peking duck strains (Parent Stock).	89
20	Sexual dimorphism for breast, thigh and drum muscle weight (Means \pm SE) of Saudani, Muscovy, and Peking duck strains (Parent Stock).	89
21	Sexual dimorphism for gizzard, abdominal fat, skin, wings and neck weight (Means \pm SE) of Saudani, Muscovy, and Peking duck strains (Parent Stock).	90
22	Strains effect (Means \pm SE) for body weight and body measurements at sexual maturity for Sudani, Muscovy, and Peking duck strains (Parent Stock).	93
23	Artificial incubation measurements among Sudani duck and the cross either with Muscovy or Peking males.	98
24	Means \pm SE) body weight of parents duck and MS cross at marketing age (offspring flock).	103
25	Means \pm SE) body weight gain of parents duck and MS cross at marketing age (offspring flock).	104
26	(Means \pm SE) body weight of parents duck and PS cross at marketing age (offspring flock).	106
27	(Means \pm SE) body weight gain of parents duck and PS cross at marketing age (offspring flock).	107
28	(Means \pm SE) growth rate of parents duck and MS cross at marketing age (offspring flock).	101
29	(Means \pm SE) growth rate of parents duck and PS cross at marketing age (offspring flock).	101
30	(Means \pm SE) feed consumption and feed conversion ratio of parents duck and MS cross at marketing age (offspring flock).	115

31	(Means \pm SE) feed consumption and feed conversion ratio of parents duck and PS cross at marketing age (offspring flock).	116
32	(Means \pm SE) body measurements of duck parents and MS cross at marketing age (offspring flock).	118
33	(Means \pm SE) body measurements of parents duck and PS cross at marketing age (offspring flock).	119
34	Effect of sex and strain on blood constituent (Means \pm SE) of Saudani, Muscovy, and thire cross (offspring flock).	121
35	Some blood constituent (Means \pm SE) of Saudani, Muscovy and MS cross (offspring flock).	121
36	Effect of sex and strains on Toe-web swelling (difference) of Sudani, Muscovy, and thire cross (offspring flock).	123
37	Toe-web swelling thickness (difference) of Peking, Sudani and their cross (offspring flock).	123
38	Effect of sex and strains on WBCs count of Saudani, Muscovy and their cross (offspring flock)	131
39	White blood cells count (Means \pm SE) of Saudani, Peking and PS cross (offspring flock).	132
40	(Means \pm SE) effect of sex, strain and their interaction on relative non-edible meat parts of parental duck strains and MS cross at marketing age (offspring flock).	134
41	(Means \pm SE) relative non edible meat parts weight of parental duck strains and PS cross at marketing age (offspring flock).	135
42	(Means \pm SE) effect of sex, strain and their interaction on relative non-edible meat parts of parental duck strains and MS cross at marketing age (offspring flock).	137
43	(Means \pm SE) relative edible meat parts weight of parental duck strains and PS cross at marketing age (offspring flock).	138
44	(Means \pm SE) effect of sex, strain and their interaction on relative breast, thigh and drumstick muscles weight of parental duck strains and MS cross at marketing age (offspring flock).	141

45	(Means \pm SE) relative breast, thigh and drumstick muscles weight parental duck strains and PS cross at marketing age (offspring flock).	141
46	(Means \pm SE) effect of sex, strain and their interaction on relative abdominal, Gizzard fat, neck and wings weight of parental duck strains and MS cross at marketing age (offspring flock) .	143
47	(Means \pm SE) relative abdominal, Gizzard fat, neck and wings weight of parental duck strains and PS cross at marketing age (offspring flock)	144
48	(Means \pm SE) sexual dimorphism for live body weight and body measurements at marketing age of parental duck strains and MS cross at marketing age (offspring flock)	145
49	(Means \pm SE) sexual dimorphism for non-edible meat parts of parental duck strains and MS cross at marketing age (offspring flock)	147
50	(Means \pm SE) sexual dimorphism for edible meat parts of parental duck strains and MS cross at marketing age (offspring flock).	148
51	(Means \pm SE) sexual dimorphism for breast, thigh and drum muscle parts of parental duck strains and MS cross at marketing age (offspring flock)	148
52	(Means \pm SE) sexual dimorphism for gizzard, abdominal fat, skin, wings and neck of parental duck strains and MS cross at marketing age (offspring flock).	149
53	(Means \pm SE) body weight of MS and PS cross at different ages (offspring flock)	153
54	(Means \pm SE) body weight gain of MS and PS cross at different ages (offspring flock).	154
55	(Means \pm SE) growth rate of MS and PS cross at marketing age (offspring flock)	156
56	(Means \pm SE) feed consumption and feed conversion ratio of MS and PS cross at different ages (offspring flock)	158
57	(Means \pm SE) body measurements of MS and PS cross at different ages (offspring flock)	160
58	(Means \pm SE) blood constituent of MS and PS cross (offspring flock)	161