

Role of intra articular injection of autologous platelet-rich plasma in primary knee osteoarthritis

Thesis

Submitted for partial fulfillment of MD degree in Physical Medicine, Rheumatology, and Rehabilitation

By

Ahmed Ibrahim Kamal Eddin Afifi Hammad

*M.B.B CH, M.Sc. Of physical medicine
Faculty of medicine- Ain Shams University*

Under Supervision of

Prof. Dr/ Nadia Abdel Salam El kadery

*Professor of Physical medicine, Rheumatology and Rehabilitation
Faculty of medicine- Ain Shams University*

Prof. Dr/ Mohammed Aly Elwy

*Professor of Physical medicine, Rheumatology and Rehabilitation
Faculty of medicine- Ain Shams University*

Prof. Dr / Eman Mahmoud Ghaniema

*Professor of Physical medicine, Rheumatology and Rehabilitation
Faculty of medicine- Ain Shams University*

Dr/Hossam Moussa Sakr

*Assistant professor of Radiodiagnosis
Faculty of medicine- Ain Shams University*

*Faculty of medicine
Ain Shams University*

-2015-

Acknowledgments

First of all, many thanks will never be enough to express my endless gratitude to **ALLAH** for giving me the strength and support to carry out this work.

I would like to express my deep appreciation wrapped with great respect to ***Prof. Dr. Nadia Abdel Salam El kadery***, Professor of Physical Medicine Rheumatology and Rehabilitation, Faculty of Medicine, Ain Shams University, for her patience, encouragement & expert supervision.

I am greatly honored to express my gratitude to ***Prof. Dr. Mohammed Aly Elwy***, Professor of Physical Medicine Rheumatology and Rehabilitation, Faculty of Medicine, Ain Shams University, for his precious advices and valuable observations.

Special thanks go to ***Prof. Dr. Eman Mahmoud Ghaniema***, Professor of Physical Medicine, Rheumatology and Rehabilitation, Faculty of Medicine Ain Shams University, who not only encouraged me but also provided tireless help and continuous guidance throughout this work.

I am deeply grateful to ***Dr. Hossam Moussa Sakr***, Assistant professor of Radiodiagnosis, Faculty of Medicine, Ain Shams

University, for his exceptional help and valuable cooperation to accomplish this work.

Also, I appreciate the submitted effort from **Dr. Reem El-Mallah**, lecturer in Physical Medicine, Rheumatology and Rehabilitation Department, Faculty of Medicine, Ain Shams University, and my colleague **Medhat Mohamed Magdy**, resident in our department, who helped me at the practical part of the study.

Many thanks to all professors, staff and colleagues in our department, for offering help whenever I needed during this research.

I would like to express my great honor and thanks to **Prof. Dr. Hesham Salah Hammoud**, Professor of Rheumatology and Rehabilitation, Faculty of Medicine, Al-Azhar University, Cairo and to **Prof. Dr. Neven Mahmoud Taha Fouda**, Professor of Physical Medicine, Rheumatology and Rehabilitation, Faculty of medicine, Ain Shams University for honoring me in discussing this work.

Finally, I must thank my family for their encouragement and support not only during the period of this research but also during my whole life.

List of abbreviations

ACD-A: Anticoagulation citrate dextrose-A.

ACL: Anterior cruciate ligament.

ACR: The American College of Rheumatology.

ACS: autologous conditioned serum.

ADAMTS: A Disintegrin And Metalloprotease with Thrombospondin motifs.

ADP: Adenosine diphosphate.

AGEs: Advanced glycation end products.

ATP: Adenosine triphosphate.

ahMSC: adult human mesenchymal stem cells.

BM-MSC: bone marrow-derived mesenchymal stem cells.

BMPs: Bone morphogenetic proteins.

CAS: computer navigated surgery.

COX-2: Cyclo-oxygenase-2.

CR: Conventional radiography.

CRP: C-reactive protein.

CT: Computed tomography.

CTGF: Connective tissue growth factor.

dGEMRIC: Delayed gadolinium enhanced MRI of cartilage.

DVT: Deep venous thrombosis.

ECM: Extracellular matrix.

EGF: Epidermal growth factor.

EP: prostaglandin E receptor.

ERKs: Extracellular signal-regulated kinases.

ESR: Erythrocyte sedimentation rate.

EULAR: European League Against Rheumatism.

FDA: Food and Drug Administration.

FGF: Fibroblast growth factor.

FGFR1: FGF receptor 1.

FGFR3: fibroblast growth factor receptor 3.

FN: Fibronectin.

Fn-fs: Fibronectin fragments.

GAG: Glucosaminoglycan.

GI: gastrointestinal.

GM-CSF: Granulocyte-macrophage colony-stimulating factor.

HA: Hyaluronic acid.

IA: intra-articular.

IGF-1: Insulin like growth factor.

IGFBPs: IGF-binding proteins.

IFN: Interferon.

IKDC: International Knee Documentation Committee.

IL: Interleukin.

IL1-Ra: IL-1receptor antagonists.

IRAPs: IL-1receptor antagonist proteins.

iNOS: inducible nitric oxide synthase.

JNK: c-Jun N-terminal kinases.

JSN: joint space narrowing

JSW: Joint space width.

KD: Kilodaltons.

KOOS: Knee osteoarthritis outcome score.

KSCRS: Knee society clinical rating scale.

LIF: Leukemia inhibitory factor.

LTB4: Leukotriene B4.

MAP: Mitogen activated protein.

MIS: minimally invasive surgery.

MMPs: Matrix metalloproteinases.

MRI: Magnetic Resonance Imaging.

MSCs: Mesenchymal stem cells.

MSK US=MSUS: Musculoskeletal ultrasonography.

NFκB: Nuclear factor kappa B.

NGF: Nerve growth factor.

NO: Nitric oxide.

NSAIDs: Non-Steroidal Anti Inflammatory Drugs.

OARSI: Osteoarthritis Research Society International.

OATS: osteochondral autologous transfer system.

Ob: obesity gene.

OMERACT: Outcome Measures in Rheumatology.

OP-1: Osteogenic protein-1.

OPG: Osteoprotegerin.

OSM: Oncostatin M.

PDGF: Platelet derived growth factor.

PGE2: Prostaglandin E2.

PGs: Proteoglycans.

PGF: Platelet growth factor.

PR-FG: platelet-rich fibrin glue.

PRP: Platelet-rich plasma.

RAGE: Receptor of advanced glycation end products.

RANK: Receptor activator of nuclear factor kappa B.

RANKL: RANK ligand.

RCT: Randomized Controlled Trial.

RNA: Ribonucleic acid.

SB: Subchondral bone.

SF-36: Short Form Health Survey.

Smad: a family of proteins similar to the gene products of the *Drosophila* gene 'mothers against decapentaplegic' (Mad) and the *Caenorhabditis elegans* gene Sma. They are intracellular proteins that transduce extracellular signals from TGF- β ligands to the nucleus where they activate downstream gene transcription

SWD: Short Wave Diathermy.

SySADOA: Symptomatic slow-acting drugs for osteoarthritis.

TENS: Transcutaneous electrical nerve stimulation.

TGF β : Transforming growth factor β .

TIMP: Tissue inhibitors of metalloproteinase.

TKA: Total Knee Arthroplasty.

TKR: Total knee replacement (introduction)

TKR: Tyrosine kinase receptor.

TNF- α : Tumor necrosis factor- α .

TNF-R: TNF receptor.

Toll like receptors: are classes of proteins that play a key role in the innate immune system. They are single, membrane-spanning, non-catalytic receptors usually

expressed in sentinel cells such as macrophages and dendritic cells, that recognize structurally conserved molecules derived from microbes

TRAP (SFLLRN): Thrombin Receptor Activating Peptide

QOL: Quality Of Life.

UKA: Uni-compartmental Knee Arthroplasty.

uPA: urokinase-type plasminogen activator.

US: Ultrasound.

VAS: Visual analogue scale.

VEGF: Vascular endothelial growth factor.

WOMAC: Western Ontario and McMaster Osteoarthritis Index.

List of Contents

Title	Page No.
Introduction	1
Aim of the study.....	8
<u>Review of Literature</u>	
• Knee osteoarthritis	9
Prevalence.....	10
Etiology and risk factors.....	11
Pathogenesis of OA.....	19
Pathology of the articular cartilage.....	55
Clinical features.....	64
Investigations in knee OA.....	70
Laboratory findings.....	70
Imaging.....	71
• Sonography in knee osteoarthritis.....	87
• Treatment of knee osteoarthritis.....	111
Non-surgical treatment of knee osteoarthritis	112

Non pharmacological Therapy.....	112
Pharmacological therapy.....	123
Biologic therapy.....	137
Gene therapy.....	157
<i>Surgical treatment in knee osteoarthritis</i>	159
• Platelet rich-plasma(PRP)	165
Platelet anatomy and function.....	165
Platelet actions.....	166
Preparation of PRP.....	180
Therapeutic applications.....	193
Safety issues.....	196
Patients and Methods	197
Results	227
Discussion	244
Summary and Conclusion.....	260
Recommendations	264
References	265
Arabic Summary	---

List of Figures

Figure No.	Title	Page No.
Fig (1):	Shows molecular and cellular mechanisms that perpetuate OA.....	24
Fig (2):	Cytokine expression in OA and movement. ..	55
Fig (3):	Schematic summary of the macromolecular organization of mature articular cartilage.....	58
Fig (4):	ShowsA) antero-posterior weight bearing radiographs of a patient. B) A magnified view of the right knee joint.	74
Fig (5):	Shows antero-posterior fixed-flexion radiograph of a study participant	74
Fig (6):	Shows bone marrow edema and bone marrow lesions depicted on the medial femur on a T2-weighted fat suppressed MRI (A) and medial tibial plateau on an intermediate-weighted fat suppressed MRI (B).....	79
Fig (7):	Shows different techniques of MRI compositional assessment of knee cartilage.....	81
Fig (8):	Shows Images of the medial and lateral mensici pre-surgery (A) and at 2 follow-up time points (B, C)...	81
Fig (9):	Shows compositional MR imaging.....	82
Fig (10):	Shows longitudinal sonographic images of the medial joint line.....	90

Fig (11): Shows sagittal sonographic image of the suprapatellar pouch.....	91
Fig (12): Shows coronal images over the distal femur in full flexion.....	93
Fig (13): Shows complicated Baker cyst: intrabursal hemorrhage.....	94
Fig (14): examples of knee cartilage degenerative US grades (0, 1, 2A, 2B, 3)	102
Fig (15): Shows femoral (left arrow) and tibial (right arrow) osteophytes - medial longitudinal view.....	104
Fig (16): Shows knee effusion in longitudinal suprapatellar view	104
Fig (17): Shows sonographic Visualization of Needle Placement	108
Fig (18): Shows A (Before) and B (After) a sonographically guided injection.	109
Fig (19): Shows sonographically guided intraarticular knee injection via the midlateral approach.....	110
Fig (20): Structures of the TNF antagonists	144
Fig (21): Contrast MRI scan of the patient's right knee before (left) and 6 months after initiation of adalimumab therapy.....	145

Fig (22): Results of MRI performed preoperatively (left) and postoperatively (right).....	156
Fig (23): Gene transfer approaches for the treatment of cartilage defects.....	158
Fig (24): shows schematic overview of a resting and activated platelet.....	166
Fig (25): Shows the different cascade stages in hemostasis after tissue injury.....	169
Fig (26): Shows schematic illustration of the role of platelet derived growth factors during the different stages of the wound healing process.....	171
Fig (27): Shows graphical representation of a “bio-engineered” bone graft with platelet gel.....	179
Fig (28): Shows a peripheral blood smear of whole blood with a platelet count of 276.000 per μL	181
Fig (29): Shows platelet rich plasma smear.	182
Fig (30): Shows sonography machine LOGIQ 500 pro series, GE medical systems, Germany.....	217
Fig (31): Shows US grading of OA cartilage.....	219
Fig (32): Shows (a) centrifuge device, (b) 50 ml falcon tube, and (c) venesection set [butterfly 19-21gauge plus 60 ml syringe].....	221
Fig (33): Shows US guided injection of the knee.....	222

Fig (34): Shows knee injection using the antero-medial approach.....	224
Fig (35): Comparison between study groups regarding VAS score before and after study.....	232
Fig (36): Comparison between study groups regarding IKDC2000 before and after study.....	234
Fig (37): Comparison between study groups regarding sonographic grade before and after study.....	236
Fig (38): Shows Rt knee assessment showing blurring of the margin of the cartilage band (grade2)	237
Fig (39): Shows Rt knee assessment showing blurring of the margin of the cartilage band (grade2).....	237
Fig (40): Shows Rt knee assessment showing obliteration of the margin of the cartilage band at the lateral femoral condyle (grade 2).....	238
Fig (41): Shows Rt knee assessment showing blurring, obliteration of the margin and narrowing of the cartilage band (grade3).....	238
Fig (42): Shows Lt knee assessment showing blurring, obliteration of the margin and narrowing of the cartilage band (grade3).....	239
Fig (43): Shows Rt knee assessment showing blurring, obliteration of the margin and narrowing of the cartilage	