

بسم الله الرحمن الرحيم





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار





بعض الوثائق الأصلية تالفة





بالرسالة صفحات لم ترد بالأصل



Biochemical Effects Of Ginger
(*ZINGIBER OFFICINALE*)
On Lipid Peroxidation and Atherosclerosis
in Rabbits

A Thesis

Presented to The Graduate School
Faculty of Veterinary Medicine, Alexandria University
In Partial Fulfillment of The requirement
For The degree

of
Doctor of Philosophy of Veterinary Science

In
(Biochemistry)

By
Amany Mohammed Salah Al-deen El-morshidy

(2011)

Advisor Committee:

Prof. Dr. Nabil Mohammed Taha

Professor and head of Biochemistry Department
Faculty Of Veterinary Medicine
Alexandria University

Prof. Dr. Mahdy Abd El-Hamid Korshom

Professor of Biochemistry
Faculty Of Veterinary Medicine
Alexandria University

Prof. Dr. Abd El-Wahab Ali Mandour

Professor of Biochemistry
Faculty Of Veterinary Medicine
Alexandria University

ACKNOWLEDGEMENT

FIRST OF ALL PRAYERFUL THANKS ARE TO OUR GOD WHO GIVES US EVERY THING WE HAVE

It is a great honour to me to take this opportunity to express my deep indebtedness and gratitude to ***Professor Dr. Nabil Mohamed Taha, Professor and head of Biochemistry department, Faculty of Veterinary Medicine, Alexandria University,*** for his genius guidance, supervision, generous effort, and continuous encouragement throughout this work.

I am also deeply indebted and grateful to ***Professor Dr. Mahdy Abdel-Hamid korshom, Professor of Biochemistry, Faculty of Veterinary Medicine, Alexandria University,*** for his unfailing help, valuable advice, supervision and continuous encouragement throughout this work.

My special great thanks and appreciation to ***Professor Dr. Abdel-Wahab Ali Mandour , Professor of Biochemistry, Faculty of Veterinary Medicine, Alexandria University,*** for his supervision, sincere support, continuous encouragement and guidance throughout this work.

Finally, I wouldn't forget to thank my Colleagues and all members in the department of Biochemistry, Faculty of Veterinary Medicine, Alexandria University for their help during this work.

Content

·	Aknowldgment	
·	List of abbreviations	
·	Content	
·	List of tables	
·	List of figures	
	1. Introduction and aim work	1
	2. Review of literatures	
	2.1. Overview on free radical and lipid peroxidation	3
	2.1.1. Generation of free radicals	3
	2.1.2. Classification of free radicals ...	5
	2.1.3. Effect of free radicals	6
	2.1.4. Lipid peroxidation- a marker of oxidative stress ...	6
	2.2. Overview of Atherosclerosis	9
	2.2.1. Predisposing factors of atherosclerosis ...	10
	2.2.2. Factors protecting against atherosclerosis ...	10
	2.2.3. High fat diet	11
	2.2.3.1. Effect of high fat diet on lipid peroxidation ...	12
	2.2.3.2. Effect of high fat diet on antioxidants	12
	2.2.3.3. Effect of high fat diet on glutathione	13
	2.2.3.4. Effect of high fat diet on lipid profile	13
	2.2.3.5. Effect of high fat diet on liver functions	14
	2.2.3.6. Effect of high fat diet on kidney functions	15
	2.2.3.7. Effect of high fat diet on blood glucose	15
	2.3. Overview on ginger	15
	2.3.1. Chemistry of ginger ...	16
	2.3.2. Metabolism of ginger	17
	2.3.3. Medicinal uses of ginger	18
	2.3.3.1. Ginger and gastrointestinal disorders	18
	2.3.3.2. Ginger and inflammatory disorders	20
	2.3.3.3. Ginger and cancer development ...	21
	2.3.3.4. Tissue and radioprotective effects ...	23
	2.3.3.5. Ginger and chemical preservatives ...	23
	2.3.3.6. Effects on body temperature	23
	2.3.3.7. Antimicrobial, antifungal and anthelmintic effect of Ginger	23
	2.3.3.8. Other effects of ginger	24
	2.3.3.9. Ginger and atherosclerosis ...	25
	2.2.3.10. Adverse effect of ginger	26
	2.2.4.	
	2.2.4.1. Effect of ginger on lipid peroxidation	26
	2.2.4.2. Effect of ginger on antioxidant enzymes	28
	2.2.4.2a. Enzymatic antioxidants	29
	2.2.4.2b. Non-enzymatic antioxidants ..	31
	2.2.4.3. Effect of ginger on glutathione	32
	2.2.4.4. Effect of ginger on lipid profile	33
	2.2.4.5. Effect of ginger on liver functions ...	35
	2.2.4.6. Effect of ginger on kidney functions ..	35
	2.2.4.7. Effect of ginger on blood sugar ...	36
	3. Materials and Methods	

[illegible]

List of tables

Table No.	Title	Page No.
1	Effect of Ginger powder, Hot water extract and cold water extract on liver lipid peroxidation, antioxidant enzymes and glutathione in rabbits fed on basal diet.	56
2	Effect of Ginger powder, Hot water extract and cold water extract on liver lipid peroxidation, antioxidant enzymes and glutathione in rabbits fed on high fat diet.	59
3	Effect of Ginger powder, Hot water extract and cold water extract on serum lipid profile in rabbits fed on basal diet	62
4	Effect of Ginger powder, Hot water extract and cold water extract on serum lipid profile in rabbits fed on high fat diet	65
5	Effect of Ginger powder, Hot water extract and cold water extract on serum enzyme activity in rabbits fed on basal diet	68
6	Effect of Ginger powder, Hot water extract and cold water extract on serum enzyme activity in rabbits fed on high fat diet	71
7	Effect of Ginger powder, Hot water extract and cold water extract on serum protein concentration in rabbits fed on basal diet	74
8	Effect of Ginger powder, Hot water extract and cold water extract on serum protein concentration in rabbits fed on high fat diet	77
9	Effect of Ginger powder, Hot water extract and cold water extract on serum protein electrophoretic pattern in rabbits fed on basal diet	80
10	Effect of Ginger powder, Hot water extract and cold water extract on serum protein electrophoresis in rabbits fed on high fat diet	83
11	Effect of Ginger powder, Hot water extract and cold water extract on serum kidney functions and serum glucose concentration in rabbits fed on basal diet.	86
12	Effect of Ginger powder, Hot water extract and cold water extract on serum kidney functions and serum glucose concentration in rabbits fed on high fat diet.	89
13	Effect of Ginger powder, Hot water extract and cold water extract on liver index weight in rabbits fed on basal diet	92
14	Effect of Ginger powder, Hot water extract and cold water extract on liver index weight in rabbits fed on high fat diet	94

List of figures

Fig. No.	Title	Page No.
1	Effect of Ginger powder, Hot water extract and cold water extract on liver lipid peroxidation,	57
2	Effect of Ginger powder, Hot water extract and cold water extract on liver glutathione peroxidase,	
3	Effect of Ginger powder, Hot water extract and cold water extract on liver GST,	
4	Effect of Ginger powder, Hot water extract and cold water extract on liver glutathione in rabbits fed basal diet	
5	Effect of Ginger powder, Hot water extract and cold water extract on liver lipid peroxidation,	60
6	Effect of Ginger powder, Hot water extract and cold water extract on liver glutathione peroxidase,	
7	Effect of Ginger powder, Hot water extract and cold water extract on liver GST,	
8	Effect of Ginger powder, Hot water extract and cold water extract on liver glutathione in rabbits fed on high fat diet	
9	Effect of Ginger powder, Hot water extract and cold water extract on serum triacylglycerol,	63
10	Effect of Ginger powder, Hot water extract and cold water extract on serum total cholesterol,	
11	Effect of Ginger powder, Hot water extract and cold water extract on serum HDL-c,	
12	Effect of Ginger powder, Hot water extract and cold water extract on serum LDL-c, in rabbits fed basal diet	
13	Effect of Ginger powder, Hot water extract and cold water extract on serum triacylglycerol,	66
14	Effect of Ginger powder, Hot water extract and cold water extract on serum total cholesterol,	
15	Effect of Ginger powder, Hot water extract and cold water extract on serum HDL-c,	
16	Effect of Ginger powder, Hot water extract and cold water extract on serum LDL-c, in rabbits fed high fat diet .	
17	Effect of Ginger powder, Hot water extract and cold water extract on serum AST- activity,	69
18	Effect of Ginger powder, Hot water extract and cold water extract on serum ALT- activity,	
19	Effect of Ginger powder, Hot water extract and cold water extract on serum ALP- activity,	
20	Effect of Ginger powder, Hot water extract and cold water extract on serum GGT- activity, in rabbits fed on basal diet.	
21	Effect of Ginger powder, Hot water extract and cold water extract on serum AST- activity,	72
22	Effect of Ginger powder, Hot water extract and cold water extract on serum ALT- activity,	
23	Effect of Ginger powder, Hot water extract and cold water extract on serum ALP- activity,	
24	Effect of Ginger powder, Hot water extract and cold water extract on serum GGT- activity, in rabbits fed on high fat diet.	
25	Effect of Ginger powder, Hot water extract and cold water extract on serum total protein,	75

26	Effect of Ginger powder, Hot water extract and cold water extract on serum albumin,	
27	Effect of Ginger powder, Hot water extract and cold water extract on serum globulin,	
28	Effect of Ginger powder, Hot water extract and cold water extract on serum albumin to globulin ratio in rabbits fed on basal diet	
29	Effect of Ginger powder, Hot water extract and cold water extract on serum total protein,	78
30	Effect of Ginger powder, Hot water extract and cold water extract on serum albumin,	
31	Effect of Ginger powder, Hot water extract and cold water extract on serum globulin,	
32	Effect of Ginger powder, Hot water extract and cold water extract on serum albumin to globulin ratio in rabbits fed on high fat diet	
33	Effect of Ginger powder, Hot water extract and cold water extract on serum alpha-1 globulin,	81
34	Effect of Ginger powder, Hot water extract and cold water extract on serum alpha-2 globulin,	
35	Effect of Ginger powder, Hot water extract and cold water extract on serum beta- globulin,	
36	Effect of Ginger powder, Hot water extract and cold water extract on serum gamma globulin in rabbits fed on basal diet.	
37	Effect of Ginger powder, Hot water extract and cold water extract on serum alpha-1 globulin,	84
38	Effect of Ginger powder, Hot water extract and cold water extract on serum alpha-2 globulin,	
39	Effect of Ginger powder, Hot water extract and cold water extract on serum beta- globulin,	
40	Effect of Ginger powder, Hot water extract and cold water extract on serum gamma globulin in rabbits fed on high fat diet.	
41	Effect of Ginger powder, Hot water extract and cold water extract on serum urea,	87
42	Effect of Ginger powder, Hot water extract and cold water extract on serum creatinine,	
43	Effect of Ginger powder, Hot water extract and cold water extract on serum glucose.	
44	Effect of Ginger powder, Hot water extract and cold water extract on serum urea,	90
45	Effect of Ginger powder, Hot water extract and cold water extract on serum creatinine,	
46	Effect of Ginger powder, Hot water extract and cold water extract on serum glucose level in rabbits fed on high fat diet.	
47	Effect of Ginger powder, Hot water extract and cold water extract on liver weight index in rabbits fed on basal diet	92
48	Effect of Ginger powder, Hot water extract and cold water extract on liver weight index in rabbits fed on high fat diet.	94

Figures of Histopathology

	Page
Fig. (1): Liver of rabbit showing normal histological criteria of the hepatic cords. H&E stain x 400.	96
Fig. (2): Liver of rabbit administered ginger powder showing dilatation and congestion of the hepatic blood vessel with perivascular connective tissue hyalinization and pyknosis of the nuclei of individual hepatocytes. H&E stain x 200.	96
Fig. (3): Liver of rabbit administered ginger powder showing dilatation of the hepatic sinusoids with enlargement and activation of Von Kupffer's cells. H&E stain x 400.	97
Fig. (4): Liver of rabbit administered ginger hot extract showing small focal area of mononuclear cellular aggregation in the portal area. H&E stain x 200.	97
Fig. (5): High power of the previous figure showing small focal area of mononuclear cellular aggregation in the portal area, as well as, activation of Von Kupffer's cells and pyknosis of individual hepatocytic nuclei. H&E stain x 400.	98
Fig. (6): Liver of rabbit administered 10% beef tallow (for 30 days) showing collapsed sinusoids and marked enlargement of the hepatocytes by multiple small round empty vacuoles that distend the cell cytoplasm. H&E stain x 400.	100
Fig. (7): Liver of rabbit administered 10% beef tallow (for 30 days) showing fatty change of the hepatocytes characterized by variably sized discrete cytoplasmic vacuoles. H&E stain x 200.	100
Fig. (8): Liver of rabbit administered 10% beef tallow (for 30 days) showing large intracytoplasmic vacuoles of the adjacent hepatocytes that displace the nucleus to the periphery, coalesce forming irregular spaces. H&E stain x 400.	101
Fig. (9): Liver of rabbit administered 10% beef tallow (for 30 days) showing focal area of mononuclear cellular aggregation particularly lymphocytes and few macrophages in the portal area. H&E stain x 400.	101
Fig. (10): Liver of rabbit administered ginger powder for 60 days and 10% beef tallow (for 30 days) showing moderate fatty change of the hepatocytes characterized by well defined variably sized intracytoplasmic vacuoles. H&E stain x 200.	102
Fig. (11): Liver of rabbit administered ginger powder for 60 days and 10% beef tallow (for 30 days) showing focal area of severe fatty change of the hepatocytes surrounded by a small rim of inflammatory cells. H&E stain x 200.	102
Fig. (12): Liver of rabbit administered ginger powder for 60 days and 10% beef tallow (for 30 days) showing focal area of severe fatty change of the hepatocytes characterized by single large cytoplasmic vacuoles that displace the nucleus to the periphery. H&E stain x 400.	103
Fig. (13): Liver of rabbit administered ginger powder for 60 days and 10% beef tallow (for 30 days) showing normal histological appearance of the hepatocytes with dilatation	

and hyaline degeneration of the wall of central vein. H&E stain x 200.	103
Fig. (14): Liver of rabbit administered ginger powder for 60 days and 10% beef tallow (for 30 days) showing hyalinization of the perivascular and periductal fibrous tissue proliferation in the portal areas. H&E stain x 200.	104
Fig. (15): Liver of rabbit administered ginger powder for 60 days and 10% beef tallow (for 30 days) showing mild hyperplasia of the lining epithelium of the bile ducts with periductal leucocytic cellular infiltration. H&E stain x 400.	104
Fig. (16): Liver of rabbit administered ginger hot extract for 60 days and 10% beef tallow (for 30 days) showing mild fatty change of the hepatocytes with presence of small empty vacuoles that distend the cell cytoplasm, accompanied with lymphocytic cellular infiltration of the portal areas. H&E stain x 400.	105
Fig. (17): Liver of rabbit administered ginger hot extract for 60 days and 10% beef tallow (for 30 days) showing mild hyperplasia of the bile ducts epithelium with periductal fibrous tissue proliferation infiltrated with inflammatory cells. H&E stain x 200.	105
Fig. (18): Liver of rabbit administered ginger cold extract for 60 days and 10% beef tallow (for 30 days) showing Fibrous tissue proliferation in the portal areas infiltrated with inflammatory cells particularly lymphocytes and few neutrophils. H&E stain x 200.	106