



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات
لم ترد بالأصل

**STUDY OF THE ELEMENTS AFFECTING
THE FINAL PROPERTIES OF THE
POLYESTER PRODUCTS.**

Thesis

**Submitted In Partial Fulfillment for the Degree of
Master In Materials Science**

By

**Tarek Mohamed Ibrahim Saad
B. SC. 1989**


**Department of Materials Science
Institute of Graduate Studies & Research
University of Alexandria
2001**

B-7115

SUPERVISORS

Prof. Dr M. Essam El-Rafey

**Materials Science Department
Institute of Graduate Studies & Research
University of Alexandria, Egypt**



Dr. Olfat M. Sadek

**Lecturer, Materials Science Department
Institute of Graduate Studies & Research
University of Alexandria, Egypt**

Dr. Ayman A. Midany

**Lecturer, Mechanical Engineering Department
Faculty of Engineering
University of Alexandria, Egypt**

B 7125

To My

Parents

&

Wife

ACKNOWLEDGMENT

I wish to express my gratitude and my deepest thanks to ***Professor Dr. M. Essam El-Rafey***, Materials Science Department, Institute of Graduate Studies & Research, University of Alexandria, for his valuable advices and helpful guidance throughout the work with farthest care and consideration.

It is a pleasure to express my gratitude to ***Dr Olfat M. Sadek***, at the same department., for supervising and following closely this work.

I would also wish, to express my thanks to ***Dr. Ayman El-Midany*** Mechanical Department, Faculty of Engineering, University of Alexandria, for his great help and supervision of this research in addition to his guidance in the experimental work in this study.

My kind regards are also extended to ***Mr. Mario Zattoni*** Technical Service Manager and ***Mr. Andrea Rebecchi*** (R&D department) at Reichhold Company in Italy for providing all the recent technical information's about the raw material used in this work.

Finally, I gladly acknowledge, ***My Wife*** for her support and all encouragement, she gave and is still giving me.

CONTENTS

| | Page |
|-----------------------|-------------|
| Content ----- | i |
| List of Figures ----- | iv |
| List of Tables ----- | vii |
| Summary ----- | viii |

CHAPTER I: INTRODUCTION

| | |
|--|-----------|
| I-1 An overview of unsaturated polyester resins ----- | 1 |
| I.1.1 Types of unsaturated polyester resins ----- | 3 |
| I.1.2 Production of unsaturated polyester resin ----- | 7 |
| I.2 Ingredient of unsaturated polyester resin ----- | 9 |
| I.2.1 Additives ----- | 9 |
| I.2.2 Reinforcements ----- | 14 |
| I.2.3 Fillers ----- | 16 |
| I.3 Curing of unsaturated polyester resin ----- | 20 |
| I.4 Processing techniques for unsaturated polyester resin ----- | 27 |
| I.4.1 Reinforcing process ----- | 27 |
| I.4.2 Casting process ----- | 31 |
| I.4.3 Molding process ----- | 34 |
| I.4.4 Extrusion process ----- | 34 |
| I.4.5 Lamination process ----- | 35 |
| I.5 Applications of unsaturated polyester resin ----- | 37 |
| I.5.1 Trouble shooting of unsaturated polyester resin. ----- | 38 |
| i) Gel coat problem and solution ----- | 39 |

| | |
|--|----|
| ii) Hand lay up problem and solution | 39 |
| Aim of the Work | 46 |

CHAPTER II : EXPERIMENTAL WORK

| | |
|--|----|
| II.1 Materials | 47 |
| II.1.1 Unsaturated polyester (UP) resin | 48 |
| II.1.2 Additives. | 48 |
| i) Curing Agent. | 48 |
| ii) Plasticizer. | 51 |
| iii) Release Agent | 51 |
| iv) Solvent | 54 |
| II.1.3 Fillers. | 54 |
| i) Calcium Carbonate | 55 |
| ii) Kaolinite. | 55 |
| iii) Cement Kiln Dust | 57 |
| II.2 Methods of Measurement and Analysis | 61 |
| II.2.1 Viscosity measurement of the unsaturated polyester resin | 61 |
| II.2.2 Gel Time Test. | 63 |
| II.2.3 Determination of the mechanical properties | 64 |
| i) Preparation of the mould | 64 |
| ii) Tensile Test | 70 |
| iii) Hardness Test..... | 72 |
| II.2.4 Differential thermal analysis | 74 |

CHAPTER III: RESULTS AND DISCUSSION

| | | |
|---------|---|-----|
| III.1 | Effect of temperature and the addition of styrene on the viscosity of unsaturated polyester resin | 75 |
| III.2 | Gel time and exothermic peak of unsaturated polyester resin during curing crocess . | 88 |
| III.3 | Mechanical properties of unsaturated polyester resin in cured state | 96 |
| III.3.1 | Stress- Strain curve | 96 |
| III.3.2 | Effect of curing agent on mechanical properties of unsaturated polyester resin . | 100 |
| III.3.3 | Effect of ingredients on mechanical properties of cured unsaturated polyester resin | 102 |
| III.4 | Effect of ingredients on differential thermal analysis of cured unsaturated polyester resin | 112 |

CHAPTER IV: CONCLUSION 119

REFERENCES 121

APPENDIX

ARABIC SUMMARY

List of Figures

| Figure | Page |
|--|------|
| 1. Typical exothermic curve for polyester resin. ----- | 23 |
| 2. The reactivity of a general- purpose polyester resin catalyzed with 1.0 %MEKP and 1.0 % BPO paste at 82 °C ----- | 25 |
| 3. A schematic diagram for hand lay-up processes. ----- | 28 |
| 4. The schematic diagram for spray-up process. ----- | 29 |
| 5. The schematic diagram of sheet molding compound (SMC). ----- | 32 |
| 6. Cannon-Fenske Routine tube ----- | 62 |
| 7-a. Rubber molds for casting ----- | 66 |
| 7-b. Shape of cured sample. ----- | 66 |
| 8. Standard dumbbell dies. ----- | 67 |
| 9. The used tensile testing machine Monsanto T2000----- | 71 |
| 10. Shore hardness machine tester, the type (D). ----- | 73 |
| 11. Kinematic viscosity of unsaturated polyester resin vs. temperature with different concentration of Styrene ----- | 77 |
| 12. Logarithmic viscosity of unsaturated polyester resin vs. reciprocal of temperature with different styrene concentration----- | 79 |
| 13. Correlation of infinite viscosity and styrene mole fraction for unsaturated polyester resin----- | 80 |
| 14. Correlation of activation energy and styrene mole fraction for unsaturated polyester resin----- | 81 |
| 15 Viscosity of unsaturated polyester resins in (cst) vs. styrene mole fraction at various temperature. ----- | 83 |

| | |
|---|-----|
| 16. Logarithmic viscosity of unsaturated polyester resin vs. styrene mole fraction at various temperature ----- | 84 |
| 17. Correlation of infinite viscosity vs. reciprocal temperature for unsaturated polyester ----- | 85 |
| 18. Correlation of activation energy vs. reciprocal temperature. ----- | 86 |
| 19. Effect of the accelerator concentration on the gelation behavior of 100 ml unsaturated polyester resin with 2 ml MEKP, at 25°C ----- | 89 |
| 20. Effect of cobalt nephthenate (CoNap) concentration on the gel time and induction period at 25°C. ----- | 90 |
| 21. Effect of exothermic peak temperature vs. cobalt naphthenate (CoNap) concentration at 25°C ----- | 91 |
| 22. Effect of the accelerator and catalyst concentration on the gelation behavior of 100 ml unsaturated polyester resin, at 82°C ----- | 93 |
| 23. Effect of the variation of the catalyst concentration (MEKP) on the tensile strength of accelerated 100 ml unsaturated polyester resin by 0.25 ml of cobalt nephthenate (CoNap) ----- | 97 |
| 24. Effect of variation of cobalt nephthenate (CoNap) concentrations on tensile strength of catalysed 100 ml unsaturated polyester resin by 2 ml MEKP. ----- | 98 |
| 25. Effect of the additives on the tensile strength of the optimum mixture of unsaturated polyester resin (B4) ----- | 103 |
| 26. Comparison between different types of additives on the mechanical properties of the optimum mixture of unsaturated polyester resin (B4) -- | 105 |
| 27 Effect of the fillers addition on the tensile strength of the optimum mixture of unsaturated polyester resin (B4) ----- | 108 |
| 28 Comparison between different types of fillers on mechanical properties of unsaturated polyester resin ----- | 109 |

List of Tables

| Table | Page |
|--|------|
| 1. Economic and design factors for Fiber reinforced plastic lamination ---- | 36 |
| 2. Gel coat problems and solutions ----- | 40 |
| 3. Troubleshooting guide for hand lay-up ----- | 44 |
| 4. The physical properties of unsaturated polyester resin in liquid state ----- | 50 |
| 5. Unsaturated polyester resin with different ratio of the curing agent (CoNap and MEKP) ----- | 52 |
| 6. Specification of styrene monomer----- | 53 |
| 7. Chemical analysis and physical properties of Calcium Carbonate ----- | 56 |
| 8. Chemical analysis of the used the type of New Eliseila kaolin ----- | 58 |
| 9. Chemical composition of cement Kiln dust. ----- | 60 |
| 10.. Chemical analysis of the rubber used in the mould manufacture ----- | 65 |
| 11. Standard dies for cutting dumbbell specimens ----- | 68 |
| 12. The kinematic viscosity η_0 in cSt and its logarithmic form ($\ln\eta_0$) of unsaturated polyester resin at different temperatures and styrene concentration. ----- | 76 |
| 13. Gel time test for different unsaturated polyester resin with different concentration MEKP and CoNap, at 25 °C and 82 °C----- | 94 |
| 14. Effect of variation of catalyst concentrations (MEKP) and accelerator concentrations (CoNap) on mechanical properties ----- | 99 |
| 15. Effect of variation of accelerator concentration on mechanical properties and gel time of catalyzed UP resin ----- | 101 |
| 16. Effect of addition of the additives on mechanical properties of unsaturated polyester resin ----- | 104 |
| 17. Effect of addition of different types of fillers on mechanical properties | 107 |
| 18. The effect of the ingredients on the thermal behavior of unsaturated polyester resin ----- | 117 |