



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات
لم ترد بالأصل

***USE OF SOLID STATE FERMENTATION
OF AGRICULTUREAL WASTES
FOR ENZYME (S) PRODUCTION***

THESIS

Submitted for the Degree of Doctor of Philosophy of Science

In

Microbiology

By

SHERIF MOUSSA HUSSEINY ESSA

M.Sc. in Microbiology (1993)

**Botany Department
Women's College for Art, Science & Education
Ain Shams University**

1999

B
aaaz

APPROVAL SHEET

Thesis Title: Use of solid state fermentation of agricultural wastes for enzyme (s) production

Author's Name: Sherif Mossa Hussaneiy Essa

Scientific Degree: Ph.D.

This thesis has been approved by the supervisors.

Supervisors:

Professor Dr. Sohair Adel aziz Mostafa

Prof. of Microb. and Head of Botany and Microbiology Dept.,
Women's College for Art, Science & Education
Ain Shams University.

Professor Dr. Mokhtar S. Ammar

Prof. of Microb. Biotechnol., Head of Botany and
Microbiology Dept., Fac. of Sci., and Director of
Fermentation Biotechnol. and Appl. Microbiology Center, Al-
Azhar University.

Head of Botany Department

Acknowledgement

I would like to express my sincere gratitude and deepest appreciation to Prof. Dr. Sohair Adel Aziz Mostafa and Prof. Dr. Mokhtar S. Ammar for suggesting the problem and designing the solid state fermenter. Their continuous supervision, advice, patience, kind help and encouragement throughout this work are also appreciated.

Special thanks go to Dr. Ali Khtab for his help in designing and supervising the manufacture of the solid state fermenter. Thanks are also due to the staff members of the Tribiology and Spare Parts Center , Faculty of Engineering, Cairo University who contributed in the manufacture of the solid state fermenter .

I am also grateful to Dr. Abdel Wahaab Adel Hafez, Professor emeritus of Microbiology and Expresident of Ain Shams University for his approval and financial support for manufacturing the fermenter during his presidency ,without his understanding, support and encouragement, the possible application of the present investigation would have been impossible.

Many thanks are also due to the staff members of Botany Dept., Women's College, Ain Shams University and the staff members of Botany Dept., Al-Azhar University for their encouragement.

Throughout planning and carrying out the experiment, I have been assisted by many people and Institutions in Egypt, to whom I am very grateful.

Contents

	Page
Acknowledgement	
Abstract	
Preface	1
Introduction	2
I-Fermentation	3
1- Interparticale mass transfer.....	6
2- Intraparticle mass transfer	7
A-Oxygen diffusion	8
B-Diffusion of enzymes and substrates fragment.....	8
3-Heat transfer in SSF systems.....	9
II-Microbial enzyme production by SSF.....	10
-Pectic substances and pectic enzymes.....	12
-Pectic enzymes (pectinases).....	13
-Production of pectinases.....	13
III-Application of pectinases in food processing.....	16
-Maceration	18
-Measurement of maceration	19
Materials and Methods	
I. Industrial wastes used	20
II. Media used	20
A-Media used for isolation of the microbial groups	20
1- Basal mineral salts (BMS) medium.....	20
2-Marjoram extract-Basal mineral salts (ME-BMS) agar medium.....	20
3-Onion extract-Basal Mineral Salts (OE-BMS) agar medium.....	21
4- Preparation of waste extracts.....	21
B- Pectinase(s) assay medium.....	21
C- Media used for the purification of microbial isolates.....	21
1-Medium used for fungal purification.....	21
2- Medium used for bacterial purification.....	22
3-Medium used for the purification of actinomycetes isolates.....	22

D. Reagents and buffers.....	22
a: Lugol 's iodine solution.....	22
b: Acid mercuric chloride.....	22
c: Citrate - Phosphate buffer.....	23
III. Techniques used for the counting of the microflora...	23
A-Pour-Plate technique.....	23
B-Direct microscopic method.....	23
IV: Growth under SSF conditions and extraction of the extracellular enzymes.....	24
V.Enzyme assays.....	25
A- Pectinase (s) assay technique.....	25
B- Lipase assay technique.....	25
C-Amylase assay technique.....	26
D- Gelatinase assay technique.....	26
E- Cellulase assay technique.....	27
VI:Construction of a standard curve for assaying the pecteolytic activity and determination of pectinase(s)...	27
VII:Protein determination.....	28
VIII- Purification and identification of fungal isolates.....	28
IX:Parameters controlling pectinase(s) productivity by <i>Aspergillus oryzae</i> , MF1 under SSF conditions.....	29
1) Substrate concentrations.....	29
2) Temperature.....	29
3) Incubation period.....	30
4-Elimination of one or more of the ingredients of the (BMS) ingredients.....	30
5) Effect of inoculum age.....	30
6) Inoculum size.....	31
7) Different pH values.....	31
8) Different mixtures of MW and OW.....	31
X- Purification of pectinase (s) enzyme.....	32
a) Production of pectinase (s) enzyme (s).....	32
b) Preparation of the cell free filtrate.....	32
c) Detection and determination of aflatoxins	32
d) Ammonium sulfate fractionation.....	33

e) Dialysis against tap water.....	34
f) Dialysis against sucrose.....	34
g) Applying gel filtration by sephadex G-200 column Chromatographic technique.....	34
1) Preparation of the sephadex column.....	34
2) Fractionation of pectinase (s) sample on G-200 sephadex column	35
h) Applying gel filtration by sephadex G-100 column Chromatographic technique.....	35
XI:Some factors affecting the purified pectinase (s) activities	36
1) Incubation time	36
2) Citrate-phosphate buffer applied at different pH values...	36
3) Substrate (pectin) concentrations.....	36
4) Various incubation temperature.....	36
5) Thermal stability of pectinase (s).....	37
6) Stability of the purified M-pectinase activity against different pH-values.....	37
7) Different purified pectinase (s).....	37
XII:Scaling up of the optimal production of pectinase (s) from bench experiment to 50 L semipilot experiment....	38
A: Design of 50 L solid state Fermenter.....	38
i) Conceptual Design of MSA- 50 L Fermenter-98.....	38
ii) Controlled Environmental conditions	39
1- pH-Control.....	39
2- Temperature regulation.....	40
3- RH % Control.....	40
iii) MSA-50 L Fermenter-98 Design Details.....	42
1) MSA-50 L Fermenter-98 body.....	42
2) MSA-50L Fermenter-98 Rotor.....	42
3) Heating system.....	42
4) Prime- mover.....	46
5) Aeration system.....	46
6) Control system.....	46
B: MSA-50 L fermenter-98 operation.....	49
C: Batch assessment.....	49

1-Calculation of the internal fermenter volume.....	49
2-Calculation of Marjoram (MW) waste weight.....	50
3-Calculation of inoculum (size) volume (IV).....	50
4-Starting the batch.....	50
5-Batch performance	50
D:Harvesting of the yield.....	51
E:Determination of the pectinolytic activity of the crude enzyme preparation obtained through MSA-50L fermenter-98 operation procedure.....	51
F:Evaluation of the yield of M-pectinase produced from MSA-50 L fermenter-98 from the economic point of view in comparison with Pectinex (ULTRA SP-L).....	52
G:Use of crude pectinase (s) in maceration of plant tissues and apple juice.....	52
1) Maceration of the plant tissues.....	52
2) Clarification of apple juice.....	53
XIII: Solid: Liquid (water) Ratio.....	54
EXPERIMENTAL RESULTS:	
I-Investigation of the natural microbial flora of Marjoram and onion agro-industrial wastes.....	56
A-Counting, isolation and purification of the natural aerobic microflora of marjoram and onion agro-industrial wastes.....	56
B: Screening of different enzymatic activities of the selected microbial isolates.....	60
C: Identification of the pectinolytic isolates and selection of the most potent for further investigations.....	62
-Construction of a standard curve for the determination of pectinase (s) activity.....	66
-Construction of a standard curve for protein determination.....	66
II-Optimization of the fermentation of marjoram and onion wastes under SSF conditions using <i>A. oryzae</i> , MF1.....	67
1) Substrate concentrations.....	67
2) Incubation temperature.....	69
3) Different incubation periods.....	70
4-Elimination of one or more of the ingredients of the	