## A Comparative Study of Community Acquired Pneumonia between Patients Admitted to the Ward and those Admitted to the ICU

Thesis
Submitted for partial fulfillment of the Master Degree in
Chest Diseases

Presented by **Amal Hamed Galal Hamed**M.B.B.CH

Supervised by

### Prof. Mohammad Abdel Sabour Faramawy

Professor of Chest Diseases Faculty of Medicine - Ain Shams University

#### Dr. Ibrahim Ali Dwedar

Lecturer of Chest Diseases Faculty of Medicine - Ain Shams University

> Faculty of Medicine Ain Shams University 2010



In the name of Allah, most gracious, most merciful.

First of all I would like to thank Allah who enabled me to finish this research.

I am deeply indebted to my supervisor; **Professor Mohammad Abd El Sabour Faramawy**; Professor of Chest diseases, Ain Shams University whose guidance and instructions were invaluable.

I would like to express my gratitude to **Doctor Ibrahim**Ali Dwedar; Lecturer of Chest Diseases, Ain Shams University

for his help & patience all through the time of the research.

I forward my appreciation to all the staff of Abbassia Chest Hospital; doctors and nurses for their tremendous efforts to help me to finish this research.

Finally, I would like to thank all my family for their support, help and love.



# دراسة لمقارنة الالتهاب الرئوي المكتسب من المجتمع ما بين المرضى المحجوزين بالأقسام والرعاية المركزة

رسالة توطئة للحصول على درجة الماجستير في الأمراض الصدرية

مقدمة من طبيبة /أمل حامد جلال حامد بكالوريوس الطب و الجراحة

تحت إشراف اد/ محمد عبد الصبور فرماوى أستاذ الأمراض الصدرية

كلية الطب . جامعة عين شمس

د/إبراهيم على دويدار

مدرس الأمراض الصدرية كلية الطب . جامعة عين شمس

> بطل اقيلك سمش نيع قعماج

#### List of Abbreviations

**ABG** : Arterial Blood Gases.

AIDS : Acquired immuno-deficiency syndrome.ARDS : Acute respiratory distress syndrome.

ATS : American Thoracic Society.BAL : Broncho-alveolar lavage.

BE : Base excess.b-lactam : Beta-lactam.BP : Blood Pressure.

**BTS** : British Thoracic Society.

**CA-MRSA:** Community acquired methicillin resistant staphylococcus aureus.

**CAP** : Community acquired pneumonia.

**CDC** : Centers for disease control and prevention.

CF : Complement fixing.CHF : Congestive heart failure.

**CIE** : Counter-immuno electrophoresis.

C.immitis: Coccidioides immitis.CMI: Cell-mediated immunity.

**CMV** : Cytomegalovirus.

**CNS** : Central nervous system.

COPD : Chronic Obstructive Pulmonary Disease.CPCP : Chronic progressive coccidioidal pneumonia.

**C.pneumoniae:** Chlamydia pneumoniae. **C.psittacosis:** Chlamydia psittacosis.

**CRB-65** : Confusion, Respiratory rate, Blood pressure, 65 years of age and older.

**CSF** : Cerebrospinal fluid.

**CT** : Computerized Tomography.

**CURB-65:** Confusion, Urea nitrogen, Respiratory rate, Blood pressure, 65 years of age and older.

**CXR** : Chest x-ray.

**DFA**: Direct fluorescent antibody.

**DM**: Diabetes Mellitus.

## List of Abbreviations (Cont.)

**DNA** : Deoxyribonucleic acid.

Down S. : Down syndrome.ECG : Electrocardiogram.E.coli : Escherichia coli.

**ED** : Emergency Department

**ELISA** : Enzyme linked immuno-absorbent.

E.Sakazakii: Enterobacter Sakazakii.

FDA: Food and Drug administration.
FIO<sub>2</sub>: Fraction of inspired oxygen.
HAP: Hospital acquired pneumonia.
HCAP: Health-care associated pneumonia.
H.Capsulatum: Histoplasma Capsulatum.

**HCO<sub>3</sub>**: Bicarbonate level in arterial blood.

HCT : Heamatocrit.Hg : Mercury.HGB : Haemoglobin.

**H.influenzae:** Haemophilus influenzae.

**HIV** : Human immunodeficiency virus.

**hMPV**: human metapneumovirus.

HS : Highly significant.
HTN : Hypertension.
IAV : Influenza A virus.
ICU : Intensive care unit.

**IDSA**: Infectious Diseases Society of America.

IgA : Immunoglobulin A.IgG : Immunoglobulin G.IgM : Immunoglobulin M.

**IPA** : Invasive pulmonary aspergillosis.

**IV** : Intravenous.

**KOH** : potassium hydroxide.

**K.pneumoniae:** Klebsiella pneumoniae.

LD: Legionnaires¢disease.

**Legionella spp.:** Legionella species.

**Legionellae spp.**: Legionellae species.

**LOS** : Length of hospital stay.

**LPA**: Latex particle agglutination. **L.pneumophila:** Legionella pneumophila.

**LRT** : Lower respiratory tract.

LRTIs : Lower respiratory tract infections.MAI : Mycobacterium avium intracellulare.

**M.catarrhalis**: Moraxella catarrhalis.

**MDR** : Multi drug resistant.

MIC : Minimal inhibitory concentration.MODS : Multiple organ dysfunction syndrome.

M.pneumoniae: Mycoplasma pneumoniae.

**MRSA** : Methicillin Resistant Staphylococcus Aureus.

M.Tuberculosis: Mycobacterium Tuberculosis.

**MV** : Mechanical ventilation.

Na : Sodium.

**NAATs:** Nucleic acid amplification tests. **NA inhibitor:** Neuraminidase inhibitor.

**NCCLS:** National Committee for Clinical Laboratory

Standards.

**NIV** : Non-invasive ventilation.

**No.:** Number. **NO:** Nitric oxide.

NP: Nosocomial pneumonia.

**NS:** Non-significant.

**OD:** Once daily.

O<sub>2</sub>Sat.: Oxygen Saturation in arterial blood.

**PaCO<sub>2</sub>:** Partial pressure of carbon dioxide in arterial blood.

**PAE:** Post antibiotic effect.

P.aeruginosa: Pseudomonas aeruginosa.

PaO<sub>2</sub>: Partial pressure of oxygen in arterial blood.

PCP: Pneumocystis carinii pneumonia.

**PCR:** Polymerase chain reaction.

**PEEP:** Positive End Expiratory Pressure.

**PO b.i.d:** oral, twice a day. **PO q.d:** oral, once a day.

**PO q.i.d:** oral, four times a day. **PSI:** Pneumonia severity index.

**PSI-V:** Pneumonia severity index class-V. **RICU:** Respiratory Intensive Care Unit. **RIDTs:** Rapid influenza diagnostic tests.

**RR:** Respiratory rate.

**RSV:** Respiratory Syncytial Virus.

S: Significant.

**SARS:** Severe Acute Respiratory Syndrome.

**S.Aureus:** Staphylococcus Aureus.

SD: Standard Deviation.

**SIRS:** Systemic Inflammatory Response Syndrome.

S.pneumoniae: Streptococcus pneumoniae.

**SPSS:** Statistical Package for the Social Sciences.

Staph. Aureus: Staphylococcus Aureus.

TLC: Total leucocytic count.

**TMP-SMZ:** Trimethoprim-Sulfamethoxazole.

TP: Tube precipitin.

**TVF:** Tactile vocal Fremitus. **US:** United States of America.

**VAP:** Ventilator associated pneumonia.

VP.s: Vasopressors.

Vs.: Versus.

**WP:** Whispering Pectoriloquy.

# List of Contents

Subject	Page
*Acknowledgment	
*List of contents	I
*List of tables	II
*List of figures	III
*List of abbreviations	V
*Introduction and Aim of the work	1
*Review of literature	4
Pneumonia	4
Community acquired pneumonia	22
Microbiology of community acquired pneumonia .	22
Diagnosis	33
Determinants of severe community acquired	
pneumonia	49
Other types of pneumonia	52
Management of community acquired pneumonia	80
Complications of community acquired pneumonia.	97
Prevention of community acquired pneumonia	102
* Subjects and methods	104
* Results	119
* Discussion	158
* Summary and conclusion	175
* Recommendations	181
* References	183
* Arabic summary	

# List of Tables

Table	Subject	Page
1	The most common pathogens implicated in	26
	CAP and their relative contributions.	
2	ATS and BTS Guidelines for the management of CAP.	80
3	The most recent guidelines for the management	82
	of CAP published by American Thoracic	
	Society and Infectious Disease Society of	
	America (2007), according to the organism(s)	
	isolated.	
4	Management of Community-acquired	85
	pneumonia in adults.	
5	Pneumonia severity index for community-	94
	acquired pneumonia.	
6	CURB-65 and CRB-65 severity scores for	95
	community- acquired pneumonia.	
7	Summary of results.	119
8	Pneumonia severity index in ICU and ward.	124
9	List of micro-organisms.	130
10	List of co-morbidities.	133
11	Correlation between length of hospital stay in	156
	either ICU or ward and the micro-organisms.	
12	Correlation between the pneumonia severity	157
	index and the micro-organisms.	

# List of Figures

Figure	Subject	Page
1	shows the sex distribution among CAP patients in both ICU and ward.	121
2	shows the sex distribution in ICU and ward.	122
3	shows the length of stay in ICU and ward.	123
4	shows the pneumonia severity index in ICU and ward.	125
5	shows the pattern of chest x-ray in both ICU and ward.	126
6	shows the pattern of chest x-ray in ICU and ward (1).	127
7	shows the pattern of chest x-ray in ICU and ward (2).	128
8	shows the types of bacterial pathogens in ICU and ward.	129
9	shows the incidence of different bacterial pathogens in ICU and ward.	131
10	shows the number of co-morbidities in ICU and ward.	132
11	shows the frequency of different co- morbidities in ICU and ward.	134
12	shows the pH on admission in ICU and ward.	136
13	shows the PaCO <sub>2</sub> on admission in ICU and ward.	137
14	shows the PaO <sub>2</sub> on admission in ICU and ward	139
15	shows the total leucocytic count on admission in ICU and ward.	140
16	shows the Haemoglobin on admission in ICU and ward.	141
17	shows the incidence of mechanical ventilation in ICU.	142

List of Figures (Cont.)

Figure	Subject	Page
18	shows the incidence of use of vasopressors in ICU.	143
19	shows the mortality rate in ICU.	144
20	shows the mortality rate among the total patients in both ICU and ward.	145
21	shows the sex distribution among CAP patients who died in ICU.	146
22	shows the pneumonia severity index among CAP patients who died in ICU.	147
23	shows the pattern of chest x-ray in CAP patients who died in ICU.	148
24	shows the incidence of different bacterial pathogens among CAP patients who died in ICU.	149
25	shows the number of co-morbidities among CAP patients who died in ICU.	150
26	shows the frequency of different co- morbidities among CAP patients who died in ICU.	151
27	shows the pH on admission among CAP patients who died in ICU.	152
28	PaO <sub>2</sub> on admission among CAP patients who died in ICU.	152
29	Respiratory Failure among CAP patients who died in ICU.	153
30	Total leucocytic count on admission among CAP patients who died in ICU.	154
31	Haemoglobin on admission among CAP patients who died in ICU.	154
32	Incidence of use of vasopressors among CAP patients who died in ICU.	155

#### List of Abbreviations

**ABG** : Arterial Blood Gases.

**AIDS** : Acquired immuno-deficiency syndrome. **ARDS** : Acute respiratory distress syndrome.

ATS : American Thoracic Society.BAL : Broncho-alveolar lavage.

BE : Base excess.b-lactam : Beta-lactam.BP : Blood Pressure.

BTS : British Thoracic Society.

**CA-MRSA** : Community acquired methicillin resistant

staphylococcus aureus.

**CAP** : Community acquired pneumonia.

**CDC** : Centers for disease control and prevention.

CF : Complement fixing.CHF : Congestive heart failure.

**CIE** : Counter-immuno electrophoresis.

C.immitis : Coccidioides immitis.CMI : Cell-mediated immunity.

**CMV** : Cytomegalovirus.

**CNS** : Central nervous system.

COPD : Chronic Obstructive Pulmonary Disease.CPCP : Chronic progressive coccidioidal pneumonia.

C.pneumoniaeC.psittacosisChlamydia pneumoniaeChlamydia psittacosis

**CRB-65** : Confusion, Respiratory rate, Blood pressure,

65 years of age and older.

**CSF** : Cerebrospinal fluid.

**CT** : Computerized Tomography.

**CURB-65** : Confusion, Urea nitrogen, Respiratory

rate, Blood pressure, 65 years of age and

older.

**CXR** : Chest x-ray.

**DFA**: Direct fluorescent antibody.

## List of Abbreviations (Cont.)

**DNA** : Deoxyribonucleic acid.

Down S.ECGElectrocardiogram.Escherichia coli.

**ED** : Emergency Department

**ELISA** : Enzyme linked immuno-absorbent.

**E.Sakazakii** : Enterobacter Sakazakii.

FDA: Food and Drug administration.
FIO<sub>2</sub>: Fraction of inspired oxygen.
HAP: Hospital acquired pneumonia.
HCAP: Health-care associated pneumonia.

**H.Capsulatum**: Histoplasma Capsulatum.

**HCO**<sub>3</sub> : Bicarbonate level in arterial blood.

HCT : Heamatocrit.Hg : Mercury.HGB : Haemoglobin.

**H.influenzae** : Haemophilus influenzae.

**HIV** : Human immunodeficiency virus.

**hMPV**: human metapneumovirus.

HS : Highly significant.
HTN : Hypertension.
IAV : Influenza A virus.
ICU : Intensive care unit.

**IDSA** : Infectious Diseases Society of America.

IgA : Immunoglobulin A.IgG : Immunoglobulin G.IgM : Immunoglobulin M.

**IPA** : Invasive pulmonary aspergillosis.

**IV** : Intravenous.

KOH
K.pneumoniae
LD
Legionella spp.
potassium hydroxide.
Klebsiella pneumoniae.
Legionnaires¢disease.
Legionella species.

## List of Abbreviations (Cont.)

Legionellae spp.
Los
Length of hospital stay.
Legionellae pneumophila.
Lower respiratory tract.

LRTIs : Lower respiratory tract infections.MAI : Mycobacterium avium intracellulare.

M.catarrhalisMDRMoraxella catarrhalis.Multi drug resistant.

MIC : Minimal inhibitory concentration.MODS : Multiple organ dysfunction syndrome.

**M.pneumoniae** : Mycoplasma pneumoniae.

MRSA : Methicillin Resistant Staphylococcus

Aureus.

**M.Tuberculosis**: Mycobacterium Tuberculosis.

**MV** : Mechanical ventilation.

Na : Sodium.

**NAATs** : Nucleic acid amplification tests.

**NA inhibitor** : Neuraminidase inhibitor.

NCCLS : National Committee for Clinical Laboratory

Standards.

**NIV** : Non-invasive ventilation.

No. : Number. NO : Nitric oxide.

**NP** : Nosocomial pneumonia.

NS : Non-significant.
OD : Once daily.

O<sub>2</sub>Sat. : Oxygen Saturation in arterial blood.

PaCO<sub>2</sub>: Partial pressure of carbon dioxide in arterial

blood.

PAE : Post antibiotic effect.P.aeruginosa : Pseudomonas aeruginosa.

**PaO**<sub>2</sub>: Partial pressure of oxygen in arterial blood.

**PCP**: Pneumocystis carinii pneumonia.