



# PHOTOCHROMISM AND PHOTOCATALYTIC STUDIES OF SOME HYDRAZONES AND ITS COMPLEXES WITH SOME TRANSITION METALS

Thesis submitted

By

**Soad Abdelsalam Ali Ben Sasi**

B.Sc. (Chemistry) 2005

To

CHEMISTRY DEPARTMENT

FACULTY OF SCIENCE

AIN-SHAMS UNIVERSITY

For

THE DEGREE

M.Sc. IN CHEMISTRY

(2011)

Thesis Advisors

**Prof. Dr. M. S. A. Abdel-Mottaleb**

Professor of Inorganic and Photochemistry  
Faculty of Science, Ain Shams University

**Prof. Dr. Mohamed Abo- Aly**

Professor of Inorganic and Photochemistry  
Faculty of Science, Ain Shams University

**Dr. Mohamed Said Attia**

Lecturer of inorganic and Photochemistry  
Faculty of Science, Ain Shams University

## **Approval Sheet**

Name of candidate: Soad Abdelsalam Ali Ben Sasi

Degree: M.Sc. Degree in Chemistry

**Thesis Title: PHOTOCROMISM AND PHOTOCATALYTIC  
STUDIES OF SOME HYDRAONES AND ITS COMPLEXES WITH  
SOME TRANSITION METALS**

This Thesis has **been approved by:**

- 1- Prof. Dr. M. S. A. Abdel-Mottaleb**
- 2- Prof. Dr. Mohamed Abo- Aly**
- 3- Dr. Mohamed Said Attia**

**Approval**

Chairman of Chemistry Department

**Prof. Dr. Maged Shafik Antonious**

PHOTOCHROMISM AND PHOTOCATALYTIC STUDIES OF SOME  
HYDRAONES AND ITS COMPLEXES WITH SOME TRANSITION METALS

By

Soad Abdelsalam Ali Ben Sasi

B.Sc. (Chemistry) 2005

Under the supervision of:

**1- Prof. Dr. M. S. A. Abdel-Mottaleb**

Chemistry Department, Faculty of Science, Ain Shams University, Abbasia, Cairo,  
Egypt

**2- Prof. Dr. M. Abu-Aly**

Chemistry Department, Faculty of Science, Ain Shams University, Abbasia, Cairo,  
Egypt

**3- Dr. Mohamed Said Attia**

Chemistry Department, Faculty of Science, Ain Shams University, Abbasia, Cairo,  
Egypt

## **ACKNOWLEDGMENT**

I would like to thank Professor M.S.A. Abdel Mottaleb for offering me the opportunity to carry out this interesting research work under his kind supervision, guidance and for making use of his excellent facilities of nanophotochemistry and solarchemistry labs under his guidance. I am also indebted to professor. Abdel Mottaleb for suggesting the timely and interesting point of research, following up the progress of the research and reading the manuscript critically.

I would like to thank Professor Dr. Mohamed Abo-Aly (Professor of Inorganic and Photochemistry) Dr. Mohamed Said Attia (Lecturer of inorganic and Photochemistry for critical discussion and assistance.

# CONTENTS

	<b>Aim of the work</b>	1
<b>1</b>	<b>Chapter 1: Introduction</b>	2
<b>1.1</b>	<b>Definition of chromism</b>	2
<b>1.2</b>	<b>Types of chromism</b>	2
1.2.1	Thermchromism	2
1.2.2	Photochromism	3
1.2.3	Chirochromism	3
1.2.3.1	Diastereoselective photochromism	4
1.2.4	Halochromism	5
1.2.5	Piezochromism	6
1.2.6	Tribochromism	6
1.2.7	Solvatochromism	7
1.2.8	Halosolvatochromism	7
1.2.9	Acidicchromism	8
1.2.10	Ionochromism	9
1.2.11	Electrochromism	9
<b>1.3</b>	<b>Brief historical of photochromism</b>	9
<b>1.4</b>	<b>Definition of Photochromism</b>	12
<b>1.5</b>	<b>One photon and two photon systems</b>	14
<b>1.6</b>	<b>Kinetics of photochromic compounds</b>	17
<b>1.7</b>	<b>Chemical processes involved in organic photochromism</b>	20
1.7.1	Cis-Trans (E/Z) isomerization	20
1.7.1.1	Photochromic biological receptore	21
1.7.1.2	AZO compounds	22
1.7.2	Pericyclic reactions	24
1.7.2.1	Electrocyclization reactions	24
1.7.2.1.1	Fulgides and Fulgimides	25
1.7.2.2	Cycloaddition reactions	27
1.7.3	Intramolecular hydrogen transfer	28
1.7.4	Intramolecular group transfer	28
1.7.5	Electron transfers (oxido-reduction)	29
1.7.6	Dissociation processes	29

<b>1.8</b>	<b>Applications of photo chromism</b>	<b>29</b>
1.8.1	General applications	29
1.8.2	Actinometry	30
1.8.3	Optical power-limiting substances	32
1.8.4	Photoresponsive materials	33
1.8.5	Photoswitchable biomaterials	35
<b>1.9</b>	<b>Literature Review</b>	<b>37</b>
<b>CHAPTER 2: Experimental Techniques and Methods</b>		
<b>2.1</b>	<b>Materials and Reagents</b>	<b>43</b>
2.1.1	Zinc chloride ( $\text{ZnCl}_2$ )	43
2.1.2	Salicylaldehyde-p-hydroxybenzoyl hydrazone	43
2.1.3	Buffer solutions	44
<b>2.2</b>	<b>Instruments</b>	<b>44</b>
2.2.1	UV-VIS Measurements	44
2.2.2	Photoillumination Setup	44
2.2.3	pH measurements	45
2.2.4	Emission Spectra	45
2.3	Preparations and General Procedures	45
2.3.2	Decolorisation Analysis	46
2.4	Methods of Data Analysis	46
2.5	Data Analysis and Handling	47
<b>CHAPTER 3: Results and Discussion</b>		
<b>3.1</b>	<b>Absorption and Fluorescence Spectra of Salicylaldehyde-p-hydroxy benzoyl hydrazone</b>	<b>48</b>
3.1.1	Effect of pH of Solution	49
3.1.1.1	Absorption spectra	49
3.1.1.2	Fluorescence spectra	52
3.1.2	$\text{pK}_a$ Determination	53
3.1.2.1	$\text{pK}_a^*$ Determination	57
3.1.3	Effect of Metal ion "Complexation"	60
3.1.3.1	Application of Job's Method	61

<b>3.2</b>	<b>Photochromic Effect</b>	63
3.2.1	Effect UV-VIS Irradiation at different pH values	63
3.2.1.1	In Absence of Metal ion	63
3.2.1.2	In Presence of Metal ion	70
3.2.2	Effect of UV irradiation at different pH values	75
3.2.2.1	In Absence of Metal ion	75
3.2.2.2	In Presence of Metal ion	80
3.2.3	Effect of VIS irradiation at pH 9	85
3.2.3.1	In Absence of Metal	85
3.2.3.2	In Presence of Metal	86
3.2.4	Dark reaction	87
3.3	MO Computation [MINDO/3]	88
	<b>Summary and conclusions</b>	96
	<b>References</b>	100

## List of Figures

1.1	Kinetics of photochromic unimolecular.	17
1.2	Evolution of the absorbance at two wavelengths of a unimolecular photochromic system under continuous irradiation.	19
1.3	Photoinduced cyclic variation of a physical property in a photoresponsive system.	33
1.4	Transmittance variation at 750 nm of the photochromic solution vs. temperature	35
1.5	Schematic assembly of a photoreversible immunosensor electrode.	36
2.1	Schematic diagram of Salicylaldehyde-p-hydroxybenzoyl hydrazone.	43
3.1	Absorption spectra of $1 \times 10^{-6}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in DMSO.	48
3.2	Fluorescence spectrum of $1 \times 10^{-6}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in DMSO.	49
3.3	Absorption spectrum of $1 \times 10^{-6}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous solutions of different pH acidic media	50
3.4	Absorption spectrum of Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous solutions of different pH basic media	50
3.5	Fluorescence spectrum of $1 \times 10^{-6}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous solutions of different pH acidic media	52



3.6	Fluorescence spectrum of $1 \times 10^{-6}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous solutions of different pH acidic media.	53
3.7	Absorption spectrum of $1 \times 10^{-6}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone at pH = 10.6 and pH = 3.6	55
3.8	The Förster cycle for $pK_a$ and $pK_a^*$	59
3.9	The absorption spectra of $1 \times 10^{-6}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in water (1) and $1 \times 10^{-6}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in the presence of $1 \times 10^{-6}$ M of $Zn^{2+}$ in water (2).	60
3.10	Absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone and $Zn^{2+}$ complex. Their sum of the total analytical concentrations is held constant.	62
3.11	Continuous variation of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone and $Zn^{2+}$ complex.	62
3.12	Effect of UV-Vis light irradiation time on the absorption spectrum of $1 \times 10^{-6}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in DMSO.	63
3.13	Effect of UV-Vis light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 3.	64
3.14	First order kinetic plot of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 3, $\lambda_{\text{analytical}} = 296$ nm.	65

3.15	Effect of UV-Vis light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 7.	66
3.16	First order kinetic plot of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 7, $\lambda_{\text{analytical}} = 380$ nm.	66
3.17	Effect of UV-Vis light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 9.	67
3.18	First order kinetic plot of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 9, $\lambda_{\text{analytical}} = 300$ nm.	67
3.19	Effect of UV-Vis light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 10.	68
3.20	Effect of UV-Vis light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 11.	69
3.21	First order kinetic plot of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 11, $\lambda_{\text{analytical}} = 298$ nm.	69
3.22	Effect of UV-Vis light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in presence of $1 \times 10^{-4}$ M $\text{Zn}^{2+}$ in aqueous medium of pH = 3.	70

3.23	First order kinetic plots of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in presence of $1 \times 10^{-4}$ M $\text{Zn}^{2+}$ in aqueous medium of pH = 3, a: $\lambda_{\text{analytical}} = 296$ nm b: $\lambda_{\text{analytical}} = 324$ nm.	70
3.24	Effect of UV-Vis light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in presence of $1 \times 10^{-4}$ M $\text{Zn}^{2+}$ in aqueous medium of pH = 7.	71
3.25	First order kinetic plot of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in presence of $1 \times 10^{-4}$ M $\text{Zn}^{2+}$ in aqueous medium of pH = 7, $\lambda_{\text{analytical}} = 380$ nm.	71
3.26	Effect of UV-Vis light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in presence of $1 \times 10^{-4}$ M $\text{Zn}^{2+}$ in aqueous medium of pH = 9.	72
3.27	First order kinetic plot of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in presence of $1 \times 10^{-4}$ M $\text{Zn}^{2+}$ in aqueous medium of pH = 9, $\lambda_{\text{analytical}} = 336$ nm.	72
3.28	Effect of UV-Vis light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in presence of $1 \times 10^{-4}$ M $\text{Zn}^{2+}$ in aqueous medium of pH = 10.	73
3.29	Effect of UV-Vis light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in presence of $1 \times 10^{-4}$ M $\text{Zn}^{2+}$ in aqueous medium of pH = 11.	74

3.30	First order kinetic plot of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in presence of $1 \times 10^{-4}$ M $\text{Zn}^{2+}$ in aqueous medium of pH = 11, $\lambda_{\text{analytical}} = 296$ nm.	74
3.31	Effect of UV light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 3.	75
3.32	First order kinetic plots of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 3, a: $\lambda_{\text{analytical}} = 296$ nm b: $\lambda_{\text{analytical}} = 324$ nm.	75
3.33	Effect of UV light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 7.	76
3.34	First order kinetic plot of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 7, $\lambda_{\text{analytical}} = 380$ nm.	76
3.35	Effect of UV light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 9.	77
3.36	First order kinetic plot of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 9, $\lambda_{\text{analytical}} = 380$ nm.	77
3.37	Effect of UV light irradiation time on the absorption spectrum of $1 \times 10^{-4}$ M Salicylaldehyde-p-hydroxy benzoyl hydrazone in aqueous medium of pH = 10.	78

- 3.38 First order kinetic plot of  $1 \times 10^{-4}$  M 78  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in aqueous medium of pH = 10,  $\lambda_{\text{analytical}} = 290$   
nm.
- 3.39 Effect of UV light irradiation time on the 79  
absorption spectrum of  $1 \times 10^{-4}$  M  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in aqueous medium of pH = 11.
- 3.40 First order kinetic plot of  $1 \times 10^{-4}$  M 79  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in aqueous medium of pH = 11,  $\lambda_{\text{analytical}} = 298$   
nm.
- 3.41 Effect of UV light irradiation time on the 80  
absorption spectrum of  $1 \times 10^{-4}$  M  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in presence of  $1 \times 10^{-4}$  M  $\text{Zn}^{2+}$  in aqueous  
medium of pH = 3.
- 3.42 First order kinetic plot of  $1 \times 10^{-4}$  M 80  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in presence of  $1 \times 10^{-4}$  M  $\text{Zn}^{2+}$  in aqueous medium  
of pH = 3,  $\lambda_{\text{analytical}} = 296$  nm.
- 3.43 Effect of UV light irradiation time on the 81  
absorption spectrum of  $1 \times 10^{-4}$  M  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in presence of  $1 \times 10^{-4}$  M  $\text{Zn}^{2+}$  in aqueous medium  
of pH = 7.
- 3.44 First order kinetic plot of  $1 \times 10^{-4}$  M 81  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in presence of  $1 \times 10^{-4}$  M  $\text{Zn}^{2+}$  in aqueous  
medium of pH = 7,  $\lambda_{\text{analytical}} = 285$  nm.
- 3.45 Effect of UV light irradiation time on the 82  
absorption spectrum of  $1 \times 10^{-4}$  M  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in presence of  $1 \times 10^{-4}$  M  $\text{Zn}^{2+}$  in aqueous medium  
of pH = 9.

- 3.46 First order kinetic plot of  $1 \times 10^{-4}$  M 82  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in presence of  $1 \times 10^{-4}$  M  $\text{Zn}^{2+}$  in aqueous  
medium of pH = 9,  $\lambda_{\text{analytical}} = 380$  nm.
- 3.47 Effect of UV light irradiation time on the 83  
absorption spectrum of  $1 \times 10^{-4}$  M  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in presence of  $1 \times 10^{-4}$  M  $\text{Zn}^{2+}$  in aqueous medium  
of pH = 10.
- 3.48 First order kinetic plot of  $1 \times 10^{-4}$  M 83  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in presence of  $1 \times 10^{-4}$  M  $\text{Zn}^{2+}$  in aqueous  
medium of pH = 10,  $\lambda_{\text{analytical}} = 290$  nm.
- 3.49 Effect of UV light irradiation time on the 84  
absorption spectrum of  $1 \times 10^{-4}$  M  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in presence of  $1 \times 10^{-4}$  M  $\text{Zn}^{2+}$  in aqueous medium  
of pH = 11.
- 3.50 First order kinetic plot of  $1 \times 10^{-4}$  M 84  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in presence of  $1 \times 10^{-4}$  M  $\text{Zn}^{2+}$  in aqueous medium  
of pH = 11,  $\lambda_{\text{analytical}} = 298$  nm.
- 3.51 Effect of VIS light irradiation time on the 85  
absorption spectrum of  $5 \times 10^{-5}$  M  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in aqueous medium of pH = 9.
- 3.52 First order kinetic plots of  $5 \times 10^{-5}$  M 85  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in aqueous medium of pH = 9, a:  $\lambda_{\text{analytical}} = 308$   
nm b:  $\lambda_{\text{analytical}} = 380$  nm
- 3.53 Effect of VIS light irradiation time on the 86  
absorption spectrum of  $5 \times 10^{-5}$  M  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in presence of  $5 \times 10^{-5}$  M  $\text{Zn}^{2+}$  in aqueous medium  
of pH = 9.

- 3.54 First order kinetic plots of  $5 \times 10^{-5}$  M 86  
Salicylaldehyde-p-hydroxy benzoyl hydrazone  
in presence of  $5 \times 10^{-5}$  M  $\text{Zn}^{2+}$  in aqueous medium  
of pH = 9, a:  $\lambda_{\text{analytical}} = 298$  nm b:  $\lambda_{\text{analytical}} =$   
360 nm.
- 3.55 Dark reaction of the Salicylaldehyde-p-hydroxy 87  
benzoyl hydrazone in aqueous medium of pH =  
9.
- 3.56 First order kinetic plot of Salicylaldehyde-p- 88  
hydroxy benzoyl hydrazone in aqueous medium  
of pH = 9 in dark reaction,  $\lambda_{\text{analytical}} = 364$  nm.
- 3.57 Structure of the keto and enol forms of 89  
salicylaldehyde-p-hydroxy benzoyl hydrazone.