

THE ROLE OF AURKA GENE EXPRESSION AS A MARKER IN COLORECTAL CANCER

Thesis

*Submitted for Partial Fulfillment of Master degree (M.SC.) in
Clinical and Chemical Pathology*

Presented by

Manar Mahmoad Abdel-Aziz Hussein
M.B., B.Ch. Cairo University

Supervisors

Prof. Dr. Badawy Mohamed Badawy El-Kholy
*Professor of Clinical and Chemical Pathology
Faculty of Medicine
Cairo University*

Dr. Naglaa Ali Hassan Zayed
*Assistant Professor of Tropical
Faculty of Medicine
Cairo University*

Dr. Mona Zaki Sherif Nasser
*Lecturer of Clinical and Chemical Pathology
Faculty of Medicine
Beni-Suef University*

*Faculty of Medicine
Cairo University
2012*

Acknowledgement

*First and foremost, thanks to **ALLAH** the most kind, the most merciful and to whom any success is related.*

*No words can fulfill my deepest respect to **Prof. Dr. BADAWEY MOHAMED BADAWEY EL-KHOLY**, Professor of Clinical and Chemical Pathology, Faculty of Medicine, Cairo University, for his fatherly attitude, valuable guidance, scientific support and kind supervision.*

*I would like also to express my deepest respect to **Dr. NAGLAA ALI HASSAN ZAYED**, Assistant Professor of Tropical, Faculty of Medicine, Cairo University, for her supervision, continuous encouragement and guidance.*

*I would like to express my deepest gratitude to **Dr. MONA ZAKI SHERIF NASSER**, Lecturer of Clinical and Chemical Pathology, Faculty of Medicine, Beni-Suef University, for the idea and plan of the study in addition to her reliable advice and kind supervision in every step in this work.*

*Many thanks to **Dr. DINA OMAR**, Assistant Professor of Pathology, Faculty of Medicine, Cairo University, who did the entire pathology work of the thesis.*

*To my family & my parents for their
everlasting love, encouragement &
sacrifices, this work would never have
been completed*

ABSTRACT

Background and Objectives:

The centrosome-associated kinase aurora A (AURKA) is involved in genetic instability and is over-expressed in several human carcinomas including colorectal cancer (CRC). It plays a critical role in cancer cell development, proliferation, motility and survival. It is suggested that the Aurora kinase A expression in colorectal cancer significantly increase, which may play an important role in development of colorectal cancer.

Design and Methods:

In this study, the expression of AURKA gene was analyzed in 15 malignant patients, 13 premalignant patients and 23 control patients. AURKA gene expression was analyzed using a Real-Time Quantitative Reverse-Transcriptase Polymerase Chain Reaction (RTQ-PCR) to examine the copy number gains and mRNA level of AURKA in CRC.

Results:

AURKA gene expression was highly expressed in (33.3%, 5 of 15 CRC studied patients) with (mean 213.4, P value=0.005) indicated highly significant difference between control, premalignant and malignant groups.

Conclusions:

These findings indicated that colorectal cancers exhibit different mechanisms of aurora A regulation and this may impact the efficacy of aurora-A targeted therapies.

Key words:

Colorectal cancer; AURKA, RTQ-PCR .

LIST OF CONTENTS

LIST OF FIGURES.....	i
LIST OF TABLES.....	iii
LIST OF ABBREVIATION.....	vi
 INTRODUCTION.....	 1
 REVIEW OF LITERATURE	
CHAPTER 1.....	4
CHAPTER II.....	24
 MATERIALS AND METHODS.....	 41
RESULTS.....	60
DISSCUSION.....	82
SUMMARY.....	90
REFERENCES.....	93
ARABIC SUMMARY.....	118

LIST OF FIGURES

Figure	Description	Page
<i>1</i>	<i>Anatomical and staging illustrations for colorectal cancer</i>	<i>4</i>
<i>2</i>	<i>Stagging of colorectal cancer</i>	<i>15</i>
<i>3</i>	<i>Domain organisation of Aurora kinases A–C</i>	<i>24</i>
<i>4</i>	<i>Schematic cell cycle diagram showing phases of cell cycle and checkpoints</i>	<i>27</i>
<i>5</i>	<i>Localization of Aurora-A and -B kinases during the cell cycle</i>	<i>28</i>
<i>6</i>	<i>Comparative localization of Aurora A and B</i>	<i>29</i>
<i>7</i>	<i>Regulation of Aurora-A activity by Ran–GTP and TPX2</i>	<i>34</i>
<i>8</i>	<i>Mechanisms of Aurora-A promoted tumorigenesis</i>	<i>35</i>
<i>9</i>	<i>The two step RT-PCR</i>	<i>42</i>
<i>10</i>	<i>Basics of the 5' Nuclease Assay</i>	<i>43</i>
<i>11</i>	<i>Coloured illustration of the RT & PCR assay</i>	<i>44</i>
<i>12</i>	<i>Amplification Plot shows higher level of expression in patients</i>	<i>55</i>
<i>13</i>	<i>Demographic features in patients groups according to sex</i>	<i>61</i>
<i>14</i>	<i>Family history of colorectal lesions in all patients groups</i>	<i>61</i>
<i>15</i>	<i>Percentage distribution of all patients as regards colonoscopy indication</i>	<i>62</i>

16	<i>Percentage distribution of all patients as regards type of sedation</i>	<i>63</i>
17	<i>Percentage distribution of all patients as regards colonoscopy findings</i>	<i>66</i>
18	<i>Percentage distribution of pathology</i>	<i>69</i>
19	<i>Comparison between control, premalignant and malignant groups as regards age</i>	<i>70</i>
20	<i>Comparison between non malignant and malignant groups as regards RQ of AURKA gene expression</i>	<i>72</i>
21	<i>Comparison between control, premalignant and malignant groups as regards RQ of AURKA gene expression</i>	<i>73</i>
22	<i>Comparison between control, premalignant and malignant groups as regards sex</i>	<i>74</i>
23	<i>Correlation between age and AURKA gene expression</i>	<i>75</i>
24	<i>Relation between sex and RQ of AURKA gene expression</i>	<i>76</i>
25	<i>Correlation between RQ of AURKA gene expression and tumor grade</i>	<i>77</i>
26	<i>Receiver Operating Characteristic (ROC)-curves (RQ)</i>	<i>79</i>

LIST OF TABLES

<i>Table</i>	<i>Description</i>	<i>Page</i>
<i>1</i>	<i>Symptoms associated with CRC</i>	<i>11</i>
<i>2</i>	<i>TNM Classification of Colorectal Cancer</i>	<i>16</i>
<i>3</i>	<i>Staging Systems for Colorectal Cancer</i>	<i>17</i>
<i>4</i>	<i>Adverse Prognostic Indicators in Colorectal Cancer</i>	<i>19</i>
<i>5</i>	<i>Aurora substrates/interacting proteins and mitotic processes</i>	<i>30,31</i>
<i>6</i>	<i>Aurora kinase inhibitors</i>	<i>37</i>
<i>7</i>	<i>The RT mix</i>	<i>49</i>
<i>8</i>	<i>Thermal profile of RT</i>	<i>50</i>
<i>9</i>	<i>PCR assay mix</i>	<i>53</i>
<i>10</i>	<i>Thermal profile of PCR</i>	<i>53</i>
<i>11</i>	<i>Demographic features in patients groups according to age, sex and family history</i>	<i>60</i>
<i>12</i>	<i>Percentage distribution of all patients as regards colonoscopy indication</i>	<i>62</i>
<i>13</i>	<i>Percentage distribution of all patients as regards type of sedation</i>	<i>63</i>

<i>Table</i>	<i>Description</i>	<i>Page</i>
<i>14</i>	<i>Percentage distribution of all patients as regards colonoscopy extent</i>	<i>64</i>
<i>15</i>	<i>Percentage distribution of all patients as regards colonoscopy findings</i>	<i>65</i>
<i>16</i>	<i>Anatomical site of colorectal lesions as determined by colonoscopy</i>	<i>67</i>
<i>17</i>	<i>Percentage distribution of pathology</i>	<i>68</i>
<i>18</i>	<i>Comparison between control, premalignant and malignant groups as regards age</i>	<i>70</i>
<i>19</i>	<i>RQ of AURKA gene expression in all studied patients</i>	<i>71</i>
<i>20</i>	<i>Comparison between non malignant and malignant groups as regards RQ of AURKA gene expression</i>	<i>71</i>
<i>21</i>	<i>Comparison between control, premalignant and malignant groups as regards RQ of AURKA gene expression</i>	<i>73</i>
<i>22</i>	<i>Comparison between control, premalignant and malignant groups as regards sex</i>	<i>74</i>

<i>Table</i>	<i>Description</i>	<i>Page</i>
<i>23</i>	<i>Correlation between age and RQ of AURKA gene expression in all studied patients</i>	<i>75</i>
<i>24</i>	<i>Relation between sex and RQ of AURKA gene expression in all patients</i>	<i>76</i>
<i>25</i>	<i>Correlation between RQ of AURKA gene expression and tumor grade.</i>	<i>77</i>
<i>26</i>	<i>Odds ratio of AURKA gene expression among studied group</i>	<i>78</i>
<i>27</i>	<i>Sample size</i>	<i>79</i>
<i>28</i>	<i>ROC-curve of AURKA gene expression among malignant and non malignant groups</i>	<i>80</i>

LIST OF ABBREVIATION

ADRM1	Adhesion regulating molecule 1
AJCC	American Joint Committee on Cancer
AMPK	AMP-activated kinase
APC	Adenomatous polyposis coli
AURKA	Aurora kinase A
AURKA-CN	Aurora kinase A gene copy number
AXIN1	Axis inhibition protein 1
BAX	Bcl2-associated X protein
BRCA-1	Breast cancer 1
BUB1	Budding uninhibited by benzimidazoles 1 homolog
BUBR1	Bub1-related kinase
cDNA	Complementary DNA
cdc20	Cell division cycle 20 homolog
CDC25B	Cell division cycle 25 homolog B
C20orf24	Chromosome 20 open reading frame 24
Cdh1	Cadherin 1
CEA	Carcinoembryonic antigen
CENP-A	Centromere Protein -A
CGH	comparative genomic hybridization
CIN	Chromosomal Instability
CIMP	CpG island methylator phenotype
CPEB	Cytoplasmic polyadenylation element-binding protein isoform 1
CRC	Colorectal Cancer

CTNNB1	catenin (cadherin-associated protein), beta 1
DCC	Deleted in Colorectal Cancer
DCBE	Double contrast barium enema
DNA	Deoxyribose Nucleic Acid
dNTP	Deoxynucleotid triphosphate
Eg5	Kinesin-related motor protein
FGFR1	Fibroblast growth factor receptor 1
FLT3	Fms-related tyrosine kinase 3
FOBT	Fecal occult blood test
Gadd45a	Growth arrest and DNA-damage-inducible, alpha
GSEA	Gene set enrichment analysis
GWAS	Genome-wide association studies
H3	Histone
HEF1	Enhancer of filamentation 1
histone H2A	Histone cluster 2
HURP	Hepatoma up-regulated protein homolog
IkBaLpha	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1
INCENP	Inner centromere protein antigens
KEN	Kendrin
KRAS	Kirsten rat sarcoma viral oncogene homolog
LATS2	Large tumor suppressor, homolog 2
LCK	Lymphocyte cell-specific protein-tyrosine kinase
LIM protein	Lipophilic protein

MAPKA P-K1	Mitogen activated protein kinase-activated protein kinase 1
MCAK	Kinesin family member 2C
mCRC	metastatic colorectal cancer
MEK	MAP kinase-ERK kinase
MSI	Microsatellite Instability
MKK1	MAP kinase/ ERK kinase 1
MMR	mismatch repair
NKD1	Naked cuticle 1 homolog
NSCLC	Non-small cell lung carcinoma
PAK1	P21 protein (Cdc42/Rac)-activated kinase 1
P53-RB	P53- Retinoblastoma pathway
PCR	Polymerase chain reaction
PDGFRB	Platelet-derived growth factor receptor, beta polypeptide
PHK	Phosphorylase kinase
PI3K	Phosphoinositide 3-kinase
PLK1	Polo-like kinase 1
PP1-2A	Protein phosphatase 1-2A
PTEN	Phosphatase and tensin homolog
P- value	Probability value.
QMPSF	quantitative multiplex polymerase chain reaction of short fluorescent fragments
RASSF1 A	Ras association domain family member 1
RNPC1	RNA binding motif protein 38
RNA	Ribose Nucleic Acid
ROC	Receiver Operating Characteristic

RT-PCR	Reverse transcriptase-PCR
RTQ-PCR	Real-Time Quantitative Reverse-Transcriptase Polymerase Chain Reaction
SMAD2,4	Mad (D. melanogaster) homologs 2 and 4
SNPs	Single nucleotide polymorphisms
SPARC	Secreted protein, acidic, cysteine-rich (osteonectin)
SRC	Sarcoma viral oncogene
SSSCA1	Sjogren syndrome/scleroderma autoantigen 1
STK15	S/T kinase 15
TACC/ Maskin	Transforming, acidic coiled-coil containing protein 3
TCF7L2	Transcription factor 7-like 2
TGF-β	Transforming growth factor
TH1L	TH1-like (Drosophila)
TNM	Tumor,Node,Metastasis
TP53	Tumour protein p53
TPX2	Targeting protein for Xklp2
Wnt pathway	Wingless pathway