#### Prediction of Early Tolerance to Enteral Feeding In Preterm Infants by Duplex Study of Superior Mesenteric Artery

Thesis
Submitted for the Partial Fulfillment
of Master Degree in Pediatrics

By Dina Gareer Ramadan Abd El Hady

(M.B.B.Ch,)Ain Shams University

Under Supervision of

Prof. Dr. Hoda Lotfy El Sayed

Professor of Pediatrics Faculty of Medicine Ain Shams University

#### Dr. Marwa Hosni Abd El Hamed

Lecturer of Pediatrics Faculty of Medicine Ain Shams University

Faculty of Medicine Ain Shams University

4.14







First and foremost, thanks to **Allah** for giving me the will and the patience to finish this work.

In a few grateful words, I would like to express my deepest gratitude and appreciation to **Prof. Dr. Hoda Lotfy El Sayed** Professor of Pediatrics Faculty of Medicine-Ain Shams University,

I am sincerely grateful to **Dr. Marwa Hosni Abd El Hamed** Lecturer of Pediatrics, Faculty of medicine, Ain Shams
University, for her kind help and constructive suggestions to achieve this work.

There are no words to express my gratitude to my family who charged me with love and encouragement

And lastly my best friend and colleague who supported me **Perwin Ali Waly** and to all patients and their families for their participation in this study.



Dina Gareer Ramadan

### **Contents**

List of Abbreviations	i
List of Tables	iv
List of Figures	vii
Introduction and Aim of the Work	١
Review of Literature	٤
Splanchnic circulation in the Neonate	٤
Nutrition of the Preterm Neonate	10
Pathological Conditions Affecting the Splanc circulation	
Historical Review on Ultrasonography	٦٤
Colour Duplex Sonography	٧.
Subjects and Methods	٨٢
Results	٨٧
Discussion	۱۲۷
Summary and Conclusion	١٣٦
Recommendations	١٤.
References	1 2 1

Appendix	101
Arabic Summary	

#### **List of Abbreviations**

ANC : Absolute neutrophil count ARED : Absolute or reversed flow

BFV : Blood flow velocity
BUN : Blood urea nitrogen

Ca : Calcium

CBC : Complete blood pictureCCD : Coded Duplex sonographerCDS : Color Duplex sonographer

CFM : Color flow mapping CVP : Central venous pressure

CW : Continuous Wave

D : Day dl : deciliter

EBM : Expressed breast milk

EDFV : End Diastolic flow velocity

EDV : End diastolic velocity

ELBW : Extremely low birth weight

g : Gram Grp. : Group

GRV : Gastric residual volume

HS: highly significant
I/O: Input and Output
IgA: Immunoglobulin A
IgG: Immunoglobulin G

IUGR : Intra uterine growth retardation

IV : Intravenous
Kcal : kilocalorie
kg : kilogram
KHZ : kilohertz

-i-

#### List of Abbreviations (Cont.)

MEN : minimal enteral nutrition

Mg : Magnesium
mg : milligram
MHZ : Megahertz
ml : milliliter
mmol : millimole
MV : Mean velocit

MV : Mean velocity

Mw/cmMilli watt/centimeterNECNecrotizing enterocolitisNICUNeonatal intensive care unit

NO : Nitric oxide NO. : Number

NPO : Nothing per os NS : Non significant

Oz : ounce

P : Phosphorus

PAF : Platelet aggregating factor

PAF-AH : Platelet aggregating factor -acetyl hydrolase

PDA : Patent ductus arteriosis PDV : Peak diastolic velocity

PEEP : Positive end expiratory pressure

PI : Pulsitivity Index

PSV : Peak systolic velocity

PW: Pulsed Wave RBCs: Red blood cells

RDS : Respiratory distress syndrome

RI : Resistive Index

RVR : Relative vascular resistance SGA : Small for gestational age

Sig : Significance

SMA : Superior mesenteric artery

St.dv. : Standard deviation

-ii-

### List of Abbreviations (Cont.)

TAMV : Time average mean velocity

TAV : Time average velocity
TPN : Total parenteral nutrition
UAC : Umbilical artery catheter

US : Ultra sound

VLBW : Very low birth weight

## **List of tables**

Table	Title	Page
1	Alternative Names for Trophic Feeding	١٧
۲	Guidelines for preterm feeding	۲١
٣	Advantages and disadvantages of intravenous nutrition	7.7
٤	Peripheral versus central TPN	79
0	Nutritional requirements for preterm infants	٣.
٦	Daily intravenous needs of some essential trace elements	٣.
٧	Monitoring of total parenteral nutrition (TPN)	٣١
٨	Precautions and complications of TPN	47
٩	Typical clinical signs and findings of neonates with intestinal motility disturbances in contrast to neonates with necrotizing enterocolitis	**
١.	Modified Bell's staging criteria for necrotizing enterocolitis	01
11	Factors often associated with intrauterine growth restriction	٦.
17	Effects of asphyxia	٦١
١٣	Comparison between groups regarding weight	AY
١٤	Comparison between groups regarding Ballard score	٨٨
10	Comparison between groups regarding tolerance of feeding	٨٩
١٦	Comparison between groups regarding full intake	٩.
1 \	Tolerance of feeding among FT in D1	91

١٨	Tolerance of feeding among FT in D7	97
19	Tolerance of feeding among PT in D1	98

-iv-

## List of tables (Cont.)

Table	Title	Page
۲.	Tolerance of feeding among PT in D7	9 £
71	Tolerance of feeding among hypoxic in D1	90
77	Tolerance of feeding among hypoxic in D7	97
78	PSV with feeding in D1 in relation to tolerance of feeding	97
7 £	EDV with feeding in D1 in relation to tolerance of feeding	9.7
70	RI with feeding in D1 in relation to tolerance of feeding	99
77	PI with feeding in D1 in relation to tolerance of feeding	1
77	PSV with feeding in D7 in relation to tolerance of feeding	1 • 1
7.	EDV with feeding in D7 in relation to tolerance of feeding	1.7
49	RI with feeding in D7 in relation to tolerance of feeding	1.4
٣.	PI with feeding in D7 in relation to tolerance of feeding	1 + 2
٣١	Comparison between groups regarding Doppler indices before and after feeding in D1	1.0
٣٢	Comparison between groups regarding Doppler indices before and after feeding in DV	1.7

٣٣	Comparison between groups regarding	1.9
	PSV with feeding in D	
٣٤	Comparison between groups regarding EDV with feeding in D	11.
	LD V With recuiring in D	

List of tables (Cont.)

Table	Title	Page
30	Comparison between groups regarding RI	111
	with feeding in D\	
٣٦	Comparison between groups regarding PI	١١٢
	with feeding in D	
٣٧	Comparison between groups regarding	۱۱۳
	PSV with feeding in DV	
٣٨	Comparison between groups regarding	112
	EDV with feeding in DV	
٣٩	Comparison between groups regarding RI	110
	with feeding in DV	
٤٠	Comparison between groups regarding PI	١١٦
	with feeding in DY	
٤١	Comparison between groups regarding PSV with age	117
٤٢	Comparison between groups regarding NEC	114
٤٣	PSV with feeding in D1 in relation to NEC	119
٤٤	EDV with feeding in D1 in relation to NEC	17.
20	RI with feeding in D1 in relation to NEC	171
٤٦	PI with feeding in D1 in relation to NEC	١٢٢

٤٧	PSV with feeding in D7 in relation to	١٢٣
	NEC	
٤٨	EDV with feeding in D7 in relation to	١٢٤
	NEC	
٤٩	RI with feeding in D7 in relation to NEC	170
0,	PI with feeding in D7 in relation to NEC	١٢٦

## **List of Figures**

Fig.	Title	Page
١	The celiac trunk and its branches,	ĭ
	exposed by turning the stomach upwards	
	and removing the peritoneum on the	
	posterior abdominal wall	
7	The superior mesenteric artery and its branches	٨
٣	Inferior mesenteric artery and its	٩
	branches	
٤	Normal intestinal function	19
٥	Extra vasation injury occur when a	77
	peripheral cannula is used to deliver the	
	parenteral nutrition solution	
٦	Schematic of NEC pathomechanism	٤٢
٧	Necrotic pathology of the bowel in NEC	٤٣
٨	Hemorrhagic pathology of the bowel in NEC	43
٩	Preterm infant with necrotising	źź
	enterocolitis, a syndrome of acute	
	intestinal necrosis of unknown aetiology	
١.	Marked pneumatosis intestinalis.	٤٨
11	Pneumoperitoneum	٤٩
١٢	Continuous wave Doppler transducer	て
١٣	Pulsed-wave Doppler transducer	٦٩
١٤	Plug and parabolic flow profiles	٧٣
10	The distribution of velocities	٧٣
١٦	Definition indices in Doppler ultra sound	٧٤
١٧	(A) Longitudinal scan through the	٧٧
	abdominal aorta showing SMA arising \	

cm below the origin of the celiac trunk	
(B) SMA and celiac trunk arising from	
the same origin normal variant	

-vii-

# List of Figures (Cont.)

Fig.	Title	Page
١٨	Mean weight (kgs) in the three groups	۸Y
١٩	Mean Ballard score (wks.) in the three groups	٨٨
۲.	Tolerance of feeding in the three groups	٨٩
۲۱	Full intake in the three groups	9.
**	PSV with feeding in D\ in relation to tolerance of feeding	97
74	EDV with feeding in D\ in relation to tolerance of feeding	9.1
7 £	RI with feeding in D\ in relation to tolerance of feeding	99
70	PI with feeding in D\ in relation to tolerance of feeding	1 * *
۲٦	PSV with feeding in DY in relation to tolerance of feeding	1.1
**	EDV with feeding in DY in relation to tolerance of feeding	1.7
۲۸	RI with feeding in DY in relation to tolerance of feeding	1.7
۲۹	PI with feeding in DY in relation to tolerance of feeding	١٠٤
٣.	PSV with feeding in D\ in the three	1.9

	groups	
٣١	EDV with feeding in D1 in the three groups	11.
٣٢	RI with feeding in D\ in the three groups	111
٣٣	PI with feeding in D\ in the three groups	117
٣٤	PSV with feeding in DV in the three groups	١١٣
٣٥	EDV with feeding in DY in the three groups	١١٤
٣٦	RI with feeding in DY in the three groups	110

-viii-

# List of Figures (Cont.)

Fig.	Title	Page
٣٧	PI with feeding in DY in the three groups	١١٦
٣٨	PSV with age in the three groups	117
٣٩	NEC in the three groups	١١٨
٤٠	PSV with feeding in D\ in relation to NEC	119
٤١	EDV with feeding in D\ in relation to NEC	17.
٤٢	RI with feeding in D\ in relation to NEC	١٢١
٤٣	PI with feeding in D\ in relation to NEC	١٢٢
٤٤	PSV with feeding in DY in relation to NEC	١٢٣
٤٥	EDV with feeding in DV in relation to	175