# ANALYTICAL STUDY OF SOME CNS DEPRESSANT DRUGS

#### THESIS

Presented for the Partial Fulfillment of the Degree of Master in Pharmaceutical Sciences (Pharmaceutical Analytical Chemistry)

## By

## **Ekram Hany Mohamed Samir**

(B.Pharm.Sci., 2006-Ain Shams University)

## **Under supervision of**

### Ass.Prof. Maha Farouk Abd El Ghany

Associate Professor of Pharmaceutical Analytical Chemistry
Faculty of Pharmacy-Ain Shams University

#### Ass.Prof.Dr. Lobna Abd El-Aziz

Associate Professor of Pharmaceutical Analytical Chemistry
Faculty of Pharmacy-Ain Shams University

#### Dr. Amal Mahmoud Abu El Alamein

Lecturer of Pharmaceutical Analytical Chemistry
Faculty of Pharmacy-Cairo University

Faculty of Pharmacy
Ain Shams University
2013

# Acknowledgement

Firstly, I feel always indebted to **ALLAH** the kindest and the most merciful and by the grace of whom this work was achieved.

I would like to express my deep respect and gratitude to *Ass.Prof.Dr. Maha Farouk Abd El Ghany*, Associate Professor of Pharmaceutical Analytical Chemistry, Faculty of Pharmacy-Ain Shams University for her kind and expert supervision and helpful advices offered throughout this work.

I am deeply endowed with feelings of duty and obligation towards *Ass.Prof.Dr. Lobna Abdel El-Aziz*, Associate Professor of Pharmaceutical Analytical Chemistry, Faculty of Pharmacy-Ain Shams University for her extensive effort, time, and energy invested in supervising my work .I also wish to thank her for her continuous guidance, support, indispensable advice and encouragement.

I wish to convey my deep thanks and appreciation to *Dr. Amal Mahmoud Abu El Alamein*, Lecturer of Pharmaceutical Analytical Chemistry, Faculty of Pharmacy-Cairo University for her beneficial instructions and helpful suggestions throughout the presented study.

It was also a great chance to work under the chairmanship of *Prof. Dr. Hisham Salem*, Professor of Pharmaceutical Analytical Chemistry, Faculty of Pharmacy-MSA University.

I would like to thank my *parents* for standing by me in every step of the way and just words wouldn't express my deep gratitude to them. I also want to thank my dear *brother* and *my sister in law* for their effective support and continuous encouragement.

I also want to express my thanks to my *dear husband* for standing by me and providing me any support I can ever need.

I would like to thank *Dr. Mohamed Badr* who helped me in chemometrics, if it weren't for him this part wouldn't be accomplished. I also want to thank *L.A.Christine Maged* for helping and guiding me.

I would like to extend my deep feelings to all my colleagues of the Pharmaceutical Analytical Chemistry Department, MSA University.

Finally I wish to express my love and appreciation to *Souha Hossam* whom I consider a sister for me and really made a difference in my life.

# APPROVAL SHEET

This thesis has been approved on 1/9/2013 by the committee in charge:

Prof. Dr. Badr el Dein el Zeniy

Professor of pharmaceutical Analytical Chemistry

Faculty of Pharmacy

Cairo University

Prof. Dr. Azaa Aziz Mohmed Mostafa

Professor of pharmaceutical Analytical Chemistry

Faculty of Pharmacy

Cairo University

Ass. Prof. Dr. Maha Farouk Abd El Ghany

Associate Professor of pharmaceutical Analytical Chemistry

Faculty of Pharmacy

Ain Shams University

Ass. Prof. Dr. Lobna Abdel Aziz Hussein

Associate Professor of pharmaceutical Analytical Chemistry

Faculty of Pharmacy

Ain Shams University

Dr. Azza Aziz

Lobria Alor ELAZIZ

# **CONTENTS**

# <u>Part I:</u> <u>General Introduction and Literature Review</u>

I.O. Introduction	1
I.1.Sulpiride	3
I.1.0.Introduction to Sulpiride	3
I.1.1.Chemistry	3
I.1.2.Physical properties	4
I.1.3. Methods of Analysis of Sulpiride	4
I.1.3.1.Titrimetric Methods	4
I.1.3.2. Spectroscopic Methods	4
I.1.3.3.Electrochemical Methods	6
I.1.3.4.Capillary Electrophoresis	7
I.1.3.5. Chromatographic methods	8
I.1.3.6 Chemometrics	12
I.2.Pimozide	12
I.2.0.Introduction to Pimozide	13
I.2.1.Chemistry	13
I.2.2.Physical properties	14
I.2.3. Methods of Analysis of Pimozide	14
I.2.3.1. Spectroscopic Methods	14
I.2.3.2.Electrochemical Methods	15
I.2.3.3. Chromatographic methods	15
I.3.Olanzapine	17
I.3.0.Introduction to Olanzapine	17
I.3.1.Chemistry	17
I.3.2.Physical properties	18
I.3.3. Methods of Analysis of Olanzapine	18
I.3.3.1.Titrimetric Methods	18
I.3.3.2. Spectroscopic Methods	18
I.3.3.3.Electrochemical Methods	21
I.3.3.4.Capillary Electrophoresis	21
I.3.3.5. Chromatographic methods	22
I.3.3.6 Chemometrics	27

D 4 TT	
Part II	
Stability-Indicating Spectrophotometric Methods	
Section A	
Stability-Indicating Spectrophotometric Methods, Using	
<u>Derivative Technique</u>	
II.A.0.General Introduction	28
Section A.1	
First Derivative Technique for Determination of Sulpiride, in Presence	
of Its Degradation Products	
of its Degradation Froducts	
II.A.1.1.Introduction	29
II.A.1.2.Experimental	29
II.A.1.2.1.Instrumentation	29
II.A.1.2.2.Samples	29
II.A.1.2.3.Chemicals and Reagents	29
II.A.12.4.Standard Solutions	30
II.A.1.2.5.Procedures	31
II.A.1.2.5.1.Spectral characters of SLP, its acidic and alkaline degradates	31
II.A.1.2.5.2.Method Validation	31
II.A.1.2.5.2.1.Linearity	31
II.A.1.2.5.2.2.Accuracy	31
II.A.1.2.5.2.3.Percision	31
II.A.1.2.5.2.4.Selectivity	32
II.A.1.2.5.3.Application to pharmaceutical preparation	32
II.A.1.2.5.4.Standard addition technique	32
II.A.1.3.Results and Discussion	32
II.A.1.4.Conclusion	36

Section A.2	
First Derivative Technique for Determination of Pimozide, in	
Presence of Its Degradation Products	
II.A.2.1.Introduction	45
II.A.2.2.Experimental	45
II.A.2.2.1.Instrumentation	45
II.A.2.2.2.Samples	45
II.A.2.2.3.Chemicals and Reagents	45
II.A.2.2.4.Standard Solutions	46
II.A.2.2.5.Procedures	47
II.A.2.2.5.1.Spectral characters of PIM, its acidic and alkaline degradates	47
II.A.2.2.5.2.Method Validation	47
II.A.2.2.5.2.1.Linearity	47
II.A.2.2.5.2.Accuracy	47
II.A.2.2.5.2.3.Percision	48
II.A.2.2.5.2.4.Selectivity	48
II.A.2.2.5.3.Application to pharmaceutical preparation	48
II.A.2.2.5.4.Standard addition technique	48
II.A.2.3.Results and Discussion	49
II.A.2.4.Conclusion	51
Section A.3	
First and second Derivative Techniques for Determination of	
Olanzapine, in Presence of Its Degradation Products	
II.A.3.2.Experimental	60
II.A.3.2.1.Instrumentation	60
II.A.3.2.2.Samples	60
II.A.3.2.3.Chemicals and Reagents	60
II.A.3.2.4.Standard Solutions	61
II.A.3.2.5.Procedures	61
II.A.3.2.5.1.Spectral characters of OLA, its acidic and alkaline degradates	62
II.A.3.2.5.2.Method Validation	62
II.A.3.2.5.2.1.Linearity	62

II.A.3.2.5.2.Accuracy	62
II.A.3.2.5.2.3.Percision	63
II.A.3.2.5.2.4.Selectivity	63
II.A.3.2.5.3.Application to pharmaceutical preparation	63
II.A.3.2.5.4.Standard addition technique	63
II.A.3.3.Results and Discussion	64
II.A.3.4.Conclusion	67
Section B	
Stability-Indicating Spectrophotometric Methods, Using Derivative	
Ratio Technique	0.2
II.B.O.Introduction	82
Section B.1	
Derivative Ratio Technique for determination of Sulpiride, in	
Presence of Its Degradation Products	
II D 1 1 Later 1 and an	02
II.B.1.1.Introduction	83
II.B.1.2.Experimental II.B.1.2.1.Instrumentation	83
II.B.1.2.2.Samples  II.B.1.2.2 Chamicals and Pagazents	83
II.B.1.2.3.Chemicals and Reagents II.B.1.2.4.Standard Solutions	83
II.B.1.2.5.Procedures	84
II.B.1.2.5.1.Spectral characters of SLP, its acidic and alkaline degradates	84
II.B.1.2.5.2.Method Validation	84
II.B.1.2.5.2.1.Linearity	84
II.B.1.2.5.2.2.Accuracy	84
II.B.1.2.5.2.3.Percision	84
II.B.1.2.5.2.4.Selectivity	85
II.B.1.2.5.3.Application to pharmaceutical preparation	85
II.B.1.2.5.4.Standard addition technique	85
II.B.1.3.Results and Discussion	85
II.B.1.4.Conclusion	87
Section B.2	
Derivative Ratio Technique for determination of Pimozide, in	
Presence of Its Degradation Products	

II.B.2.1.Introduction	93
II.B.2.2.Experimental	93
II.B.2.2.1.Instrumentation	93
II.B.2.2.2.Samples	93
II.B.2.2.3.Chemicals and Reagents	93
II.B.2.2.4.Standard Solutions	93
II.B.2.2.5.Procedures	94
II.B.2.2.5.1.Spectral characters of PIM, its acidic and alkaline degradates	94
II.B.2.2.5.2.Method Validation	94
II.B.2.2.5.2.1.Linearity	94
II.B.2.2.5.2.Accuracy	95
II.B.2.2.5.2.3.Percision	95
II.B.2.2.5.2.4.Selectivity	95
II.B.2.2.5.3.Application to pharmaceutical preparation	95
II.B.2.2.5.4.Standard addition technique	96
II.B.2.3.Results and Discussion	96
Section B.3	
S C C C C C C C C C C C C C C C C C C C	
Derivative Ratio Technique for determination of Olanzapine, in	
Derivative Ratio Technique for determination of Olanzapine , in <u>Presence of Its Degradation Products</u>	
Derivative Ratio Technique for determination of Olanzapine, in	105
Derivative Ratio Technique for determination of Olanzapine , in Presence of Its Degradation Products  II.B.3.1.Introduction  II.B.3.2.Experimental	105 105
Derivative Ratio Technique for determination of Olanzapine , in Presence of Its Degradation Products  II.B.3.1.Introduction	
Derivative Ratio Technique for determination of Olanzapine , in Presence of Its Degradation Products  II.B.3.1.Introduction  II.B.3.2.Experimental	105
Derivative Ratio Technique for determination of Olanzapine , in Presence of Its Degradation Products  II.B.3.1.Introduction  II.B.3.2.Experimental  II.B.3.2.1.Instrumentation	105 105
Derivative Ratio Technique for determination of Olanzapine , in Presence of Its Degradation Products  II.B.3.1.Introduction  II.B.3.2.Experimental  II.B.3.2.1.Instrumentation  II.B.3.2.2.Samples	105 105 105
Derivative Ratio Technique for determination of Olanzapine , in Presence of Its Degradation Products  II.B.3.1.Introduction II.B.3.2.Experimental II.B.3.2.1.Instrumentation II.B.3.2.2.Samples II.B.3.2.3.Chemicals and Reagents	105 105 105 105
Derivative Ratio Technique for determination of Olanzapine, in Presence of Its Degradation Products  II.B.3.1.Introduction II.B.3.2.Experimental II.B.3.2.1.Instrumentation II.B.3.2.2.Samples II.B.3.2.3.Chemicals and Reagents II.B.3.2.4.Standard Solutions II.B.3.2.5.Procedures II.B.3.2.5.1.Spectral characters of OLA, its acidic and alkaline degradates	105 105 105 105 105
Derivative Ratio Technique for determination of Olanzapine , in Presence of Its Degradation Products  II.B.3.1.Introduction II.B.3.2.Experimental II.B.3.2.1.Instrumentation II.B.3.2.2.Samples II.B.3.2.3.Chemicals and Reagents II.B.3.2.4.Standard Solutions II.B.3.2.5.Procedures	105 105 105 105 105 106
Derivative Ratio Technique for determination of Olanzapine, in Presence of Its Degradation Products  II.B.3.1.Introduction II.B.3.2.Experimental II.B.3.2.1.Instrumentation II.B.3.2.2.Samples II.B.3.2.3.Chemicals and Reagents II.B.3.2.4.Standard Solutions II.B.3.2.5.Procedures II.B.3.2.5.1.Spectral characters of OLA, its acidic and alkaline degradates	105 105 105 105 105 106 106
Derivative Ratio Technique for determination of Olanzapine, in Presence of Its Degradation Products  II.B.3.1.Introduction II.B.3.2.Experimental II.B.3.2.1.Instrumentation II.B.3.2.2.Samples II.B.3.2.3.Chemicals and Reagents II.B.3.2.4.Standard Solutions II.B.3.2.5.Procedures II.B.3.2.5.1.Spectral characters of OLA, its acidic and alkaline degradates II.B.3.2.5.2.Method Validation II.B.3.2.5.2.1.Linearity II.B.3.2.5.2.2.Accuracy	105 105 105 105 105 106 106 106
Derivative Ratio Technique for determination of Olanzapine, in Presence of Its Degradation Products  II.B.3.1.Introduction II.B.3.2.Experimental II.B.3.2.1.Instrumentation II.B.3.2.2.Samples II.B.3.2.3.Chemicals and Reagents II.B.3.2.4.Standard Solutions II.B.3.2.5.Procedures II.B.3.2.5.1.Spectral characters of OLA, its acidic and alkaline degradates II.B.3.2.5.2.Method Validation II.B.3.2.5.2.1.Linearity	105 105 105 105 105 106 106 106
Derivative Ratio Technique for determination of Olanzapine, in Presence of Its Degradation Products  II.B.3.1.Introduction II.B.3.2.Experimental II.B.3.2.1.Instrumentation II.B.3.2.2.Samples II.B.3.2.3.Chemicals and Reagents II.B.3.2.4.Standard Solutions II.B.3.2.5.Procedures II.B.3.2.5.1.Spectral characters of OLA, its acidic and alkaline degradates II.B.3.2.5.2.Method Validation II.B.3.2.5.2.1.Linearity II.B.3.2.5.2.2.Accuracy	105 105 105 105 105 106 106 106 106
Derivative Ratio Technique for determination of Olanzapine, in Presence of Its Degradation Products  II.B.3.1.Introduction II.B.3.2.Experimental II.B.3.2.1.Instrumentation II.B.3.2.2.Samples II.B.3.2.3.Chemicals and Reagents II.B.3.2.4.Standard Solutions II.B.3.2.5.Procedures II.B.3.2.5.Procedures II.B.3.2.5.1.Spectral characters of OLA, its acidic and alkaline degradates II.B.3.2.5.2.Method Validation II.B.3.2.5.2.1.Linearity II.B.3.2.5.2.2.Accuracy II.B.3.2.5.2.3.Percision	105 105 105 105 105 106 106 106 106 107
Derivative Ratio Technique for determination of Olanzapine , in Presence of Its Degradation Products  II.B.3.1.Introduction II.B.3.2.Experimental II.B.3.2.1.Instrumentation II.B.3.2.2.Samples II.B.3.2.3.Chemicals and Reagents II.B.3.2.4.Standard Solutions II.B.3.2.5.Procedures II.B.3.2.5.1.Spectral characters of OLA, its acidic and alkaline degradates II.B.3.2.5.2.Method Validation II.B.3.2.5.2.1.Linearity II.B.3.2.5.2.2.Accuracy II.B.3.2.5.2.3.Percision II.B.3.2.5.2.4.Selectivity	105 105 105 105 105 106 106 106 106 107 107

Section C   Stability-Indicating Spectrophotometric Methods, Using Dual Wave length Technique   Dual Wave length Technique		
II.C.0.General Introduction		
II.C.0.General Introduction	Section C	
II.C.0.General Introduction		
Section C.1           Dual Wave length Technique for determination of Pimozide in Presence of Its Alkaline Degradation Products           II.C.1.1.Introduction         118           II.C.1.2.Experimental         118           II.C.1.2.1.Instrumentation         118           II.C.1.2.2.Samples         118           II.C.1.2.3.Chemicals and Reagents         118           II.C.1.2.4.Standard Solutions         118           II.C.1.2.5.Procedures         119           II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates         119           II.C.1.2.5.2.Method Validation         119           II.C.1.2.5.2.1.Linearity         119           II.C.1.2.5.2.2.Accuracy         120           II.C.1.2.5.2.3.Percision         120           II.C.1.2.5.3.Application to pharmaceutical preparation         120           II.C.1.2.5.4.Standard addition technique         121           II.C.1.3.Results and Discussion         121		
Section C.1           Dual Wave length Technique for determination of Pimozide in Presence of Its Alkaline Degradation Products           II.C.1.1.Introduction         118           II.C.1.2.Experimental         118           II.C.1.2.1.Instrumentation         118           II.C.1.2.2.Samples         118           II.C.1.2.3.Chemicals and Reagents         118           II.C.1.2.4.Standard Solutions         118           II.C.1.2.5.Procedures         119           II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates         119           II.C.1.2.5.2.Method Validation         119           II.C.1.2.5.2.1.Linearity         119           II.C.1.2.5.2.2.Accuracy         120           II.C.1.2.5.2.3.Percision         120           II.C.1.2.5.3.Application to pharmaceutical preparation         120           II.C.1.2.5.4.Standard addition technique         121           II.C.1.3.Results and Discussion         121		
Section C.1           Dual Wave length Technique for determination of Pimozide in Presence of Its Alkaline Degradation Products           II.C.1.1.Introduction         118           II.C.1.2.Experimental         118           II.C.1.2.1.Instrumentation         118           II.C.1.2.2.Samples         118           II.C.1.2.3.Chemicals and Reagents         118           II.C.1.2.4.Standard Solutions         118           II.C.1.2.5.Procedures         119           II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates         119           II.C.1.2.5.2.Method Validation         119           II.C.1.2.5.2.1.Linearity         119           II.C.1.2.5.2.2.Accuracy         120           II.C.1.2.5.2.3.Percision         120           II.C.1.2.5.3.Application to pharmaceutical preparation         120           II.C.1.2.5.4.Standard addition technique         121           II.C.1.3.Results and Discussion         121		
Dual Wave length Technique for determination of Pimozide in Presence of Its Alkaline Degradation Products           II.C.1.1.Introduction         118           II.C.1.2.Experimental         118           II.C.1.2.1.Instrumentation         118           II.C.1.2.2.Samples         118           II.C.1.2.3.Chemicals and Reagents         118           II.C.1.2.4.Standard Solutions         118           II.C.1.2.5.Procedures         119           II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates         119           II.C.1.2.5.2.Method Validation         119           II.C.1.2.5.2.1.Linearity         119           II.C.1.2.5.2.3.Percision         120           II.C.1.2.5.2.4.Selectivity         120           II.C.1.2.5.3.Application to pharmaceutical preparation         120           II.C.1.2.5.4.Standard addition technique         121           II.C.1.3.Results and Discussion         121	II.C.0.General Introduction	117
Dual Wave length Technique for determination of Pimozide in Presence of Its Alkaline Degradation Products           II.C.1.1.Introduction         118           II.C.1.2.Experimental         118           II.C.1.2.1.Instrumentation         118           II.C.1.2.2.Samples         118           II.C.1.2.3.Chemicals and Reagents         118           II.C.1.2.4.Standard Solutions         118           II.C.1.2.5.Procedures         119           II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates         119           II.C.1.2.5.2.Method Validation         119           II.C.1.2.5.2.Accuracy         120           II.C.1.2.5.2.3.Percision         120           II.C.1.2.5.2.4.Selectivity         120           II.C.1.2.5.3.Application to pharmaceutical preparation         120           II.C.1.2.5.4.Standard addition technique         121           II.C.1.3.Results and Discussion         121		
Dual Wave length Technique for determination of Pimozide in Presence of Its Alkaline Degradation Products           II.C.1.1.Introduction         118           II.C.1.2.Experimental         118           II.C.1.2.1.Instrumentation         118           II.C.1.2.2.Samples         118           II.C.1.2.3.Chemicals and Reagents         118           II.C.1.2.4.Standard Solutions         118           II.C.1.2.5.Procedures         119           II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates         119           II.C.1.2.5.2.Method Validation         119           II.C.1.2.5.2.Accuracy         120           II.C.1.2.5.2.3.Percision         120           II.C.1.2.5.2.4.Selectivity         120           II.C.1.2.5.3.Application to pharmaceutical preparation         120           II.C.1.2.5.4.Standard addition technique         121           II.C.1.3.Results and Discussion         121	Section C 1	
II.C.1.1.Introduction   118     II.C.1.2.Experimental   118     II.C.1.2.1.Instrumentation   118     II.C.1.2.2.Samples   118     II.C.1.2.3.Chemicals and Reagents   118     II.C.1.2.4.Standard Solutions   118     II.C.1.2.5.Procedures   119     II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates   119     II.C.1.2.5.2.Method Validation   119     II.C.1.2.5.2.1.Linearity   119     II.C.1.2.5.2.3.Percision   120     II.C.1.2.5.2.4.Selectivity   120     II.C.1.2.5.3.Application to pharmaceutical preparation   120     II.C.1.2.5.4.Standard addition technique   121     II.C.1.3.Results and Discussion   121		+
II.C.1.1.Introduction		
II.C.1.2.Experimental       118         II.C.1.2.1.Instrumentation       118         II.C.1.2.2.Samples       118         II.C.1.2.3.Chemicals and Reagents       118         II.C.1.2.4.Standard Solutions       118         II.C.1.2.5.Procedures       119         II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates       119         II.C.1.2.5.2.Method Validation       119         II.C.1.2.5.2.1.Linearity       119         II.C.1.2.5.2.Accuracy       120         II.C.1.2.5.2.3.Percision       120         II.C.1.2.5.2.4.Selectivity       120         II.C.1.2.5.3.Application to pharmaceutical preparation       120         II.C.1.2.5.4.Standard addition technique       121         II.C.1.3.Results and Discussion       121	11cschee of its Alkanne Degradation 11oducts	
II.C.1.2.Experimental       118         II.C.1.2.1.Instrumentation       118         II.C.1.2.2.Samples       118         II.C.1.2.3.Chemicals and Reagents       118         II.C.1.2.4.Standard Solutions       118         II.C.1.2.5.Procedures       119         II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates       119         II.C.1.2.5.2.Method Validation       119         II.C.1.2.5.2.1.Linearity       119         II.C.1.2.5.2.Accuracy       120         II.C.1.2.5.2.3.Percision       120         II.C.1.2.5.2.4.Selectivity       120         II.C.1.2.5.3.Application to pharmaceutical preparation       120         II.C.1.2.5.4.Standard addition technique       121         II.C.1.3.Results and Discussion       121		
II.C.1.2.1.Instrumentation       118         II.C.1.2.2.Samples       118         II.C.1.2.3.Chemicals and Reagents       118         II.C.1.2.4.Standard Solutions       118         II.C.1.2.5.Procedures       119         II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates       119         II.C.1.2.5.2.Method Validation       119         II.C.1.2.5.2.1.Linearity       119         II.C.1.2.5.2.Accuracy       120         II.C.1.2.5.2.3.Percision       120         II.C.1.2.5.2.4.Selectivity       120         II.C.1.2.5.3.Application to pharmaceutical preparation       120         II.C.1.2.5.4.Standard addition technique       121         II.C.1.3.Results and Discussion       121	II.C.1.1.Introduction	118
II.C.1.2.2.Samples       118         II.C.1.2.3.Chemicals and Reagents       118         II.C.1.2.4.Standard Solutions       118         II.C.1.2.5.Procedures       119         II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates       119         II.C.1.2.5.2.Method Validation       119         II.C.1.2.5.2.1.Linearity       119         II.C.1.2.5.2.2.Accuracy       120         II.C.1.2.5.2.3.Percision       120         II.C.1.2.5.2.4.Selectivity       120         II.C.1.2.5.3.Application to pharmaceutical preparation       120         II.C.1.2.5.4.Standard addition technique       121         II.C.1.3.Results and Discussion       121	II.C.1.2.Experimental	118
II.C.1.2.3.Chemicals and Reagents       118         II.C.1.2.4.Standard Solutions       118         II.C.1.2.5.Procedures       119         II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates       119         II.C.1.2.5.2.Method Validation       119         II.C.1.2.5.2.1.Linearity       119         II.C.1.2.5.2.2.Accuracy       120         II.C.1.2.5.2.3.Percision       120         II.C.1.2.5.2.4.Selectivity       120         II.C.1.2.5.3.Application to pharmaceutical preparation       120         II.C.1.2.5.4.Standard addition technique       121         II.C.1.3.Results and Discussion       121	II.C.1.2.1.Instrumentation	118
II.C.1.2.4.Standard Solutions       118         II.C.1.2.5.Procedures       119         II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates       119         II.C.1.2.5.2.Method Validation       119         II.C.1.2.5.2.1.Linearity       119         II.C.1.2.5.2.2.Accuracy       120         II.C.1.2.5.2.3.Percision       120         II.C.1.2.5.2.4.Selectivity       120         II.C.1.2.5.3.Application to pharmaceutical preparation       120         II.C.1.2.5.4.Standard addition technique       121         II.C.1.3.Results and Discussion       121	II.C.1.2.2.Samples	118
II.C.1.2.5.Procedures       119         II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates       119         II.C.1.2.5.2.Method Validation       119         II.C.1.2.5.2.1.Linearity       119         II.C.1.2.5.2.2.Accuracy       120         II.C.1.2.5.2.3.Percision       120         II.C.1.2.5.2.4.Selectivity       120         II.C.1.2.5.3.Application to pharmaceutical preparation       120         II.C.1.2.5.4.Standard addition technique       121         II.C.1.3.Results and Discussion       121	II.C.1.2.3.Chemicals and Reagents	118
II.C.1.2.5.1.Spectral characters of PIM and its alkaline degradates       119         II.C.1.2.5.2.Method Validation       119         II.C.1.2.5.2.1.Linearity       119         II.C.1.2.5.2.2.Accuracy       120         II.C.1.2.5.2.3.Percision       120         II.C.1.2.5.2.4.Selectivity       120         II.C.1.2.5.3.Application to pharmaceutical preparation       120         II.C.1.2.5.4.Standard addition technique       121         II.C.1.3.Results and Discussion       121	II.C.1.2.4.Standard Solutions	118
II.C.1.2.5.2.Method Validation       119         II.C.1.2.5.2.1.Linearity       119         II.C.1.2.5.2.2.Accuracy       120         II.C.1.2.5.2.3.Percision       120         II.C.1.2.5.2.4.Selectivity       120         II.C.1.2.5.3.Application to pharmaceutical preparation       120         II.C.1.2.5.4.Standard addition technique       121         II.C.1.3.Results and Discussion       121	II.C.1.2.5.Procedures	119
II.C.1.2.5.2.1.Linearity       119         II.C.1.2.5.2.2.Accuracy       120         II.C.1.2.5.2.3.Percision       120         II.C.1.2.5.2.4.Selectivity       120         II.C.1.2.5.3.Application to pharmaceutical preparation       120         II.C.1.2.5.4.Standard addition technique       121         II.C.1.3.Results and Discussion       121	1	_
II.C.1.2.5.2.2.Accuracy       120         II.C.1.2.5.2.3.Percision       120         II.C.1.2.5.2.4.Selectivity       120         II.C.1.2.5.3.Application to pharmaceutical preparation       120         II.C.1.2.5.4.Standard addition technique       121         II.C.1.3.Results and Discussion       121		
II.C.1.2.5.2.3.Percision120II.C.1.2.5.2.4.Selectivity120II.C.1.2.5.3.Application to pharmaceutical preparation120II.C.1.2.5.4.Standard addition technique121II.C.1.3.Results and Discussion121	•	_
II.C.1.2.5.2.4.Selectivity120II.C.1.2.5.3.Application to pharmaceutical preparation120II.C.1.2.5.4.Standard addition technique121II.C.1.3.Results and Discussion121	•	
II.C.1.2.5.3.Application to pharmaceutical preparation120II.C.1.2.5.4.Standard addition technique121II.C.1.3.Results and Discussion121		
II.C.1.2.5.4.Standard addition technique121II.C.1.3.Results and Discussion121		
II.C.1.3.Results and Discussion 121		
	1	_
II.C.1.4.Coliciusion		+
	11.C.1.4.Coliciusion	122
		+

Section C.2	
Dual Wave length Technique for determination of Olanzapine in	
Presence of Its Acidic Degradation Products	
II.C.2.1.Introduction	127
II.C.2.2.Experimental	127
II.C.2.2.1.Instrumentation	127
II.C.2.2.2.Samples	127
II.C.2.2.3.Chemicals and Reagents	127
II.C.2.2.4.Standard Solutions	127
II.C.2.2.5.Procedures	127
II.C.2.2.5.1.Spectral characters of Ola, and its acidic degradates	127
II.C.2.2.5.2.Method Validation	128
II.C.2.2.5.2.1.Linearity	128
II.C.2.2.5.2.Accuracy	128
II.C.2.2.5.2.3.Percision	128
II.C.2.2.5.2.4.Selectivity	129
II.C.2.2.5.3.Application to pharmaceutical preparation	129
II.C.2.2.5.4.Standard addition technique	129
II.C.2.3.Results and Discussion	130
II.C.2.4.Conclusion	131
Section D	
Stability-Indicating Spectrophotometric Methods, Using Q-analysis	
<u>Technique</u>	
II.D.0.Introduction	136
Section D.1	
<b>Q-analysis Technique for determination of Pimozide Presence of Its</b>	
Alkaline Degradation Products	
II D 1 1 Introduction	127
II.D.1.1.Introduction	137
II.D.1.2.Experimental	137
II.D.1.2.1.Instrumentation	137

II.D.1.2.2.Samples	137
II.D.1.2.3.Chemicals and Reagents	137
II.D.1.2.4.Standard Solutions	137
II.D.1.2.5.Procedures	137
II.D.1.2.5.1.Spectral characters of PIM and its alkaline degradates	137
II.D.1.2.5.2.Method Validation	138
II.D.1.2.5.2.1.Linearity	138
II.D.1.2.5.2.2.Accuracy	138
II.D.1.2.5.2.3.Percision	139
II.D.1.2.5.2.4.Selectivity	139
II.D.1.2.5.3.Application to pharmaceutical preparation	139
II.D.1.2.5.4.Standard addition technique	139
II.D.1.3.Results and Discussion	140
II.D.1.4.Conclusion	141
Section D.2	
<b>Q-analysis Technique for determination of Olanzapine in Presence of</b>	
Its Acidic Degradation Products	
	1.40
II.D.2.2.Experimental	148
II.D.2.2.Experimental II.D.2.2.1.Instrumentation	148
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.2.Samples	148 148
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.Samples II.D.2.2.3.Chemicals and Reagents	148 148 148
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions	148 148 148 148
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions II.D.2.2.5.Procedures	148 148 148 148 149
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions II.D.2.2.5.Procedures II.D.2.2.5.Procedures	148 148 148 148 149 149
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions II.D.2.2.5.Procedures II.D.2.2.5.Nectral characters of Ola, and its acidic degradates II.D.2.2.5.2.Method Validation	148 148 148 148 149 149 149
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions II.D.2.2.5.Procedures II.D.2.2.5.Procedures	148 148 148 148 149 149 149 149
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions II.D.2.2.5.Procedures II.D.2.2.5.1.Spectral characters of Ola, and its acidic degradates II.D.2.2.5.2.Method Validation II.D.2.2.5.2.1.Linearity II.D.2.2.5.2.1.Carracy	148 148 148 148 149 149 149
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions II.D.2.2.5.Procedures II.D.2.2.5.1.Spectral characters of Ola, and its acidic degradates II.D.2.2.5.2.Method Validation II.D.2.2.5.2.1.Linearity II.D.2.2.5.2.3.Percision	148 148 148 148 149 149 149 149
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions II.D.2.2.5.Procedures II.D.2.2.5.1.Spectral characters of Ola, and its acidic degradates II.D.2.2.5.2.Method Validation II.D.2.2.5.2.1.Linearity II.D.2.2.5.2.1.Carracy	148 148 148 148 149 149 149 149 159
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions II.D.2.2.5.Procedures II.D.2.2.5.1.Spectral characters of Ola, and its acidic degradates II.D.2.2.5.2.Method Validation II.D.2.2.5.2.1.Linearity II.D.2.2.5.2.3.Percision	148 148 148 149 149 149 149 159 150
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions II.D.2.2.5.Procedures II.D.2.2.5.1.Spectral characters of Ola, and its acidic degradates II.D.2.2.5.2.Method Validation II.D.2.2.5.2.1.Linearity II.D.2.2.5.2.2.Accuracy II.D.2.2.5.2.3.Percision II.D.2.2.5.2.4.Selectivity	148 148 148 149 149 149 149 159 150
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions II.D.2.2.5.Procedures II.D.2.2.5.I.Spectral characters of Ola, and its acidic degradates II.D.2.2.5.2.Method Validation II.D.2.2.5.2.1.Linearity II.D.2.2.5.2.3.Percision II.D.2.2.5.2.3.Percision II.D.2.2.5.3.Application to pharmaceutical preparation	148 148 148 149 149 149 149 159 150 150
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions II.D.2.2.5.Procedures II.D.2.2.5.I.Spectral characters of Ola, and its acidic degradates II.D.2.2.5.2.Method Validation II.D.2.2.5.2.1.Linearity II.D.2.2.5.2.1.Linearity II.D.2.2.5.2.3.Percision II.D.2.2.5.2.4.Selectivity II.D.2.2.5.3.Application to pharmaceutical preparation II.D.2.2.5.4.Standard addition technique	148 148 148 149 149 149 149 159 150 150
II.D.2.2.Experimental II.D.2.2.1.Instrumentation II.D.2.2.2.Samples II.D.2.2.3.Chemicals and Reagents II.D.2.2.4.Standard Solutions II.D.2.2.5.Procedures II.D.2.2.5.1.Spectral characters of Ola, and its acidic degradates II.D.2.2.5.2.Method Validation II.D.2.2.5.2.1.Linearity II.D.2.2.5.2.1.Linearity II.D.2.2.5.2.3.Percision II.D.2.2.5.2.4.Selectivity II.D.2.2.5.3.Application to pharmaceutical preparation II.D.2.2.5.4.Standard addition technique II.D.2.3.Results and Discussion	148 148 148 149 149 149 149 159 150 150 150 151

Bivariate Calibration Technique for determination of Olanzapine in	
Presence of its Acidic Degradation Products	
II.E.1.Introduction	159
II.E.2.Experimental	159
II.E.2.1.Instrumentation	159
II.E.2.2.Samples	159
II.E.2.3.Chemicals and Reagents	159
II.E.2.4.Standard Solutions	159
II.E.2.5.Procedures	160
II.E.2.5.1.Spectral characters of Ola and its acidic degradates	160
II.E.2.5.2.Method Validation	160
II.E.2.5.2.1.Linearity	160
II.E.2.5.2.Accuracy	160
II.E.2.5.2.3.Percision	161
II.E.2.5.2.4.Selectivity	161
II.E.2.5.3.Application to pharmaceutical preparation	161
II.E.2.5.4.Standard addition technique	162
II.E.3.Results and Discussion	162
II.E.4.Conclusion	164
Section F	
H-point Technique for Determination of Pimozide in Presence of its	
Alkaline Degradation Products	
II.F.1.Introduction	172
II.F.2.Experimental	174
II.F.2.1.Instrumentation	174
II.F.2.2.Samples	174
II.F.2.3.Chemicals and Reagents	174
II.F.2.4.Standard Solutions	174
II.F.2.5.Procedures	174
II.F.2.5.1.Spectral characters of PIM and its alkaline degradates	174
II.F.2.5.2.Method Validation	175
II.F.2.5.2.1.Linearity	175
II.F.2.5.2.2.Accuracy	175
II.F.2.5.2.3.Percision	175

II.F.2.5.2.4.Selectivity	176
II.F.2.5.3.Application to pharmaceutical preparation	176
II.F.2.5.4.Standard addition technique	176
II.F.3.Results and Discussion	176
II.E.4.Conclusion	178
Section G	
pH-Induced Difference Technique for Determination of Olanzapine in	
Presence of both its Degradation Products	
II.G.1.Introduction	187
II.G.2.Experimental	187
II.G.2.1.Instrumentation	187
II.G.2.2.Samples	188
II.G.2.3.Chemicals and Reagents	188
II.G.2.4.Standard Solutions	188
II.G.2.5.Procedures	189
II.G.2.5.1.Spectral characters of Ola ,its acidic and alkaline degradates	189
II.G.2.5.2.Method Validation	189
II.G.2.5.2.1.Linearity	189
II.G.2.5.2.Accuracy	189
II.G.2.5.2.3.Percision	190
II.G.2.5.2.4.Selectivity	190
II.G.2.5.3.Application to pharmaceutical preparation	190
II.G.2.5.4.Standard addition technique	190
II.G.3.Results and Discussion	191
II.G.4.Conclusion	193
Section H	
Ratio Subtraction Technique for Determination of Sulpiride in	
Presence of its Acidic Degradation Products	
II.H.1.Introduction	200
II.H.2.Experimental	200
II.H.2.1.Instrumentation	200

II.H.2.2.Samples	201
II.H.2.3.Chemicals and Reagents	201
II.H.2.4.Standard Solutions	201
II.H.2.5.Procedures	201
II.H.2.5.1.Spectral characters of SLP and its acidic degradates	201
II.H.2.5.2.Method Validation	202
II.H.2.5.2.1.Linearity	202
II.H.2.5.2.2.Accuracy	202
II.H.2.5.2.3.Percision	202
II.H.2.5.2.4.Selectivity	203
II.H.2.5.3.Application to pharmaceutical preparation	203
II.H.2.5.4.Standard addition technique	203
II.H.3.Results and Discussion	203
II.H.4.Conclusion	205
Section I	
Mean Centering Technique for determination of Pimozide in Presence	
of its Alkaline Degradation Products	
of its Alkaline Degradation Products	
II.I.1.Introduction	211
	211 212
II.I.1.Introduction	
II.I.1.Introduction II.I.2.Experimental	212
II.I.1.Introduction II.I.2.Experimental II.I.2.1.Instrumentation	212 212
II.I.1.Introduction II.I.2.Experimental II.I.2.1.Instrumentation II.I.2.2.Samples	212 212 212
II.I.1.Introduction II.I.2.Experimental II.I.2.1.Instrumentation II.I.2.2.Samples II.I.2.3.Chemicals and Reagents	212 212 212 212
II.I.1.Introduction II.I.2.Experimental II.I.2.1.Instrumentation II.I.2.2.Samples II.I.2.3.Chemicals and Reagents II.I.2.4.Standard Solutions	212 212 212 212 213
II.I.1.Introduction II.I.2.Experimental II.I.2.1.Instrumentation II.I.2.2.Samples II.I.2.3.Chemicals and Reagents II.I.2.4.Standard Solutions II.I.2.5.Procedures	212 212 212 212 212 213 213
II.I.1.Introduction II.I.2.Experimental II.I.2.1.Instrumentation II.I.2.2.Samples II.I.2.3.Chemicals and Reagents II.I.2.4.Standard Solutions II.I.2.5.Procedures II.I.2.5.1.Spectral characters of PIM and its alkaline degradates	212 212 212 212 213 213 213
II.I.1.Introduction II.I.2.Experimental II.I.2.1.Instrumentation II.I.2.2.Samples II.I.2.3.Chemicals and Reagents II.I.2.4.Standard Solutions II.I.2.5.Procedures II.I.2.5.1.Spectral characters of PIM and its alkaline degradates II.I.2.5.2.Method Validation	212 212 212 212 213 213 213 213
II.I.1.Introduction  II.I.2.Experimental  II.I.2.1.Instrumentation  II.I.2.2.Samples  II.I.2.3.Chemicals and Reagents  II.I.2.4.Standard Solutions  II.I.2.5.Procedures  II.I.2.5.1.Spectral characters of PIM and its alkaline degradates  II.I.2.5.2.Method Validation  II.I.2.5.2.1.Linearity	212 212 212 212 213 213 213 213 213
II.I.1.Introduction  II.I.2.Experimental  II.I.2.1.Instrumentation  II.I.2.2.Samples  II.I.2.3.Chemicals and Reagents  II.I.2.4.Standard Solutions  II.I.2.5.Procedures  II.I.2.5.1.Spectral characters of PIM and its alkaline degradates  II.I.2.5.2.Method Validation  II.I.2.5.2.1.Linearity  II.I.2.5.2.2.Accuracy	212 212 212 213 213 213 213 213 214
II.I.1.Introduction II.I.2.Experimental II.I.2.1.Instrumentation II.I.2.2.Samples II.I.2.3.Chemicals and Reagents II.I.2.4.Standard Solutions II.I.2.5.Procedures II.I.2.5.1.Spectral characters of PIM and its alkaline degradates II.I.2.5.2.Method Validation II.I.2.5.2.1.Linearity II.I.2.5.2.2.Accuracy II.I.2.5.2.3.Percision	212 212 212 212 213 213 213 213 214 214
II.I.1.Introduction II.I.2.Experimental II.I.2.1.Instrumentation II.I.2.2.Samples II.I.2.3.Chemicals and Reagents II.I.2.4.Standard Solutions II.I.2.5.Procedures II.I.2.5.1.Spectral characters of PIM and its alkaline degradates II.I.2.5.2.Method Validation II.I.2.5.2.1.Linearity II.I.2.5.2.2.Accuracy II.I.2.5.2.3.Percision II.I.2.5.2.4.Selectivity	212 212 212 213 213 213 213 213 214 214 214
II.I.1.Introduction  II.I.2.Experimental  II.I.2.1.Instrumentation  II.I.2.2.Samples  II.I.2.3.Chemicals and Reagents  II.I.2.4.Standard Solutions  II.I.2.5.Procedures  II.I.2.5.1.Spectral characters of PIM and its alkaline degradates  II.I.2.5.2.Method Validation  II.I.2.5.2.1.Linearity  II.I.2.5.2.2.Accuracy  II.I.2.5.2.3.Percision  II.I.2.5.2.4.Selectivity  II.I.2.5.3.Application to pharmaceutical preparation	212 212 212 213 213 213 213 213 214 214 214 215
II.I.1.Introduction  II.I.2.Experimental  II.I.2.1.Instrumentation  II.I.2.2.Samples  II.I.2.3.Chemicals and Reagents  II.I.2.4.Standard Solutions  II.I.2.5.Procedures  II.I.2.5.1.Spectral characters of PIM and its alkaline degradates  II.I.2.5.2.Method Validation  II.I.2.5.2.1.Linearity  II.I.2.5.2.2.Accuracy  II.I.2.5.2.3.Percision  II.I.2.5.2.4.Selectivity  II.I.2.5.3.Application to pharmaceutical preparation  II.I.2.5.4.Standard addition technique	212 212 212 212 213 213 213 213 213 214 214 214 215 215

III.0.Introduction   221		
III.0.Introduction   221	Dowt III	
III.0.Introduction   221		
Section A   Multivariate Determination of Sulpiride, in Presence of its Acidic and Alkaline Degradation Products   III.A.1.Introduction   222   III.A.2.Experimental   222   III.A.2.I.Instrumentation   222   III.A.2.2.Samples   222   III.A.2.3.Chemicals and Reagents   222   III.A.2.4.Standard Solutions   222   III.A.2.5.Procedures   223   III.A.2.5.Procedures   223   III.A.2.5.1.Construction of training set   223   III.A.2.5.3.Selection of the optimum number of factors to build the PLS   223   III.A.2.5.3.Selection of the optimum number of factors to build the PLS   224   III.A.2.5.4. Method Validation   224   III.A.2.5.4.Construction of the validation set   224   III.A.2.5.4.Predictive abilities of the developed models   224   III.A.2.S.5.Determination of SLP pharmaceutical formulation   224   III.A.3.Results and Discussion   225   III.A.4.Conclusion   227   227   227   227   228   228   229	Stability-Indicating Methods Using Chemometric Technique	
Section A   Multivariate Determination of Sulpiride, in Presence of its Acidic and Alkaline Degradation Products   III.A.1.Introduction   222   III.A.2.Experimental   222   III.A.2.I.Instrumentation   222   III.A.2.2.Samples   222   III.A.2.3.Chemicals and Reagents   222   III.A.2.4.Standard Solutions   222   III.A.2.5.Procedures   223   III.A.2.5.Procedures   223   III.A.2.5.1.Construction of training set   223   III.A.2.5.3.Selection of the optimum number of factors to build the PLS   223   III.A.2.5.3.Selection of the optimum number of factors to build the PLS   224   III.A.2.5.4. Method Validation   224   III.A.2.5.4.Construction of the validation set   224   III.A.2.5.4.Predictive abilities of the developed models   224   III.A.2.S.5.Determination of SLP pharmaceutical formulation   224   III.A.3.Results and Discussion   225   III.A.4.Conclusion   227   227   227   227   228   228   229		
Multivariate Determination of Sulpiride, in Presence of its Acidic and Alkaline Degradation Products         222           III.A.1.Introduction         222           III.A.2.Experimental         222           III.A.2.1.Instrumentation         222           III.A.2.2.Samples         222           III.A.2.3.Chemicals and Reagents         222           III.A.2.5.Procedures         223           III.A.2.5.I.Construction of training set         223           III.A.2.5.2.Constructing the model         223           III.A.2.5.3.Selection of the optimum number of factors to build the PLS         23           and PCR models         224           III.A.2.5.4. Method Validation         224           III.A.2.5.4.2.Predictive abilities of the developed models         224           III.A.2.5.5.Determination of SLP pharmaceutical formulation         224           III.A.3.Results and Discussion         225           III.A.4.Conclusion         227           Section B         Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products           III.B.1.Introduction         235           III.B.2.Experimental         235	III.0.Introduction	221
Multivariate Determination of Sulpiride, in Presence of its Acidic and Alkaline Degradation Products         222           III.A.1.Introduction         222           III.A.2.Experimental         222           III.A.2.1.Instrumentation         222           III.A.2.2.Samples         222           III.A.2.3.Chemicals and Reagents         222           III.A.2.5.Procedures         223           III.A.2.5.I.Construction of training set         223           III.A.2.5.2.Constructing the model         223           III.A.2.5.3.Selection of the optimum number of factors to build the PLS         23           and PCR models         224           III.A.2.5.4. Method Validation         224           III.A.2.5.4.2.Predictive abilities of the developed models         224           III.A.2.5.5.Determination of SLP pharmaceutical formulation         224           III.A.3.Results and Discussion         225           III.A.4.Conclusion         227           Section B         Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products           III.B.1.Introduction         235           III.B.2.Experimental         235		
III.A.1.Introduction   222     III.A.2.Experimental   222     III.A.2.I.Instrumentation   222     III.A.2.1.Instrumentation   222     III.A.2.2.Samples   222     III.A.2.3.Chemicals and Reagents   222     III.A.2.4.Standard Solutions   222     III.A.2.5.Procedures   223     III.A.2.5.1.Construction of training set   223     III.A.2.5.2.Constructing the model   223     III.A.2.5.3.Selection of the optimum number of factors to build the PLS   223     III.A.2.5.4. Method Validation   224     III.A.2.5.4.1.Construction of the validation set   224     III.A.2.5.5.Determination of SLP pharmaceutical formulation   224     III.A.3.Results and Discussion   225     III.A.4.Conclusion   227     III.A.1.Introduction   235     III.B.1.Introduction   235     III.B.1.Introduction   235     III.B.2.Experimental   235     III.B.2.Experiment	Section A	
III.A.1.Introduction   222   222   222   223   222   234   222   235   222   235	Multivariate Determination of Sulpiride, in Presence of its Acidic and	
III.A.2.Experimental       222         III.A.2.1.Instrumentation       222         III.A.2.2.Samples       222         III.A.2.3.Chemicals and Reagents       222         III.A.2.4.Standard Solutions       222         III.A.2.5.Procedures       223         III.A.2.5.1.Construction of training set       223         III.A.2.5.2.Constructing the model       223         III.A.2.5.3.Selection of the optimum number of factors to build the PLS and PCR models       223         III.A.2.5.4. Method Validation       224         III.A.2.5.4.1.Construction of the validation set       224         III.A.2.5.5.Determination of SLP pharmaceutical formulation       224         III.A.3.Results and Discussion       225         III.A.4.Conclusion       225         Section B         Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products         III.B.1.Introduction       235         III.B.2.Experimental       235	<b>Alkaline Degradation Products</b>	
III.A.2.Experimental       222         III.A.2.1.Instrumentation       222         III.A.2.2.Samples       222         III.A.2.3.Chemicals and Reagents       222         III.A.2.4.Standard Solutions       222         III.A.2.5.Procedures       223         III.A.2.5.1.Construction of training set       223         III.A.2.5.2.Constructing the model       223         III.A.2.5.3.Selection of the optimum number of factors to build the PLS and PCR models       223         III.A.2.5.4. Method Validation       224         III.A.2.5.4.1.Construction of the validation set       224         III.A.2.5.5.Determination of SLP pharmaceutical formulation       224         III.A.3.Results and Discussion       225         III.A.4.Conclusion       225         Section B         Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products         III.B.1.Introduction       235         III.B.2.Experimental       235		222
III.A.2.1.Instrumentation       222         III.A.2.2.Samples       222         III.A.2.3.Chemicals and Reagents       222         III.A.2.4.Standard Solutions       222         III.A.2.5.Procedures       223         III.A.2.5.1.Construction of training set       223         III.A.2.5.2.Constructing the model       223         III.A.2.5.3.Selection of the optimum number of factors to build the PLS and PCR models       224         III.A.2.5.4. Method Validation       224         III.A.2.5.4.1.Construction of the validation set       224         III.A.2.5.5.Determination of SLP pharmaceutical formulation       224         III.A.3.Results and Discussion       225         III.A.4.Conclusion       225         Section B         Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products         III.B.1.Introduction       235         III.B.2.Experimental       235		
III.A.2.2.Samples       222         III.A.2.3.Chemicals and Reagents       222         III.A.2.4.Standard Solutions       223         III.A.2.5.Procedures       223         III.A.2.5.1.Construction of training set       223         III.A.2.5.2.Constructing the model       223         III.A.2.5.3.Selection of the optimum number of factors to build the PLS and PCR models       223         III.A.2.5.4. Method Validation       224         III.A.2.5.4.1.Construction of the validation set       224         III.A.2.5.4.2.Predictive abilities of the developed models       224         III.A.2.5.5.Determination of SLP pharmaceutical formulation       224         III.A.3.Results and Discussion       225         III.A.4.Conclusion       227         Section B         Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products         III.B.1.Introduction       235         III.B.2.Experimental       235	1	
III.A.2.3.Chemicals and Reagents       222         III.A.2.4.Standard Solutions       222         III.A.2.5.Procedures       223         III.A.2.5.1.Construction of training set       223         III.A.2.5.2.Constructing the model       223         III.A.2.5.3.Selection of the optimum number of factors to build the PLS and PCR models       223         III.A.2.5.4. Method Validation       224         III.A.2.5.4.1.Construction of the validation set       224         III.A.2.5.4.2.Predictive abilities of the developed models       224         III.A.2.5.5.Determination of SLP pharmaceutical formulation       224         III.A.3.Results and Discussion       225         III.A.4.Conclusion       227         Section B         Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products         III.B.1.Introduction       235         III.B.2.Experimental       235		+
III.A.2.4.Standard Solutions       222         III.A.2.5.Procedures       223         III.A.2.5.1.Construction of training set       223         III.A.2.5.2.Constructing the model       223         III.A.2.5.3.Selection of the optimum number of factors to build the PLS and PCR models       223         III.A.2.5.4. Method Validation       224         III.A.2.5.4.1.Construction of the validation set       224         III.A.2.5.4.2.Predictive abilities of the developed models       224         III.A.3.Results and Discussion       225         III.A.4.Conclusion       225         III.A.4.Conclusion       227         Section B         Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products         III.B.1.Introduction       235         III.B.2.Experimental       235		
III.A.2.5.Procedures       223         III.A.2.5.1.Construction of training set       223         III.A.2.5.2.Constructing the model       223         III.A.2.5.3.Selection of the optimum number of factors to build the PLS and PCR models       223         III.A.2.5.4. Method Validation       224         III.A.2.5.4.1.Construction of the validation set       224         III.A.2.5.4.2.Predictive abilities of the developed models       224         III.A.2.5.5.Determination of SLP pharmaceutical formulation       224         III.A.3.Results and Discussion       225         III.A.4.Conclusion       227         Section B         Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products         III.B.1.Introduction       235         III.B.2.Experimental       235	<b>v</b>	
III.A.2.5.1.Construction of training set       223         III.A.2.5.2.Constructing the model       223         III.A.2.5.3.Selection of the optimum number of factors to build the PLS and PCR models       223         III.A.2.5.4. Method Validation       224         III.A.2.5.4.1.Construction of the validation set       224         III.A.2.5.4.2.Predictive abilities of the developed models       224         III.A.2.5.5.Determination of SLP pharmaceutical formulation       224         III.A.3.Results and Discussion       225         III.A.4.Conclusion       227         Section B         Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products         III.B.1.Introduction       235         III.B.2.Experimental       235		
III.A.2.5.2.Constructing the model223III.A.2.5.3.Selection of the optimum number of factors to build the PLS and PCR models223III.A.2.5.4. Method Validation224III.A.2.5.4.1.Construction of the validation set224III.A.2.5.4.2.Predictive abilities of the developed models224III.A.2.5.5.Determination of SLP pharmaceutical formulation224III.A.3.Results and Discussion225III.A.4.Conclusion227Section BMultivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation ProductsIII.B.1.Introduction235III.B.2.Experimental235		
III.A.2.5.3.Selection of the optimum number of factors to build the PLS and PCR models  III.A.2.5.4. Method Validation  III.A.2.5.4.1.Construction of the validation set  III.A.2.5.4.2.Predictive abilities of the developed models  III.A.2.5.5.Determination of SLP pharmaceutical formulation  224  III.A.3.Results and Discussion  225  III.A.4.Conclusion  Section B  Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products  III.B.1.Introduction  235  III.B.2.Experimental		1
and PCR models  III.A.2.5.4. Method Validation 224  III.A.2.5.4.1.Construction of the validation set 224  III.A.2.5.4.2.Predictive abilities of the developed models 224  III.A.2.5.5.Determination of SLP pharmaceutical formulation 224  III.A.3.Results and Discussion 225  III.A.4.Conclusion  Section B  Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products  III.B.1.Introduction 235  III.B.2.Experimental		223
III.A.2.5.4. Method Validation       224         III.A.2.5.4.1.Construction of the validation set       224         III.A.2.5.4.2.Predictive abilities of the developed models       224         III.A.2.5.5.Determination of SLP pharmaceutical formulation       224         III.A.3.Results and Discussion       225         III.A.4.Conclusion       227         Section B         Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products         III.B.1.Introduction       235         III.B.2.Experimental       235	<u> </u>	223
III.A.2.5.4.1.Construction of the validation set  III.A.2.5.4.2.Predictive abilities of the developed models  III.A.2.5.5.Determination of SLP pharmaceutical formulation  224  III.A.3.Results and Discussion  225  III.A.4.Conclusion  Section B  Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products  III.B.1.Introduction  235  III.B.2.Experimental		
III.A.2.5.4.2.Predictive abilities of the developed models III.A.2.5.5.Determination of SLP pharmaceutical formulation 224 III.A.3.Results and Discussion 225 III.A.4.Conclusion 227  Section B  Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products  III.B.1.Introduction 235 III.B.2.Experimental 235		224
III.A.2.5.5.Determination of SLP pharmaceutical formulation 224 III.A.3.Results and Discussion 225 III.A.4.Conclusion 227  Section B  Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products  III.B.1.Introduction 235 III.B.2.Experimental 235	III.A.2.5.4.1.Construction of the validation set	224
III.A.3.Results and Discussion 225   III.A.4.Conclusion 227   Section B Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products   III.B.1.Introduction 235   III.B.2.Experimental 235	1	224
III.A.4.Conclusion  Section B  Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products  III.B.1.Introduction 235  III.B.2.Experimental 235	III.A.2.5.5.Determination of SLP pharmaceutical formulation	224
Section B  Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products  III.B.1.Introduction 235  III.B.2.Experimental 235	III.A.3.Results and Discussion	225
Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products         III.B.1.Introduction       235         III.B.2.Experimental       235	III.A.4.Conclusion	227
Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products         III.B.1.Introduction       235         III.B.2.Experimental       235		
Multivariate Determination of Pimozide, in Presence of its Acidic and Alkaline Degradation Products         III.B.1.Introduction       235         III.B.2.Experimental       235		
Alkaline Degradation Products  III.B.1.Introduction 235  III.B.2.Experimental 235		
III.B.1.Introduction 235 III.B.2.Experimental 235		
III.B.2.Experimental 235	Alkaline Degradation Products	
III.B.2.Experimental 235		
III.B.2.Experimental 235	III B 1 Introduction	235
	III.B.2.1.Instrumentation	235