

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

((

))

/

COLOR ASSESSMENT OF A ZIRCONIA ALL-CERAMIC SYSTEM UNDER DIFFERENT ILLUMINANTS.

Thesis submitted to the
Faculty of Oral and Dental Medicine, Cairo University
In partial fulfillment of requirements of the Master Degree in
Fixed Prosthodontics

By
Karim Abou Bakr Mohamed Rabie

B.D.S 2006
Cairo University

Faculty of Oral and Dental medicine
Cairo University
(2011)

Supervisors

Dr.Amina Abd El Latif Zaki

Professor of Fixed Prosthodontics

Faculty of Oral and Dental medicine

Cairo University

Dr.Rasha Nabeel Mohamed Sami

Lecturer of Fixed Prosthodontics

Faculty of Oral and Dental medicine

Cairo University

Acknowledgment

First and forever I am grateful for Whom was all the time with me, inspiring me and guiding me. He was the first reason to accomplish this thesis, thanks to ALLAH.

My great thanks are extended to **Dr. Amina Abd El Latif Zaki**, Professor, Fixed Prosthodontics Department, Faculty of Oral and Dental Medicine, Cairo University for her continuous encouragement, counseling, cooperation, and support during the work.

I take the opportunity to send my honest thanks to **Dr. Rasha Nabeel Mohamed Sami**, Lecturer of Fixed Prosthodontics, Faculty of Oral and Dental Medicine, Cairo University for her kind suggestions, and scientific supervision during this study.

Finally I would like to thank all the staff members of the Fixed Prosthodontics department and my colleagues who helped making this work possible.

DEDICATION

My dear Mother and dear Father

For their prayers for me, encouragement and support

For my Fiancée, and Sister

List of contents

	Page
Introduction.....	1
Review of literature.....	3
Aim of the study.....	32
Materials and Methods.....	33
Results.....	53
Discussion.....	76
Summary and conclusion.....	87
Recommendations.....	90
References.....	91
Arabic summary.....	

List of Tables

Table no.		Page no.
1	Chemical composition of prettau zirconia	33
2	The mean, standard deviation (SD) values and results of comparison between (L^*) values of different groups and (L^*) values of shade A3 tab (standard).	53
3	The mean (L^*), standard deviation values and results of comparison between illuminants with each material	55
4	The mean, standard deviation (SD) values and results of comparison between (a^*) values of different groups and (a^*) values of shade A3 tab.	56
5	The mean (a^*), standard deviation (SD) values and results of comparison between illuminants with each material	58
6	The mean, standard deviation (SD) values and results of comparison between (b^*) values of different groups and (b^*) values of shade A3 tab	59

7	The mean (b^*), standard deviation (SD) values and results of comparison between illuminants with each material	61
8	Results of two-way ANOVA for the effect of material, illuminant and their interactions on mean (ΔE)	62
9	The mean (ΔE), standard deviation (SD) values and results of comparison between types of material regardless of illuminant	63
10	The mean (ΔE), standard deviation (SD) values and results of comparison between the two materials with each illuminant	64
11	The mean (ΔE), standard deviation (SD) values and results of comparison between types of illuminant regardless of material	65
12	The mean (ΔE), standard deviation (SD) values and results of comparison between illuminants with each material	66

13	The mean (ΔE), standard deviation (SD) values and results of comparison between the different interactions	67
14	Results of two-way ANOVA for the effect of material, illuminant and their interactions on mean translucency	69
15	The mean translucency, standard deviation (SD) values and results of comparison between types of material regardless of illuminant	70
16	The mean translucency, standard deviation (SD) values and results of comparison between the two materials with each illuminant	71
17	The mean translucency, standard deviation (SD) values and results of comparison between types of illuminant regardless of material	72
18	The mean translucency, standard deviation (SD) values and results of comparison between illuminants with each material	73
19	The mean translucency, standard deviation (SD) values and results of comparison between the different interactions	74