ASPARTATE TO PLATELETS RATIO INDEX (APRI TEST) AS A NON-INVASIVE MARKERFOR EVALUATION OF LIVER FIBROSISINPATIENTS WITH CHRONIC HCVAND HBV

THESIS
Submitted For Partial Fulfillment of the Master Degree in
INTERNAL MEDICINE

By **ALAA EL DIN FATHI ABD EL MONEIM HELMI**M.B.B.Ch. Faculty of Medicine - Cairo University

Supervised By

Prof.Dr. OSAMA ABO EL FOTOH EL SAYED

Professor of Internal Medicine Faculty of Medicine - Ain ShamsUniversity

Prof.Dr. NOHA ABD EL RAZEK EL NAKEEB

Prof. of Internal Medicine Faculty of Medicine - Ain ShamsUniversity

Assist. Prof. Dr. AMIR HELMY SAMY

Assist. Prof. of Internal Medicine Faculty of Medicine - Ain ShamsUniversity

Faculty of Medicine AinShamsUniversity

2014

ؠڹٚؠٚٳڛؙٙٳؙٳڿٚ<u>ڿؙٳٛڵڿڿؠٚڹ</u>

وقُلِ اعْمَلُوا فَسَيَرَى اللهُ عَمَلَكُمْ ورَسُولُهُ وَقُلِ اعْمَلُوا فَسَيَرَى اللهُ عَمَلَكُمْ ورَسُولُهُ والمُؤْمِنُونَ

صدق الله العظيم سورة التوية آية (١٠٥)



First, thanks are all due to Allah for Blessing this work until it has reached its end, as a part of his generous help throughout our life.

I would like to express my deep gratitude and appreciation to **Prof. Dr. Osama Abo El Fotoh El Sayed**, Professors of Internal Medicine, Faculty of Medicine, Ain Shams University, for his great supervision, great help, available advises, continuous encouragement and without his support it was impossible for this study to be achieved in this form. I had the privilege to benefit from his great knowledge, and it is an honor to work under his guidance and supervision.

I am sincerely express my great appreciation to **Prof. Dr. Noha Abd El Razek El Nakeeb**, Professors of Internal Medicine, Faculty of Medicine, Ain Shams University, for her efforts and all advices she offered me to make this work possible.

I am deeply thankful to **Prof. Dr. Amir Helmy Samy**, Assistant prof of Internal Medicine, Faculty of Medicine, Ain Shams University, for his meticulous revision, constant support and valuable advice.

I am deeply thankful to **All the Patients** that shared in the study and without their cooperation; this work would never be done.

I am deeply thankful to Yaseen Abd El Ghaffar Center for Liver Diseases and Researches for the support and assistance.

I am also thankful to my friend **Dr. Ismail Qassem, Liver Institute, Cairo** for his sincere and great help.

Last but not least, I dedicate this work to the soul of my mother and all my family members; my father, my brothers, my sisters, my wife, my kids, my friends and colleagues, whom without their sincere emotional support; this work could not have been completed.



List of Contents

Content	Page
Acknowledgement	
List of Abbreviations	III
List of Tables	V
List of Figures	VII
Abstract	X
Introduction	1
Aim of the work	4
Review of Literature	
Chapter 1: Hepatitis B	5
Epidemiology and history of HBV.	6
Transmission of HBV.	7
Clinical Manifestations of Hepatitis B.	11
Virology of Hepatitis B.	20
Diagnostic tests for acute and chronic hepatitis B.	24
Treatment of chronic hepatitis B.	36
Chapter 2:Hepatitis C	84
Epidemiology and history of HCV.	84
Transmission of HVC.	84
Clinical Manifestations of Hepatitis C.	87
Virology of Hepatitis C.	93
Diagnostic tests for acute and chronic hepatitis C.	99
Treatment of chronic hepatitis C.	105
Chapter 3:Liver fibrosis	136
Histology of the Liver.	137
Pathogenesis of Liver Fibrosis.	142
Some Clinical Aspects of Liver Fibrosis.	152
Importance of staging and grading of liver fibrosis.	155

Chapter 4:Diagnosis of liver fibrosis	157
Liver biopsy as an Invasive method for diagnosis of liver fibrosis	158
Noninvasive assessment of liver fibrosis	162
Liver imaging techniques	162
Serum markers:	163
*A. Indirect markers	164
*B. Direct markers of liver fibrogenesis	169
Chapter 5:APRI TEST	182
Patient and Method	186
Results	194
Discussion	222
Summary	230
Conclusion	233
Recommendations	234
References	235
Arabic Summary	١

List of Abbreviations

ADV		Adefovir Dipivoxil.
APRI Test	:	ASPARTATE TO PLATELET RATIO INDEX Test.
AUC	:	Area Under Curve.
AST	:	Aspartate Transferase.
ALT	:	Alanine Transferase.
ВОС	:	Boceprevir.
B.M.I	:	Body Mass Index.
C.B.C	:	Complete blood Cytology.
C.T	:	Computerized tomography.
ECM	:	Extra cellular matrix.
ETV	:	Entecavir.
HBIG	:	Hepatitis B-immunoglobulin.
HBV	:	Hepatitis B. virus.
HBVcAg	:	Hepatitis B core antigen .
HBVcAb	:	Hepatitis B core antibody.
HBVeAg	:	Hepatitis B envelop antigen.
HBVeAb	:	Hepatitis B envelop antibody.
HBVsAg	:	Hepatitis B surface antigen.
HBVsAb	:	Hepatitis B envelop antibody.
НСС	:	Hepato Cellular Carcinoma.
H.C.V	:	Hepatitis C. Virus.
H.C.Vab	:	Hepatitis C virus Antibodies.
HIV	:	Human Immuno-deficiency Virus.
HSCs	:	Hepatic Stellate Cells.
LDL	:	Low Density Lipoprotein.
LdT	:	Telbivudine.
LMD	:	Lamivudine.
MELD	:	Model for End-Stage Liver Disease.
MHz	:	Mega Hertiz.
N.A.S.H	:	None Alcoholic Steato-hepatitis.
PBC	:	Primary Biliary Cirrhosis.
P.C.R	:	Polymerase Chain Reaction.

PEG-INF α	:	Pegylated Interferon α .
PSC	•	Primary Sclerosing Cholangitis.
RAVs	:	Amino Acid Variants.
RBV	:	Ribavirin.
ROC	:	Receiver Operating Characteristics.
TDF	:	Tenofovir Disoproxil Fumarate.
TLV	:	Telaprevir.
VLDL	:	Very Low Density Lipoprotein.
ULN	:	Upper Limit of Normal.
U.S	:	Ultra Sound.

List of Tables

Table	Content	Page
	Key guideline recommendations for indication for antiviral treatment	27
I	of HBV infection.	37
	Overview of interferon and oral antiviral drugs currently approved for	40
II	the treatment of HBV infection.	48
	Recommendations for the use of nucleos(t)ide analogs in clinical	40
III	practice.	49
IV	Predictors of response to antiviral therapy.	59
V	Recommendation for laboratory tests for monitoring antiviral therapy.	66
	Recommendations in secondary treatment failure of HBV polymerase	
VI	inhibitors.	77
VII	Child -Pugh classification of severity of liver disease.	92
VIII	Size and main function of HCV proteins.	95
IX	Relevant definitions for HCV treatment.	108
X	Approved drugs for the treatment of chronic hepatitis C.	109
	Phase III studies with BOC or TLV treatment regimens in treatment	
XI	naïve patients with HCV genotype.	112
	Phase III studies with BOC or TLV treatment regimens in treatment-	
XII	experienced patients infected with HCV genotype 1.	119
	Common side effects (>5% of patients) recorded in the PEG-	
XII	IFN/RBV/PI trials.	124
XIV	Recommended combination therapy.	129
	Ribavirin Dose Modification Guideline for Coadministration with	
XV	Sofosbuvir.	130
XVI	Commonly used liver fibrosis staging scores.	161
XVII	Initial reports of indirect serum assays for hepatic fibrosis.	178
XVIII	Initial reports of direct serum assays for hepatic fibrosis.	179
1	Demographic and laboratory data for all participants in the study	195
2	Gender distribution for all studied cases.	197

	Ct Cf		
3	Stages of fibrosis among patients using Liver biopsy in HCV	197	
3	(METAVIR SCORE) and Fibroscan in HBV patients.	197	
4	Ultrasonographic findings of the studied patients.	198	
	The Demographic and laboratory data of non-fibrotic (F0) VS fibrotic	100	
5	patients (F 1-2-3-4) in chronic HCV patients (group 1).	199	
	The Demographic and laboratory data of non-fibrotic (F0) VS fibrotic		
6	patients (F 1-2-3-4) in chronic HBV patients (group 2).	200	
	The Demographic and laboratory data of non-significant fibrosis		
7	(F0-1) VS significant fibrosis patients (F 2-3-4) in chronic HCV	201	
	patients (group 1).		
	The Demographic and laboratory data of non-significant fibrosis (F0-		
8	1) VS significant fibrosis (F 2-3-4) in chronic HBV patients (group 2).	202	
	The Demographic and laboratory data of non-cirrhotic (F0-1-2-3) VS		
9	cirrhotic patients (F4) in chronic HCV patients (group 1).	203	
	The Demographic and laboratory data of non-cirrhotic (F0-1-2-3) VS		
10	cirrhotic patients (F4) in chronic HBV patients (group 2).	204	
	The correlation between demographic and variable laboratory dataand		
11	the stage of fibrosis in HCV patients (group 1) and HBV patients	205	
	(group 2).		
	Univariate analysis of different parameters associated with each stage		
12	of fibrosis in chronic HCV patients (group 1).	206	
	Multi-variate analysis of different parameters associated with each		
13	stage of fibrosis in chronic HCV patients (group 1).	207	
	Univariate analysis of different parameters associated with each stage		
14	of fibrosis in chronic HBV patients(group 2).	208	
	Multi-variate analysis of different parameters associated with each		
15	stage of fibrosis in chronic HBV patients(group 2)	209	
	Cut off, Sensitivity and Specificity of APRI test with different stages		
16	of liver fibrosis in chronic HCV patients (group1).	212	
	Cut off values, Sensitivity and Specificity of APRI test with different		
17	stages of liver fibrosis in chronic HBV patients (group 2).	217	

List of Figures

Figure	Content	Page
*	Schematic representation of the HBV virion and non-infectious empty	22
I	subviral particles.	23
**	Indication for antiviral treatment (German guidelines for the treatment of	4.1
П	chronic HBV infection).	41
***	Possible endpoints of treatment of chronic HBV infection. After achieving	42
III	HBeAg or HBsAg seroconversion, antiviral treatment can be stopped.	43
13.7	Treatment algorithm for chronic HBV infection according to the German	47
IV	Guidelines.	47
X 7	1-year efficacy of medications currently approved for the treatment of	<i>c</i> 1
V	chronic HBV.	51
X7 T	Possible courses of HBV DNA levels during treatment with nucleoside or	(0)
VI	nucleotide analogs	60
VII	On-treatment prediction of treatment response by HBsAg levels.	63
XZIII	The level of HBsAg levels after 12 weeks of treatment with PEG-IFN α -2a	61
VIII	is predictive for HBeAg seroconversion six months after treatment.	64
IV	Proportion of patients with undetectable HBV DNA after 48 or 52 weeks of	70
IX	treatment.	70
X	Cumulative incidence of HBV polymerase inhibitor resistance.	74
XI	Resistance patterns of different antiviral drugs used for the treatment of	75
Ai	chronic HBV.	75
XII	Mutations in the HBV polymerase.	81
VII	Antiviral potency and genetic resistance barrier of currently approved HBV	02
XII	polymerase inhibitors.	83
XIV	Genome organization and polyprotein processing.	94
XV	Model of the HCV lifecycle.	96
N/N/I	Detection limits and linear dynamic ranges of commercially available HCV	102
XVI	RNA detection assays.	102
XVIIA	Treatment with BOC/PEG-IFN/RBV.	110
XVIIB	Treatment with TLV/PEG-IFN/RBV.	111
*******	Suggestion to use the lead-in strategy for individualization of treatment in	116
XVIII	patients with HCV genotype.	116

XX hepatitis C. 118 XX Recommendation for treatment of HCV genotypes 2 and 3. 121 XXI Suggestion for treatment of HCV genotypes 4, 5, and 6. 122 XXIII (A) Normal liver, (B) Injured liver with fibrosis. 139 XXIII Sequence of events involved in fibrosis. 145 XXIV The most important factors involved in the activation of hepatic stellate cell during liver injury and natural course of liver fibrosis. 146 XXVI HSCs activation. 149 XXVVI Potential clinical decision algorithm for safer liver biopsies in patients with chronic viral hepatitis. 181 1 AAR values in different stages of fibrosis in HCV (group 1). 210 2 APRI values in different stages of fibrosis in HBV (group 2). 211 3 AAR values in different stages of fibrosis in HBV (group 2). 211 4 APRI values in different stages of fibrosis in HBV (group 2). 211 5 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-34) in chronic HCV patients (group 1). 213 6 (F<1) in in chronic HCV patients (group 1). 214 8 Spearman's linear correlation between APRI test an		Different scenarios of treatment failure to antiviral therapy in chronic	1.1.0
XXI Suggestion for treatment of HCV genotypes 4, 5, and 6. 122 XXIII (A) Normal liver, (B) Injured liver with fibrosis. 139 XXIII Sequence of events involved in fibrosis. 145 XXIV The most important factors involved in the activation of hepatic stellate cell during liver injury and natural course of liver fibrosis. 146 XXVI HSCs activation. 149 Potential clinical decision algorithm for safer liver biopsies in patients with chronic viral hepatitis. 181 1 AAR values in different stages of fibrosis in HCV (group 1). 210 2 APRI values in different stages of fibrosis in HBV (group 2). 211 3 AAR values in different stages of fibrosis in HBV (group 2). 211 4 APRI values in different stages of fibrosis in HBV (group 2). 211 5 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). 213 6 Spearman's linear correlation between APRI test and non or mild fibrosis (F<1) in in chronic HCV patients (group 1). 214 8 F≥2) in chronic HCV patients (group 1). 214 8 Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV pat	XIX		118
XXII (A) Normal liver, (B) Injured liver with fibrosis. 139 XXIII Sequence of events involved in fibrosis. 145 XXIV The most important factors involved in the activation of hepatic stellate cell during liver injury and natural course of liver fibrosis. 146 XXVI HSCs activation. 149 Potential clinical decision algorithm for safer liver biopsies in patients with chronic viral hepatitis. 181 1 AAR values in different stages of fibrosis in HCV (group 1). 210 2 APRI values in different stages of fibrosis in HBV (group 2). 211 3 AAR values in different stages of fibrosis in HBV (group 2). 211 4 APRI values in different stages of fibrosis in HBV (group 2). 211 5 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1- 2-3-4) in chronic HCV patients (group 1). 213 6 (F<1) in in chronic HCV patients (group 1). 213 8 Spearman's linear correlation between APRI test and non or mild fibrosis (F≥1) in chronic HCV patients (group 1). 214 8 Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients (group 1). 215 9 Spearman's linear correlation between A	XX	Recommendation for treatment of HCV genotypes 2 and 3.	121
XXIII Sequence of events involved in fibrosis. 145 XXIV The most important factors involved in the activation of hepatic stellate cell during liver injury and natural course of liver fibrosis. 146 XXV HSCs activation. 149 Potential clinical decision algorithm for safer liver biopsics in patients with chronic viral hepatitis. 181 1 AAR values in different stages of fibrosis in HCV (group 1). 210 2 APRI values in different stages of fibrosis in HBV (group 2). 211 3 AAR values in different stages of fibrosis in HBV (group 2). 211 4 APRI values in different stages of fibrosis in HBV (group 2). 211 5 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). 213 6 Spearman's linear correlation between APRI test and non or mild fibrosis (F<1) in in chronic HCV patients (group 1). 214 8 Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients (group 1). 214 9 Spearman's linear correlation between APRI test and significant fibrosic group (F4-4) in chronic HCV patients (group 1) 215 10 Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic	XXI	Suggestion for treatment of HCV genotypes 4, 5, and 6.	122
The most important factors involved in the activation of hepatic stellate cell during liver injury and natural course of liver fibrosis. XXV HSCs activation. Potential clinical decision algorithm for safer liver biopsies in patients with chronic viral hepatitis. 1 AAR values in different stages of fibrosis in HCV (group 1). 2 APRI values in different stages of fibrosis in HCV (group 2). 3 AAR values in different stages of fibrosis in HBV (group 2). 4 APRI values in different stages of fibrosis in HBV (group 2). 5 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and non or mild fibrosis (F<1) in in chronic HCV patients (group 1). Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients (group 1). Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1). Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1).	XXII	(A) Normal liver, (B) Injured liver with fibrosis.	139
XXIV during liver injury and natural course of liver fibrosis. 146 XXV HSCs activation. 149 Potential clinical decision algorithm for safer liver biopsies in patients with chronic viral hepatitis. 181 1 AAR values in different stages of fibrosis in HCV (group 1). 210 2 APRI values in different stages of fibrosis in HBV (group 2). 211 3 AAR values in different stages of fibrosis in HBV (group 2). 211 4 APRI values in different stages of fibrosis in HBV (group 2). 211 5 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). 213 6 (F<1) in in chronic HCV patients (group 1). 214 7 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). 214 8 Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients (group 1). 215 9 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) 215 9 Spearman's linea	XXIII	Sequence of events involved in fibrosis.	145
AXV HSCs activation. 149 XXVI HSCs activation. 181 181 AXVI Potential clinical decision algorithm for safer liver biopsies in patients with chronic viral hepatitis. 181 192 APRI values in different stages of fibrosis in HCV (group 1). 210 3 AAR values in different stages of fibrosis in HBV (group 2). 211 4 APRI values in different stages of fibrosis in HBV (group 2). 211 5 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). 213 5 Spearman's linear correlation between APRI test and non or mild fibrosis (F<1) in in chronic HCV patients (group 1). 213 5 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). 214 8 F≥2) in chronic HCV patients(group 1). Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) 9 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-cirrhot		The most important factors involved in the activation of hepatic stellate cell	1.46
XXVI Potential clinical decision algorithm for safer liver biopsies in patients with chronic viral hepatitis. 181 1 AAR values in different stages of fibrosis in HCV (group 1). 210 2 APRI values in different stages of fibrosis in HCV (group 1). 210 3 AAR values in different stages of fibrosis in HBV (group 2). 211 4 APRI values in different stages of fibrosis in HBV (group 2). 211 5 Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). 213 6 (F<1) in in chronic HCV patients (group 1). 213 7 Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). 214 8 Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients (group 1). 214 9 Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) 215 9 Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) 215 10 Spearman's linear correlation between AP	XXIV	during liver injury and natural course of liver fibrosis.	146
XXVI chronic viral hepatitis. 181 1 AAR values in different stages of fibrosis in HCV (group 1). 210 2 APRI values in different stages of fibrosis in HCV (group 1). 210 3 AAR values in different stages of fibrosis in HBV (group 2). 211 4 APRI values in different stages of fibrosis in HBV (group 2). 211 5 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). 213 6 (F<1) in in chronic HCV patients (group 1). 213 7 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). 214 8 F≥2) in chronic HCV patients(group 1). 214 8 F≥2) in chronic HCV patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) 215 9 Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) 215 10 Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). 215 11 Spearman's linear correlation between APRI test and stages	XXV	HSCs activation.	149
AAR values in different stages of fibrosis in HCV (group 1). 210 APRI values in different stages of fibrosis in HCV (group 1). 210 APRI values in different stages of fibrosis in HBV (group 2). 211 APRI values in different stages of fibrosis in HBV (group 2). 211 APRI values in different stages of fibrosis in HBV (group 2). 211 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). 213 Spearman's linear correlation between APRI test and non or mild fibrosis (F<1) in in chronic HCV patients (group 1). 213 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). 214 Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). 214 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) 215 Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) 215 Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1). 215 Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1). 216		Potential clinical decision algorithm for safer liver biopsies in patients with	101
2 APRI values in different stages of fibrosis in HCV (group 1). 3 AAR values in different stages of fibrosis in HBV (group 2). 4 APRI values in different stages of fibrosis in HBV (group 2). 5 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). 5 Spearman's linear correlation between APRI test and non or mild fibrosis (F<1) in in chronic HCV patients (group 1). 5 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). 5 Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). 5 Showing ROC curve , cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) 5 Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) 7 Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1). 8 Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1). 8 Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1).	XXVI	chronic viral hepatitis.	181
AAR values in different stages of fibrosis in HBV (group 2). 4 APRI values in different stages of fibrosis in HBV (group 2). 5 Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). 6 Spearman's linear correlation between APRI test and non or mild fibrosis (F<1) in in chronic HCV patients (group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1).	1	AAR values in different stages of fibrosis in HCV (group 1).	210
APRI values in different stages of fibrosis in HBV (group 2). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and non or mild fibrosis (F<1) in in chronic HCV patients (group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1).	2	APRI values in different stages of fibrosis in HCV (group 1).	210
Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and non or mild fibrosis (F<1) in in chronic HCV patients (group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1).	3	AAR values in different stages of fibrosis in HBV (group 2).	211
discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-2-3-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and non or mild fibrosis (F<1) in in chronic HCV patients (group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1).	4	APRI values in different stages of fibrosis in HBV (group 2).	211
2-3-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and non or mild fibrosis (F<1) in in chronic HCV patients (group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1).		Showing ROC curve, cutoff point and diagnostic parameters for	
2-3-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and non or mild fibrosis (F<1) in in chronic HCV patients (group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1).	5	discriminating patients with non-fibrotic group (F0) from fibrotic group (F1-	213
6 (F<1) in in chronic HCV patients (group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1).		2-3-4) in chronic HCV patients (group 1).	
Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-significant fibrotic group (F0-1) Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1).		Spearman's linear correlation between APRI test and non or mild fibrosis	212
discriminating patients with non-significant fibrotic group (F0-1) from significant fibrotic group (F2-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1).	6	(F<1) in in chronic HCV patients (group 1).	213
from significant fibrotic group (F2-4) in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1).		Showing ROC curve, cutoff point and diagnostic parameters for	
Spearman's linear correlation between APRI test and significant fibrosis (F≥2) in chronic HCV patients(group 1). Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1).	7	discriminating patients with non-significant fibrotic group (F0-1)	214
Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and stages of fibrosis in in chronic HCV patients (group 1).		from significant fibrotic group (F2-4) in chronic HCV patients (group 1).	
Showing ROC curve, cutoff point and diagnostic parameters for discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1).		Spearman's linear correlation between APRI test and significant fibrosis (
discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and stages of fibrosis in in	8	F≥2) in chronic HCV patients(group 1).	214
group (F4) in chronic HCV patients (group 1) Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and stages of fibrosis in in		Showing ROC curve, cutoff point and diagnostic parameters for	
Spearman's linear correlation between APRI test and cirrhotic group (F=4) in chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and stages of fibrosis in in	9	discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic	215
chronic HCV patients (group 1) Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and stages of fibrosis in in		group (F4) in chronic HCV patients (group 1)	
Spearman's linear correlation between AAR test and stages of fibrosis in in chronic HCV patients (group 1). Spearman's linear correlation between APRI test and stages of fibrosis in in		Spearman's linear correlation between APRI test and cirrhotic group (F=4) in	_
chronic HCV patients (group 1). Spearman's linear correlation between APRI test and stages of fibrosis in in	10	chronic HCV patients (group 1)	215
Spearman's linear correlation between APRI test and stages of fibrosis in in		Spearman's linear correlation between AAR test and stages of fibrosis in in	0.1.5
	11	chronic HCV patients (group 1).	216
chronic HCV patients (group 1).		Spearman's linear correlation between APRI test and stages of fibrosis in in	
	12	chronic HCV patients (group 1).	216
· · · · · · · · · · · · · · · · · · ·			

	Showing ROC curve, cutoff point and diagnostic parameters for		
13	discriminating patients with non-fibrotic group (F0) from fibrotic group	218	
	(F1-2-3-4) in chronic HBV patients (group 2).		
4.4	Spearman's linear correlation between APRI test and mild fibrosis (F<1) in	210	
14	in chronic HBV patients (group 2).	218	
	Showing ROC curve, cutoff point and diagnostic parameters for		
15	discriminating patients with non-significant fibrotic group (F0-1) from	219	
	significant fibrotic group (F2-4) in chronic HBV patients (group 2).		
1.6	Spearman's linear correlation between APRI test and significant fibrosis	219	
16	(F≥2) in chronic HBV patients (group 2).		
	Showing ROC curve, cutoff point and diagnostic parameters for		
17	discriminating patients with non-cirrhotic group (F0-1-2-3) from cirrhotic	220	
	group (F4) in chronic HBV patients (group 2).		
1.0	Spearman's linear correlation between APRI test and cirrhotic group (F=4) in		
18	chronic HBV patients (group 2).	220	
10	Spearman's linear correlation between AAR test and stages of fibrosis in in	221	
19	chronic HBV patients (group 2).	221	
20	Spearman's linear correlation between APRI test and stages of fibrosis in in	221	
20	chronic HBV patients (group 2).	221	