

Effect of Different Surface Treatments on Various Physical and Mechanical Properties of Veneered Nano-crystalline Zirconia

Thesis

Submitted for Partial Fulfillment of the Requirements of the
Doctorate Degree in Crown and Bridge

Faculty of Dentistry, Ain Shams University

Presented by

Mennatallah Mohie el-Din Wahba Aly el-Din

B.Ds (Ain Shams University 2007)

M.Sc (Ain Shams University 2012)

Assistant Lecturer in Crown and Bridge Department

Faculty of Dentistry, Future University

Faculty of Dentistry

Ain Shams University

2015

Supervisors

Dr.Tarek Salah El-Din Morsi

Assistant Professor of Fixed Prosthodontics

Head of Crown and Bridge Department

Faculty of Dentistry Ain Shams University

Dr.Ashraf Hussien Sherif

Professor of Fixed Prosthodontics

Department of Fixed Prosthodontics

Faculty of Oral and Dental Medicine Cairo University

Head of Crown and Bridge Department and Vice Dean

Faculty of Dentistry Future University

Dr. Amr Saleh el-Etreby

Lecturer of Fixed Prosthodontics

Crown and Bridge Department

Faculty of Dentistry Ain Shams University

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

{نَرْفَعُ دَرَجَاتٍ مَّنْ نَّشَاءُ وَفَوْقَ كُلِّ ذِي عِلْمٍ عَلِيمٌ}

صدق الله العظيم

سورة يوسف (آية 76)

Acknowledgment

First and foremost-without any question or hesitation-I would love to express my deepest gratitude and sincere appreciation to my supervisor and mentor, ever since I graduated, Dr. Tarek Salah el-Din Morsi, Assistant professor of Fixed Prosthodontics and Head of Crown and Bridge Department Faculty of Dentistry, Ain Shams University for his priceless effort, meticulous care, unsurpassed support and patience throughout the course of this research. Without his encouragement and invaluable contributions, this research would have never been possible. He has always guided me through the way providing all the help and care and kept me on course the entire way. For him, I will remain eternally indebted.

My sincere due respect, appreciation and thanks go to Professor Dr. Ashraf Hussien, Professor of Fixed Prosthodontics Faculty of Dentistry, Cairo University, and Head of Crown and Bridge Department and Vice Dean, Faculty of Dentistry, Future University

for his valuable guidance and support through the whole course of research and over the years of work.

Very special thanks go to Dr. Amr el-Etreby, Lecturer of Fixed Prosthodontics, Faculty of Dentistry, Ain Shams University for his guidance, assistance and encouragement throughout this work. He has always been very helpful and generous with his time and effort.

My deepest love and appreciation go to my family for their great help, support and patience.

Finally, I'd like to thank all my friends, colleagues and all the FUE family for always being there providing support and help whenever needed.

Dedication

To my dad's soul.....The one who has always believed in me. He has always been the source of my strength encouragement and inspiration ever since the very beginning and all through the way of life. He has always been my role model and will always be. Hope I could always make him proud.

To my mom.....Thanks for all your support, patience and unconditional love. You're God's gift on earth.

To my brother.....My first friend, backbone and everlasting source of support.

To my dearest friends.....You've always been the reason for my growth and progress.

Contents

List of Tables.....	i
List of Figures.....	7
Introduction.....	1
Review of Literature.....	4
Statement of the Problem.....	39
Aim of the Study.....	40
Materials and Methods	41
Results.....	72
Discussion.....	111
Summary.....	131
Conclusions.....	134
References.....	136
Arabic Summary	

LIST OF TABLES

<u>Table 1: Chemical composition of inCoris TZI.....</u>	41
<u>Table 2: Technical data of inCoris TZI.</u>	41
<u>Table 3: Physical properties of VITA VM9</u>	43
<u>Table 4: Standard composition of Cojet powder</u>	44
<u>Table 5: Physical properties of nano-crystalline Yttria stabilized nano-zirconia powder.....</u>	45
<u>Table 6: Dentobond porcelain etch composition</u>	46
<u>Table 7: Samples grouping for shear bond strength test.....</u>	48
<u>Table 8: Samples grouping for biaxial flexural strength test, color reproduction and translucency parameter measurment.....</u>	48
<u>Table 9: Firing chart of VITAVM9</u>	60
<u>Table 10: Firing chart of VITA AKZENT glaze</u>	62
<u>Table 11: Elemental composition of untreated zirconia plate.</u>	74
<u>Table 12: Elemental composition of tribochemical coated zirconia plate....</u>	76
<u>Table 13: Elemental composition of zirconia plate treated with zirconia powder deposition.....</u>	78
<u>Table 14: Elemental composition of glass graded zirconia plate.</u>	80
<u>Table 15: Mean (SD) of surface roughness values of different surface treatment groups.....</u>	81
<u>Table 16: One way analysis of variance (ANOVA) showing the effect of different surface treatments on surface roughness values.....</u>	82
<u>Table 17: Multiple comparison tests showing the effect of different surface treatments on surface roughness; Dunnett-t for comparison with the control group and Boneferroni for comparison between the groups.</u>	82
<u>Table 18: Mean (SD) shear bond strength values of different surface treatment groups.....</u>	83

Table 19: One way analysis of of variance (ANOVA) for testing the mean values of shear bond strength on un-aged sub-groups.84

Table 20: Multiple comparison tests showing the effect of different surface treatments on shear bond strength values of un-aged sub-groups; Dunnett-t for comparison with the control group and Boneferroni for comparison between the groups.84

Table 21: One way analysis of variance (ANOVA) for testing the mean values of shear bond strength on aged sub-groups.85

Table 22: Multiple comparison tests showing the effect of different surface treatments on shear bond strength values of aged sub-groups; Dunnett-t for comparison with the control group and Boneferroni for comparison between the groups.85

Table 23: Independent samples t-test comparing the shear bond strength means between un-aged and aged sub-groups of each surface treatment group.86

Table 24: Mean (SD) of bi-axial flexural strength values in different surface treatment groups before and after aging.87

Table 25: One way analysis of variance (ANOVA) for testing the means of bi-axial strength values of un-aged sub-groups.88

Table 26: One way analysis of variance (ANOVA) for testing the means of bi-axial strength values of aged sub-groups.....88

Table 27: Independent samples t-test comparing the mean (TP) between un-aged and aged sub-groups in different surface treatment groups.89

Table 28: Mean (SD) L* values of different surface treatment groups before and after aging.....90

Table 29: One way Analysis of variance (ANOVA) comparing the means of L* values of unged sub-groups of different surface treatment groups91

Table 30: Multiple comparison tests showing the effect of diiferent surface treatments on L* value of un-aged subgroups; Dunnett-t for comparisons with the control group and Bonferroni for comparisons between groups91

Table 31: One way analysis of variance (ANOVA) comparing the means of L*values of aged sub-groups for different surface treatment groups92

Table 32: Multiple comparison tests showing the effect of different surface treatments on L* values of aged sub-groups; Dunnett-t for comparisons with the control group and Bonferroni for comparisons between groups.92

Table 33: Independent samples t-test comparing the L* value means between un-aged and aged sub-groups of each surface treatment groups93

Table 34: Mean (SD) of a* value of different surface treatment groups before and after aging.94

Table 35: One way analysis of variance (ANOVA) comparing the a* value means of un-aged sub-groups of different surface treatment groups......95

Table 36: Multiple comparison tests showing the effect of different surface treatment methods on a* value of un-aged sub-groups; Dunnett-t for comparison with the control group and Bonferroni for comparison between groups.95

Table 37: One way analysis of variance (ANOVA) comparing the a* value means of aged sub-groups of different surface treatment groups.96

Table 38:Multiple comparison tests showing the effect of different surface treatments on a* value of aged sub-groups; Dunnett-t for comparison with the control group and Bonnferroni for comparison between groups.97

Table 39: Independent samples t-test comparing the a* value means between the un-aged and aged sub-groups of different surface treatment groups. 98

Table 40: Mean (SD) of b* value of different surface treatment groups before and after aging.99

Table 41: One way analysis of variance (ANOVA) comparing the b* value means of an-aged sub-groups of different surface treatment groups.....100

Table 42: Multiple comparison tests showing the effect of different surface treatments on b* value of unaged sub-groups; Dunnett-t test for comparisons with the control group and Bonferroni for comparisons between groups.100

Table 43: One way analysis of variance (ANOVA) comparing the b* value means of aged sub-groups of different surface treatment groups.....101

Table 44: Multiple comparison tests showing the effect of different surface treatments on the b* value of aged sub-groups; Dunnett-t for comparisons with the control group and Bonferroni for comparisons between groups.101

Table 45: Independent samples t-test comparing the b* value means between unaged and aged sub-groups of different surface treatment groups.102

Table 46: Mean and (SD) of delta E values for different surface treatment groups before and after aging.103

Table 47: One way analysis of variance (ANOVA) comparing the delta E means of un-aged sub-groups of different surface treatment groups.....104

Table 48: Multiple comparison tests showing the effect of different surface treatments on the delta E value of un-aged sub-groups; Dunnett-t test for comparison with the control group and Bonnferroni for comparison between the groups.104

Table 49: One way analysis of variance (ANOVA) comparing the delta E means of aged sub-groups of different surface treatment groups.105

Table 50: Multiple comparison tests showing the effect of different surface treatments on the delta E value of aged sub-groups; Dunnett-t test for comparison with the control group and Bonnferroni for comparisons between the groups.105

Table 51: Independent samples t- test comparing delta E value means between un-aged and aged sub-groups of each surface treatment group.106

Table 52: Mean (SD) of translucency parameter (TP) of different surface treatment groups before and after aging.107

Table 53: One way analysis of variance (ANOVA) comparing the (TP) means of un-aged sub-groups of different surface treatment groups.....108

Table 54: Multiple comparison tests showing the effect of different surface treatments on the TP value of un-aged sub-groups; Dunnett-t test for comparison with the control group and Bonnferroni for comparisons between the groups.108

Table 55: One way analysis of variance (ANOVA) comparing the (TP) means of aged sub-groups of different surface treatment groups.109

Table 56: Multiple comparison tests showing the effect of different surface treatments on the TP value of aged sub-groups; Dunnett-t test for comparison with the control group and Bonnferroni for comparisons between the groups.109

Table 57: Independent samples t-test comparing the mean (TP) between un-aged and aged sub-groups in different surface treatment groups110

LIST OF FIGURES

<u>Figure 1: inCoris TZI block 40/19.....</u>	42
<u>Figure 2: inCoris coloring liquid</u>	42
<u>Figure 3: VITAVM9 ENL powder</u>	43
<u>Figure 4:VITA AKZENT glaze powder and liquid.....</u>	44
<u>Figure 5: Cojet powder</u>	45
<u>Figure 6: Nano-crystalline YTZP powder</u>	46
<u>Figure 7: Dentobond porcelain etch</u>	46
<u>Figure 8: Stainless steel disc mounted on a milling machine for cutting of zirconia samples.....</u>	49
<u>Figure 9: Hardened stainless steel disc</u>	50
<u>Figure 10: Milled zirconia plate for shear bond strength test and disc for biaxial flexural strength test,color reproduction and translucency measurments.</u>	50
<u>Figure 11: Dipping of zirconia samples in coloring solution</u>	52
<u>Figure 12: Tribochemichal coating of zirconia disc</u>	53
<u>Figure 13: zirconia powder coating of zirconia disc</u>	54
<u>Figure 14: Glass grading of zirconia disc</u>	55
<u>Figure 15: Diagramatic drawing showing a specially designed mould for glass layer thickness adjustment on plate samples.</u>	56
<u>Figure 16: Diagramatic drawing showing a specially designed mold for glass layer thickness adjustment on disc-shaped samples.</u>	56
<u>Figure 17: zirconia samples supported by beads on the firing tray</u>	57
<u>Figure 18: Scanning electron microscope.....</u>	58
<u>Figure 19: Digital microscope connected on a special software for measurement of Ra value.....</u>	59

<u>Figure 20: Sintered zirconia plate after firing of the porcelain discs.</u>	60
<u>Figure 21: Two-part teflon mold for build-up of veneering porcelain</u>	61
<u>Figure 22: Veneering of zirconia discs in a specially designed mold</u>	62
<u>Figure 23: Glazing of zirconia discs</u>	63
<u>Figure 24: VITA Easyshade Compact</u>	64
<u>Figure 25: Color measurement over white background using VITA Easyshade Compact</u>	64
<u>Figure 26: Measurement of color parameters over black background</u>	65
<u>Figure 27: Sample fixed on LLoyd universal testing machine for shear bond strength test</u>	66
<u>Figure 28: Chisel-shaped piston directed at the zirconia-veneer interface</u>	67
<u>Figure 29: Three hardened stainless steel balls positioned 120° apart on a support circle with a diameter 10 mm.</u>	69
<u>Figure 30: zirconia disc concentrically placed over the the three balls and fixed to the LLoyd universal testing machine for bi-axial flexural strength test</u>	69
<u>Figure 31: Autoclave Sturdy SA-260-MA</u>	70
<u>Figure 32: Veneered samples placed for autoclave aging</u>	70
<u>Figure 33: SEM image of untreated zirconia plate. (1000X)</u>	73
<u>Figure 34: Elemental composition of untreated zirconia plate.</u>	74
<u>Figure 35: SEM image of zirconia tribochemical silica coated zirconia plate. (1000X)</u>	75
<u>Figure 36: Elemental composition of tribochemical coated zirconia plate.</u>	76
<u>Figure 37: SEM image of zirconia plate treated with zirconia powder deposition.(1000X)</u>	77
<u>Figure 38: Elemental composition of zirconoa plate treated with zirconia powder deposition.</u>	78

Figure 39:SEM image of glass graded graded zirconia plate(1000X).(a)
After fusing with glass ceramic (b) After etching ewith 10% HF79

Figure 40: Elemental composition of glass graded zirconia plate.....80

Figure 41: Bar chart showing means of (Ra) value in relation to different
surface treatments81

Figure 42: Bar chart showing means of shear bond strength in relation to
different surface treatments before and after aging.83

Figure 43: Bar chart showing means of bi-axial flexural strength values in
relation to different surface treatments before and after aging.87

Figure 44: Bar chart showing mean of L* value in relation to different
surface treatments before and after aging90

Figure 45: Bar chart showing means of a* value in relation to different
surface treatments before and after aging.94

Figure 46: Bar chart showing means of b* value in relation to different
surface treatments before and after aging.99

Figure 47: Bar chart showing means of ΔE in relation to different surface
treatments before and after aging.....103

Figure 48: Bar chart showing means of (TP) in relation to different surface
treatments before and after aging.....107