



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل

معيبة
بند الكلية
الدراسات
شتم

٩٧١

د. أحمد محمد فارغ

CLINICAL EVALUATION OF RESORBABLE GUIDED TISSUE REGENERATION MEMBRANE AS A MECHANICAL BARRIER FOR CLOSURE OF ORO-ANTRAL FISTULA

Thesis

Submitted to the Faculty of Dentistry,
Alexandria University
In Partial Fulfillment of the Requirements of

Master Degree

In

Oral Surgery

By

AHMED MOHAMED FARAG.

(B.D.S Alexandria University)

Faculty of Dentistry
Alexandria University

2001

SUPERVISORS

Prof. Dr. Radwan Y. El-Hak

Professor of Oral Surgery,
Oral Surgery Department
Faculty of Dentistry
University of Alexandria

Prof. Dr. Ahmed S. El-Mehallawi

Professor of Oral Surgery
Oral Surgery Department
Faculty of Dentistry
University of Alexandria

ACKNOWLEDGEMENT

*" Prays be to **God**, The Master of the worlds, Most Gracious, Most Merciful..".*

*I would like to express my deep appreciation and gratitude to **Professor Dr. Radwan y. El-Hak**, Professor of Oral Surgery, Faculty of Dentistry, Alexandria University for his constant supervision, valuable advise, continuous teaching and guidance which made this achievement possible.*

*Also I would like to express my sincerest appreciation and deepest thank to **Prof. Dr. Sherif S. Ayad**, Professor of Oral Surgery & Vice Dean, Faculty of Dentistry, Alexandria University in supervising this work and for the whole-hearted effort.*

*My sincere appreciation to **Professor Dr. Ahmed S. El-Mehallawi**, Professor of Oral Surgery, Faculty of Dentistry, Alexandria University for his judicious guidance, kind and scientific supervision and support.*

I also wish to express my great thanks and gratitude to all Oral Surgery Department members for their creative suggestions, and efforts that made this work a reality.

CONTENTS

	<u>Page</u>
- INTRODUCTION	1
- REVIEW OF LITERATURE	3
- AIM OF THE WORK	50
- MATERIALS & METHODS	51
- RESULTS	64
- DISCUSSION	92
- SUMMARY & CONCLUSION	97
- REFERENCES	99
- PROTOCOL	
- ARABIC SUMMARY	

LIST OF FIGURES

		<u>Page</u>
Fig. 1	Developmental stages of maxillary frontal sinuses.....	4
Fig.2	Diagrammatic representation of normal maxillary sinus mucocilliary clearance (arrows).....	10
Fig.3	Diagram of relations of oral, nasal and paranasal cavities, frontal view.	12
Fig.4	Diagram of location of sinuses ostia.....	12
Fig.5	Patient position for axial tomography of the sinuses.....	21
Fig.6	Closure of oro-antral fistula by buccal flap technique.....	26
Fig.7	Buccal muco-periosteal flap a dmodum Mocsar for closure of OAF.....	28
Fig.8	Closure of oro-antral fistula by palatal flap technique.....	30
Fig.9	Diagrams illustrating (modified palatal flap) technique.....	32
Fig.10-13	Diagrams illustrating (palatal island flap) technique.....	35-36
Fig.14	Diagram showing combined buccal and reverse palatal flap.....	38
Fig.15	Diagram illustrating the buccinator muscular mucosal flap technique.....	39
Fig.16	Diagram showing bridge flap technique.....	40
Fig.17	Diagram showing tongue flap technique.....	42
Fig.18,19	Diagrams illustrating interseptal alveolotomy "Dean's technique "	45

LIST OF FIGURES

		<u>Page</u>
Fig.20	Diagrams showing closure of OAF by using gold foil.....	47
Fig.21	The duploject application system.....	47
Fig.22	Diagrams showing closure of oro-antral communication by using cancellous bone grafts.	49
Fig.23	Antral lavage by using flexible catheter and large syringe.	55
Fig.24	Circular excision around the fistulous tract	61
Fig.25	Buccal mucoperiosteal advanced flap.....	61
Fig.26	Cald well –Luc opening.....	62
Fig.27	Intranasal antrostomy pack	62
Fig.28	Application of resorbable guided tissue regeneration membrane.....	63
Fig.29	Repositioning and suturing of the flap	63
Fig.30	Polypoid mass at the site of extracted upper right first molar (Group I)	72
Fig.31	Clinical photograph showing oroantral communication detected by probing (Group I)	72
Fig.32	Periapical radiograph showing disruption of antral floor at the base of the extraction socket confirmed by probing (Group II)	73

LIST OF FIGURES

		<u>Page</u>
Fig.33	Panoramic tomography reveals presence of the antral defect in the epsitateral maxillary sinus left side as compared with the other side (Group II)	73
Fig.34	Remaining root detected by periapical radiograph (Group I)	74
Fig.35	Remaining root detected by panoramic view (Group I)	74
Fig.36	Occipitontental view revealed partial opacification of the max. sinus and bony defect at the antral floor at the site of extraction of upper right first molar (Group I)	75
Fig. 37	C.T scan, Coronal section showing sinus opacification with evidence of a bony defect in its alveolar recess opposite the extracted tooth (Group I)	75
Fig.38	Clinical photograph showing remaining root of upper right second molar removed through Caldwell – Luc approach (Group I)	76
Fig. 39	Clinical photograph revealed severe alveolar bone loss at the buccal aspect of extracted upper left first molar (Group II)	77
Fig.40	Clinical photograph showing uneventful healing at the fistula site (Group I)	77
Fig.41	Panoramic radiograph at one month post-operative period (Group I)	77
Fig.42	Panoramic radiographs at two months post-operative period (Group II)	78
Fig.43	Periapical radiograph at three months post-operative period (Group I)	78
Fig.44	Panoramic radiograph at three months post-operative period. (Group I)	79
Fig.45	C.T scan coronal section and 3D. reconstruction views at three months post-operative period (Group I)	80
Fig.46	Clinical photograph showing wound breakdown at the fistula site (Group II)	81

LIST OF FIGURES

		<u>Page</u>
Fig.47	Clinical photograph showing resuturing after wound breakdown (Group II)	81
Fig.48	Clinical photograph showing wound healing after second closure (Group II)	82
Fig.49	Panoramic radiograph at two months post-operative period (Group II)	82
Fig.50	Periapical radiograph at three months post-operative period (Group II)	83
Fig.51	Panoramic radiograph at three months post-operative period (Group II)	83
Fig.52	C.T scan coranal section and 3D. reconstruction views at three months post-operative period. (Group II)	84

LIST OF TABLES

		<i><u>Page</u></i>
Table 1	Pre-operative data and history.....	85
Table 2	Pre-operative clinical data.....	86
Table 3	Pre-operative radiographic data	12
Table 4	Post-operative clinical data (Group I).....	88
Table 5	Post-operative radiographic data (Group I)	89
Table 6	Post-operative clinical data (Group II)	90
Table 7	Post-operative radiographic data (Group II)	91

INTRODUCTION