

Environmental Science

Department of Agricultural Science
Institute of Environmental Studies & Research
Ain Shams University

2013

**MAXIMIZING OLIVES PRODUCTIVITY UNDER
INSUFFICIENT CHILLING REQUIREMENTS CONDITIONS**

BY

MAHER AHMED ALI OMRAN

B.Sc. in Co-operative and Agricultural Sciences - Higher Institute of Agricultural Co-
operation, 1992
Master in Environmental Sci.(Dep.of Agric.Sci.), Ain Shams Univ., 2009

**A Thesis Submitted in Partial Fulfillment
of
The Requirement for the Doctor of Philosophy Degree
In
Environmental Science
Department of Agricultural Science
Institute of Environmental Studies & Research
Ain Shams University**

Under The Supervision Of :

- 1. Prof. Dr. Nazmy Abd El-Hamid Abd El-Ghany**
Professor of Pomology and head of Hort. Dept., Faculty of Agriculture, Ain Shams University
- 2. Prof. Dr. Mohamed El-Sayed Galal**
Professor of Soil Science and head of Soils Department, Faculty of Agriculture, Ain Shams University
- 3. Prof. Dr. Mohamed El-Sayed El-Sayed**
Emirate Head Researcher of Dept. of olives, Hort. Res. Institute, Agric. Res. Center.
- 4. Prof. Dr. Samia Mahmoud El-Marsafawy**
Head Researcher, Soil, Water and Environ. Res. Inst., Agric. Res.

2013

ماجستير في العلوم البيئية قسم العلوم الزراعية البيئية 2009

لاستكمال متطلبات الحصول على درجة دكتوراه فلسفة في

العلوم البيئية

قسم العلوم الزراعية

تحت إشراف :

1- أ.د/ نظمي عبد الحميد عبد الغنى

أستاذ الفاكهة ورئيس قسم البساتين – كلية الزراعة – جامعة عين شمس .

2- أ.د/ محمد السيد جلال

أستاذ و رئيس قسم الاراضى - كلية الزراعة- جامعة عين شمس .

3- أ.د/ محمد السيد السيد

رئيس بحوث متفرغ بقسم بحوث الزيتون - معهد بحوث البساتين – البحوث الزراعية .

4- أ.د/ سامية محمود المرصفاوى

رئيس بحوث - معهد بحوث الأراضى والمياه والبيئة - مركز البحوث الزراعية.

ختم الإجازة

أجيزت الرسالة بتاريخ 20 / /

موافقة مجلس الجامعة

موافقة مجلس المعهد

20 / /

20 / /

2013

MAXIMIZING OLIVES PRODUCTIVITY UNDER INSUFFICIENT CHILLING REQUIREMENTS CONDITIONS

BY

MAHER AHMED ALI OMRAN

B.Sc. in Co-operative and Agricultural Sciences - Higher Institute of Agricultural Co-
operation, 1992

Master in Environmental Sci.(Dep.of Agric.Sci.), Ain Shams Univ., 2009

A Thesis Submitted in Partial Fulfillment

of

The Requirement for the Doctor of Philosophy Degree

In

تعظيم إنتاجية أشجار الزيتون تحت ظروف احتياجات البرودة غير الكافية

رسالة مقدمة من الطالب
ماهر أحمد على عمران

بكالوريوس في العلوم الزراعية والتعاونية – المعهد العالي للتعاون الزراعي ١٩٩٢

ماجستير في العلوم البيئية قسم العلوم الزراعية البيئية ٢٠٠٩

لاستكمال متطلبات الحصول على درجة دكتوراه فلسفة

في

العلوم البيئية

قسم العلوم الزراعية البيئية
معهد الدراسات والبحوث البيئية
جامعة عين شمس

تعظيم إنتاجية أشجار الزيتون تحت ظروف

احتياجات البرودة غير الكافية

رسالة مقدمة من الطالب

ماهر أحمد على عمران

بكالوريوس في العلوم الزراعية والتعاونية - المعهد العالي للتعاون الزراعي ١٩٩٢

ماجستير في العلوم البيئية قسم العلوم الزراعية البيئية ٢٠٠٩

لاستكمال متطلبات الحصول على درجة دكتوراه فلسفة في

العلوم البيئية

قسم العلوم الزراعية

تحت إشراف :

١ - أ.د/ نظمي عبد الحميد عبد الغنى

أستاذ الفاكهة ورئيس قسم البساتين - كلية الزراعة - جامعة عين شمس .

٢ - أ.د/ محمد السيد جلال

أستاذ ورئيس قسم الاراضى - كلية الزراعة - جامعة عين شمس .

٣ - أ.د/ محمد السيد السيد

رئيس بحوث متفرغ بقسم بحوث الزيتون - معهد بحوث البساتين - مركز

البحوث الزراعية .

٤ - أ.د/ سامية محمود المرصفاوى

رئيس بحوث - معهد بحوث الأراضى والمياه والبيئة - مركز البحوث الزراعية.

ختم الإجازة

أجيزت الرسالة بتاريخ / / ٢٠

موافقة مجلس الجامعة

موافقة مجلس المعهد

٢٠ / /

٢٠ / /

ACKNOWLEDGEMENT

I wish to express my gratitude and appreciation to **Prof. Dr. Nazmy Abd El-Hameed Abd El-Ghany** Prof. of Pomology, Faculty of Agriculture, Ain Shams Univ. for his active supervision, preparing the plane of the study, scientific guidance, valuable criticism, encouragement, discussions and suggestions. Thanks also to **Prof. Dr. Mohamed Elsayed Galal** Prof. of Soil science Faculty of Agriculture, Ain Shams Univ. for his supervision, encouragement, valuable guidance, and sincere advices.

I'm indebted to **Prof. Dr. Mohamed El-Sayed El-Sayed** Emirate Head Researcher- Horticulture Research Institute, Agriculture Research Center for his active supervision, proposing the problem, providing facilities for this research and constant guidance through the whole period of investigation.

I'm also very grateful to **Prof. Dr. Samia Mahmoud El-Marsafawy** Chief Researcher Soil, Water and Environment Research Institute, Agriculture Research Center for her kind help, deep active advice, effective encouragement, and time offered during the study.

I'm also very grateful to **Prof. Dr. Abd El-Aziz Mahmoud Abou El-Khashab** Chief Researcher Horticulture Research Institute, Agriculture Research Center for his kind help, deep active advice, effective encouragement, and time offered during the study.

My thanks are extended to the whole staff of Olive and Semi Arid Zone Fruits Dpt. for their general assistance.

List of Contents

| No. | Page |
|---|------------|
| I- INTRODUCTION | 1 |
| II- REVIEW OF LTERATURE | 3 |
| III- MATERIALS AND METHODS | 48 |
| IV- RESULTS AND DISCUSSION | 56 |
| 1- Effect of kaolin and calcium carbonate | 56 |
| 1-1- Vegetative growth | 56 |
| 1-2- Blooming characteristics | 57 |
| 1-3- Fruiting aspects and yield | 62 |
| 1-4- Fruit characteristics..... | 63 |
| 1-5- Fruit chemical content | 69 |
| 2- Effect of ringing and girdling | 70 |
| 2-1- Vegetative growth | 70 |
| 2-2- Blooming characteristics | 72 |
| 2-3- Fruiting aspects and yield | 75 |
| 2-4- Fruit characteristics..... | 76 |
| 2-5- Fruit chemical content | 82 |
| 3-1- Effect of naphthalene acetic acid (NAA) | 84 |
| 3-1-1- Vegetative growth | 84 |
| 3-1-2- Blooming characteristics | 85 |
| 3-1-3- Fruiting aspects and yield. | 88 |
| 3-1-4- Fruit characteristics. | 89 |
| 3-1-5- Fruit chemical content | 93 |
| 3-2- Effect of boric acid..... | 94 |
| 3-2-1- Vegetative growth | 94 |
| 3-2-2- Blooming characteristics | 95 |
| 3-1-3- Fruiting aspects and yield. | 98 |
| 3-2-4- Fruit characteristics. | 99 |
| 3-2-5- Fruit chemical content | 102 |
| 4- Effect of irrigation | 103 |
| 4-1- Vegetative growth | 103 |

| No. | Page |
|--|-------------|
| 4-2- Blooming characteristics | 104 |
| 4-3- Fruiting aspects and yield | 107 |
| 4-4- Fruit characteristics. | 108 |
| 4-5- Fruit chemical content | 110 |
| - Oil derivatives analysis. | 111 |
| - Meteorological data. | 116 |
| 5- SUMMARY AND CONCLUSION | 122 |
| 6-REFERENCES | 130 |
| ARABIC SUMMARY | - |

LIST OF TABLES

| Table | Page |
|--|-------------|
| 1 Physical analysis of the orchard experimental soil. | 48 |
| 2 Chemical properties of the orchard experimental soil. | 48 |
| 3 Micro and macro elements in the experimental soil. | 48 |
| 4 Chemical analysis of the irrigation water samples. | 49 |
| 5 Effect of kaolin and calcium carbonate spraying at 5% on growth of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 57 |
| 6 Effect of kaolin and calcium carbonate spraying at 5% on flowering of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 58 |
| 7 Effect of kaolin and calcium carbonate spraying at 5% on flowering of Aggezi Shamy and Picual cvs. during at 5% 2011 and 2012 seasons. | 60 |
| 8 Effect of kaolin and calcium carbonate spraying 5% on flowering of Aggezi Shamy and Picual cvs. during 2011 and seasons. | 61 |
| 9 Effect of kaolin and calcium carbonate spraying at 5% on fruit set (%), No. of fruit/m, and yield (kg)/tree of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 62 |
| 10 Effect of kaolin and calcium carbonate spraying at 5% on fruit characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 65 |
| 11 Effect of kaolin and calcium carbonate spraying at 5% on seed characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 67 |
| 12 Effect of kaolin and calcium carbonate spraying at 5% on fruit characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 68 |
| 13 Effect of kaolin and calcium carbonate spraying at 5% on fruit chemical content of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 69 |
| 14 Effect of single ringing, double ringing and girdling on growth of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons | 71 |

| Table | | Page |
|--------------|---|-------------|
| 15 | Effect of single ringing, double ringing and girdling on flowering of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 73 |
| 16 | Effect of single ringing, double ringing and girdling on flowering of Aggezi Shamy And Picual cvs. during 2011 and 2012 seasons. | 74 |
| 17 | Effect of single ringing, double ringing and girdling on flowering of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 75 |
| 18 | Effect of single ringing, double ringing and girdling on fruit set (%), No. of fruit/m, and yield (kg)/tree of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 76 |
| 19 | Effect of single ringing, double ringing and girdling on fruit characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 78 |
| 20 | Effect of single ringing, double ringing and girdling on seed characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 80 |
| 21 | Effect of single ringing, double ringing and girdling on fruit characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 82 |
| 22 | Effect of single ringing, double ringing and girdling on fruit chemical content of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 83 |
| 23 | Effect of naphthalene acetic acid (NAA) at 50,100 and 150 ppm spraying on growth of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 85 |
| 24 | Effect of naphthalene acetic acid (NAA) at 50,100 and 150 ppm spraying on flowering of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 85 |
| 25 | Effect of naphthalene acetic acid (NAA) at 50,100 and 150 ppm spraying on flowering of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 87 |
| 26 | Effect of naphthalene acetic acid (NAA) at 50,100 and 150 ppm spraying on flowering of Aggezi Shamy and Picual cvs. during 2011 and seasons. | 88 |

| Table | | Page |
|--------------|--|-------------|
| 27 | Effect of naphthalene acetic acid (NAA) at 50,100 and 150 ppm spraying on fruit set (%), No. of fruit/m, and yield (kg)/tree of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 88 |
| 28 | Effect of naphthalene acetic acid (NAA) at 50,100 and 150 ppm spraying on fruit characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 90 |
| 29 | Effect of naphthalene acetic acid (NAA) at 50,100 and 150 ppm spraying on seed characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 91 |
| 30 | Effect of naphthalene acetic acid (NAA) at 50,100 and 150 ppm spraying on fruit characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 92 |
| 31 | Effect of naphthalene acetic acid (NAA) at 50,100 and 150 ppm spraying on fruit chemical content of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 93 |
| 32 | Effect of boric acid at 300, 600 and 900 ppm spraying on growth of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 95 |
| 33 | Effect of boric acid at 300, 600 and 900 ppm spraying on flowering of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 95 |
| 34 | Effect of boric acid at 300, 600 and 900 ppm spraying on flowering of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 97 |
| 35 | Effect of boric acid at 300, 600 and 900 ppm spraying on flowering date of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 98 |
| 36 | Effect of boric acid at 300, 600 and 900 ppm spraying on fruit set (%), No. of fruit/m, and yield (kg)/tree of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 98 |
| 37 | Effect of boric acid at 300, 600 and 900 ppm spraying on Fruit characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012 Seasons. | 100 |
| 38 | Effect of boric acid at 300, 600 and 900 ppm spraying on seed characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 101 |

| Table | | Page |
|--------------|---|-------------|
| 39 | Effect of boric acid at 300, 600 and 900 ppm spraying on fruit chemical content of Aggezi Shamy and Picual cvs. during 2011and 2012 seasons. | 102 |
| 40 | Effect of boric acid at 300, 600 and 900 ppm spraying on fruit chemical content of Aggezi Shamy and Picual cvs. during 2011and 2012 seasons. | 103 |
| 41 | Effect of irrigation daily by 80, 60 and 40, liter/tree on growth of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 104 |
| 42 | Effect of irrigation daily by 80, 60 and 40, liter/tree on flowering of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 105 |
| 43 | Effect of irrigation daily by 80, 60 and 40, liter/tree on flowering of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 106 |
| 44 | Effect of irrigation daily by 80, 60 and 40, liter/tree on flowering of Aggezi Shamy and Picual cvs. during 2011 and seasons. | 107 |
| 45 | Effect of irrigation daily by 80, 60 and 40, liter/tree on fruit set (%), No. of fruit/m, and yield (kg)/tree of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 107 |
| 46 | Effect of irrigation daily by 80, 60 and 40, liter/tree on fruit characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012 seasons. | 108 |
| 47 | Effect of irrigation daily by 80, 60 and 40, liter/tree on seed characteristics of Aggezi Shamy and Picual cvs. during 2011 and 2012seasons. | 109 |
| 48 | Effect of irrigation daily by 80, 60 and 40, liter/tree on fruit characteristics of Aggezi Shamy and Picual cvs. during 2011and 2012 seasons. | 110 |
| 49 | Effect of irrigation daily by 80, 60 and 40, liter/tree on fruit chemical content of Aggezi Shamy and Picual cvs. during 2011and 2012 seasons. | 111 |
| 50 | Some physical and chemical properties of olive oil extracted from treating picaul cvs. by some natural and chemical treatments | 113 |
| 51 | Fatty acids composition (%) of olive oil extracted from treated Picaul cv. trees by using some natural and chemical treatments. | 114 |
| 52 | Meteorological data | 117 |