COMPARISON OF BOND STRENGTH OF ORTHODONTIC MOLAR TUBES USING DIFFERENT ENAMEL

ETCHING TECHNIQUES AND

THEIR EFFECT ON ENAMEL

SURFACE:

An in vitro study

Thesis

Submitted In Partial Fulfillment of the Requirements for the Degree of Master of Dental Science

(Orthodontics)

By

Heba t-Allah Yehia Abd el Rahman

B.D.S (2008)

Ain-shams University

Faculty of Oral and Dental Medicine, Cairo University

2013

Supervisors

Dr. SANAA ABOU ZEID SOLIMAN

Professor of Orthodontics,

Faculty of Oral and Dental Medicine

Cairo University.

Dr. HALA MOUNIR

Professor of Orthodontics,

Faculty of Oral and Dental Medicine

Cairo University.

Dr. AMAL ALAA EL BATOUTI Lecturer in the National Center for Research and Radiation Technology


Atomic Energy Organization


Cairo, Egypt


بسم الله الرحمن الرحيم

اقْرَأْ بِاسْمِ رَبِّكَ الَّذِي خَلَقَ (1) خَلَقَ الإِنْسَانَ مِنْ عَلَقٍ (2) اقْرَأْ وَرَبُّكَ الأَكْرَمُ (3) الَّذِي عَلَّمَ بِالْقَلَمِ عَلَقٍ (2) اقْرَأْ وَرَبُّكَ الأَكْرَمُ (3) الَّذِي عَلَّمَ بِالْقَلَمِ (4) عَلَّمَ الإِنْسَانَ مَا لَمْ يَعْلَمْ صدق الله العظيم

(سورة العلق)







ACKNOWLEDGEMENT


I would like to thank *Dr. Faten Eid*, Professor of Orthodontics, Faculty of Oral and Dental Medicine, Cairo University, for her unconditional support and encouragement through the past years, without which this wouldn't have been possible.

Words fail to express my sincere gratitude to *Dr. Sanaa Abo Zeid* Professor of Orthodontics, Faculty of Oral and Dental Medicine, Cairo University, for her valuable supervision, advices, continuous and exceptional effort and great cooperation that will always be deeply remembered and appreciated. It was a great honor to work under her supervision.

My appreciation goes to *Dr. Hala Monuir* Professor of Orthodontics, Faculty of Oral and Dental Medicine, Cairo University, for her outstanding help, patience, overwhelmed care, support and guidance.

I would like to endorse my deep thanks to *Dr. Amal El Batouty* and *Dr. Hazem Kazem* for their great help and support.

My special thanks goes to *Prof. Mervat Moussa and Dr. Dalia El Rouby* for her care and help with interpreting the scanning electron microscope. And Last but not least, I am so grateful to *Dr. Khaled Keera and staff members* of the orthodontic department, Cairo University for their great help.



List of Contents:

1. List of figures	11
2. List of tables	vi
3. Introduction	1
4. Review of literature	3
5. Aim of the study	23
6. Materials and methods	24
7. Results	41
8. Discussion	56
9. Summary and conclusions	64
10. References	67
11. Arabic summary	

List of figures:

No. of	Title	Page
figure		No.
1.	Standard edgewise bondable 1 st molar tubes.	24
2.	Bond brush, Transbond XT primer and composite.	25
3.	Ortho Solo stick primer and its bonding brush	25
4.	37% phosphoric acid etch syringe (ormco Co.)	26
5.	Waterlase low level laser machine.	26
6.	Sandblasting hand piece.	27
7.	Instron Universal shear bond strength device	28
8.	Scanning electron microscope machine.	28
9.	A schematic diagram showing sample grouping according	30
	to the type of etching and adhesion promoter used.	
10.	First molar tooth mounted in acrylic block.	31
11.	Laser etching of molar buccal enamel using Er: Cr; YSGG	32
12.	Sandblasting etching of enamel surface.	33
13.	37% phosphoric acid etching of enamel surface.	33
14.	Bonding of molar tubes using Transbond XT primer.	34
15.	Bonding of molar tubes using Ortho Solo stick primer.	35
16.	Molar tubes bonded to 1st molars	35
17.	Bond strength measurement with the specimen in place	36
	(universal testing machine)	
18.	Fine coat apparatus	39
19.	Specimens placed in a sputtering device.	39

20. Bar chart showing the mean shear bond strength with 42 different etching techniques using Transbond XT primer. 21. Bar chart showing the mean shear bond strength with 43 different etching techniques using Ortho Solo stick primer. 22. Bar chart representing the overall comparison between the 44 shear bond strength values of the different subgroups. 23. Bar chart showing descriptive statistics showing the mean 45 of ARI for different etching groups using Transbond XT primer. 24. Bar chart showing descriptive statistics showing the mean 46 ARI for different etching techniques using Ortho solo stick primer. Bar chart representing overall comparison between ARI 25. 47 values of the different groups. SE micrograph of normal enamel surface of 1st molar 26. 49 (original maginification x500) showing that the surface is rough with the opening of enamel prisms are sealed. 27. Higher magnification of the same specimen (original 49 magnification x1500) showing that surface defects are minimal and fissures are following the natural shapes of enamel prisms. SE micrograph of laser etched enamel of 1st molar (spec. 28. 50 No 1, original Magnification x500) illustrating the honeycomb-like appearance. 29. Higher magnification of fig 28 (original magnification 50 x1500) revealing micro cracks and distinct prismatic boundaries that aid in resin penetration. (case no1)

SE micrograph of laser etched enamel for 1st molar (spec. 30. 51 No 2, original magnification x500) revealing distinct enamel prisms and well defined prismatic outline. Higher magnification of fig 30 (original magnification 31. 51 x1500) showing micro-cracks, uniform prismatic outline and rough surface resulting from interprismatic globular appearance. SE micrograph of sandblasting etched enamel for 1st molar 32. 52 (spec. No 1, original magnification x500) showing confluence of prismatic and interprismatic structures and loss of the normal architecture of enamel. 33. Higher magnification of fig 32 (original magnification 52 x1500) showing irregular surface due to tissue removal and marked loss of prismatic structure. SE micrograph of sandblasting etched enamel for 1st molar 34. 53 (spec. No 2, original magnification x500) demonstrated irregular rough surface and interprismatic globular structures. Higher magnification of fig 34 (original magnification 35. 53 x1500) showing irregular surface with alternating micro porosities and globular deposits suggesting loss of enamel prisms. SE micrograph of phosphoric acid etched enamel for 1st 36. 54 molar, (spec. No 1, original magnification x500) revealed prominent surface destruction and loss of prismatic architecture. Higher magnification of fig 36 (original magnification x 37. 54 1500) demonstrating disturbed surface topography, deep

	pores and globular structures. (case no 2)	
38.	SE micrograph of Phosphoric acid etched enamel for 1 st molar (spec. No 2, original magnification x500) showing focal loss of prismatic core material, while prism peripheries are relatively intact.	55
39.	Higher magnification of fig 38 showing the top of the keyhole is preserved, suggesting that the center and bottom of the keyhole have been dissolved.	55

List of tables

Table	Title	Page No.
No.		
1.	Descriptive statistics for shear bond strength with	41
	different etching techniques using Transbond XT primer	
	(subgroups LT,ST and PT)	
2.	Descriptive statistics for shear bond strength with	42
	different etching techniques using Ortho solo stick	
	bonding primer (sub groups LO,SO and PO)	
3.	Comparison between shear bond strength values of the	43
	different subgroups	
4.	Descriptive statistics of ARI for different enamel etching	45
	techniques using Transbond XT primer (subgroups LT,	
	ST and PT).	
5.	Descriptive statistics of ARI for different enamel etching	46
	techniques using Ortho solo stick primer (subgroups LO,	
	SO and PO).	
6.	Comparison between ARI values of the different	47
	subgroups.	

Introduction