Effect of Diabetes Mellitus on Quantitative Assessment of Peripapillary Retinal Nerve Fiber Layer Thickness

Thesis

Submitted for Partial Fulfillment of M.D. Degree in **Ophthalmology**

By

Assisstant Lecturer:

Mariam Ahmad Abdul-Moneim AL-Feky

MB. Bch, M.Sc., Ophthalmology Faculty of Medicine, Ain Shams University

Supervised by

Prof. Dr.: Shaker Ahmed Soliman Khedr

Professor of Ophthalmology Faculty of medicine, Ain-Shams University

Prof. Dr.: Mamdouh Hamdy Mohammad AL-Kafrawy

Professor of Ophthalmology Faculty of medicine, Ain-Shams University

Prof. Dr.: Tamer Mohammad Fathi EL-Mekkawi

Professor of Ophthalmology Faculty of medicine, Ain-Shams University

Ophthalmic Department
Faculty of Medicine Ain Shams University
Cairo Egypt
2014



من سورة يوسف الاية ٧٦

Acknowledgement



First and foremost, Thanks to ALLAH, to whom I relate any success in achieving any work in my life.

Then, I would like to express my utmost gratitude, and appreciation to **Prof. Dr. Shaker Ahmed Soliman Khedr,** Professor of Ophthalmology, Faculty of Medicine, Ain Shams University, for his immeasurable patience, valuable advice and constructive remarks.

I am faithfully grateful to **Prof. Dr. Mamdouh Hamdy Mohammad AL-Kafrawy**, Professor of Ophthalmology, Faculty of Medicine, Ain Shams University, for his sincere encouragement and stimulating views. Asking God to Rest his Soul in Peace.

I would like to express my deepest gratitude for **Prof. Dr. Tamer Mohammad Fathi EL-Mekkawi,** Professor of Ophthalmology, Ain Shams University, for his great help and sincere advice in performing this thesis.

I wish to extend my thanks to all the staff members of the department of Ophthalmology, my colleagues who kindly helped me to complete this work.

Last but not least I would like to thank my lovely family, without whom this work would never have seen the light.

List of contents

<u>Item</u>	Page
List of abbreviations	
List of figures	
List of tables	
Protocol	
Introduction	1
Aim of the work	4
Review of Literature	
Section 1	
Anatomy	5
Section 2	
Optical coherence tomography(OCT)	14
Section 3	
Diabetes Mellitus	26
Patients and methods	59
Results	64
Discussion	90
Summary and conclusion	101
Recommendations	105
References	106
Arabic Summary	

American Academy of ophthalmology
· · · · · · · · · · · · · · · · · · ·
Advanced glycation end products
Age-related macular degeneration
Analysis of variance
American ophthalomological society
Angiotensin receptor blockers
Angiotensin II type 1 receptor
Angiotensin II type 2 receptor
Bcl-2-associated X protein
Branched chain amino acids
Best corrected visual acuity
Brain-derived growth factor
Brain-derived neurotrophic factor
Basal membrane
Blood retinal barrier
Charge-coupled device
Cup/disc ratio
confidence interval
Coefficient of correlation
Cortistatin
Diacylglycerol-protein kinase C

DCCT	Diabetes Control and Complications Trial
DM	Diabetes Mellitus
DM1	Diabetes Mellitus type1
DM2	Diabetes Mellitus type2
DME	Diabetic macular edema
DNA	Deoxyriboneuclic acid
DR	Diabetic retinopathy
ECM	Extracellular matrix
EPC	Endothelial progenitor cells
ER	Endoplasmic reticulum
ERG	Electroretinogram
FEBS	Federation of European Biochemical Societies
FFA	Free fatty acids
FPG	Fasting plasma glycemia
GCL	Ganglion cell layer
Hb A1c	Hemoglobin A1c
Hcys	Homocysteine
Cirrus-HD	Cirrus-High definition
HDL	High-density lipoprotein
HLA	Human leucocytic angtigen

IGF-1	Insulin growth factor 1
INL	Inner nuclear layer
IPL	Inner plexiform layer
IR	Insulin receptor
IS	Inner segments
IRMA	Intraretinal microvascular abnormalities
LOX1	Oxidised LDL receptor 1
LDL	Low-density lipoprotein
LSD	Fisher's least significant difference
ME	Macular edema
n	Number
NF-κB	nuclear factor kappa B
NGF	Nerve growth factor
NO	Nitric oxide
NMDA	N-methyl D-aspartate
NADH	Nicotinamide adenine dinucleotide
NADPH	Nicotinamide adenine dinucleotide
	phosphate
NPDR	Non-proliferative diabetic retinopathy
NT-3	Nneurotrophin-3
NT-4	Nneurotrophin-4
n NF-kB NGF NO NMDA NADH NADPH NPDR NT-3	Number nuclear factor kappa B Nerve growth factor Nitric oxide N-methyl D-aspartate Nicotinamide adenine dinucleotide Nicotinamide adenine dinucleotide phosphate Non-proliferative diabetic retinopathy Nneurotrophin-3

OCT	Optical coherence tomography
OGTT	Oral glucose tolerance test
ONH	Optic nerve head
ONL	Outer nuclear layer
OPL	Outer plexiform layer
OS	Outer segments
PDGF	Platelet derived growth factor
PDR	Proliferative diabetic retinopathy
PEDF	Platelet endothelium derived factor
PI3K	Phosphatidylinositol-3-kinase
PKC	Protein kinase C
POAG	Primary open angle glaucoma
PRP	Panretinal photocoagulation
RAGE	Receptor for advanced glycation end products
RAS	Renin-angiotensin system
RNFL	Retinal nerve fiber layer
ROS	Reactive oxygen species
RPE	Retinal pigment epithelium
RGC	Retinal ganglion cells
SD	Standard deviation

SDOCT	Spectral domain Optical coherence
	tomography
SE Coef	Standard error of coefficient of correlation
SLO	Scanning laser ophthalmoscope
SLP	Scanning laser polarimetry
SST	Somatostatin
SSTRs	Somatostatin receptors
TDOCT	Time domain Optical coherence tomography
TLR4	Toll-like receptor 4
TUNEL	Terminal nick-end labeling
UKPDS	United Kingdom Prospective Diabetes Study
VEGF	vascular endothelial-derived growth factor
WHO	World health organization

List of figures

No.	<u>Title</u>	Page
1	Overview of the retinal neurocircuity.	5
2	Horizontal OCT scan extending from the temporal side of the macula to the optic nerve head.	6
3	(A) Schematic diagram of the axonal arrangement in humans. (B) Schematic diagram of the horizontal topography of axonal bundles from arcuate areas of the retina.	7
4	A: Schematic representation of the nerve fibre layer of the retina. B: Scheme of RNFL mode 3.4.	8
5	Normal discs. (A) Small disc with a low C/D ratio; (B) large disc with a higher C/D ratio.	11
6	Apperance of the lamina cribrosa pores with glaucomaous cupping.	12
7	Normal appearance of the optic nerve head.	13
8	Macular B-scan with intraretinal surfaces, as indicated by the colored lines and corresponding retinal layers.	14
9	Low-coherence interferometry system used in OCT.	17
10	Schematic diagram of a time domain OCT setup.	18
11	Schematic diagram of Spectral-domain OCT.	20
12	3-D SD-OCT data visualization.	21
13	RNFL scan typical appearance in a glaucomatous patient with the SLO/SD-	24

List of figures

	OCT.	
14	The OTI Spectral OCT/SLO generates a RNFL thickness map over the entire optic nerve region.	25
15	Etiology and pathophysiology of type 2 diabetes.	30
16	Mechanisms of diabetic neuropathy.	32
17	Hyperglycemia induced superoxide production.	34
18	Standard photographs of diabetic retinopathy as described by the early treatment diabetic retinopathy study group.	37
19	Mean layer thickness difference \pm 95%CI (microns) in the pericentral area of the macula in patients with minimal DR.	41
20	Mean layer thickness difference ± 95%CI (microns) in the peripheral area of the macula in patients with minimal DR.	42
21	Schematic representation of the main mechanisms leading to diabetic retinopathy (DR).	44
22	Glutamate induced excitotoxicity.	46
23	AT1-R activation by angiotensin II produced by the retina stimulates several pathways involved in the pathogenesis of DR.	50
24	Summary of the potential causes of apoptosis in diabetic retinopathy.	58
25	OCT assessment of the peripapillary RNFL thickness in the right eye of	61

List of figures

	patient number 1 in the severe NPDR	
	group.	
26	Peripapillary RNFL assessment of the right eye of patient number 1 in the severe NPDR group.	62
27	Bar chart for HbA1c and duration of diabetes among the study groups.	72
28	Bar chart for RNFL thickness distribution among study groups.	74
29	Error bar for the inferior RNFL thickness among the study groups.	75
30	Error bar for the nasal RNFL thickness among the study groups.	75
31	Error bar for the relation between superior RNFL thickness and insulin use.	78
32	Error bar for the relation between superior RNFL thickness and insulin use.	80
33	Scatter/dot chart for the correlation between inferior RNFL thickness and age.	83
34	Scatter/dot chart for the correlation between inferior RNFL thickness and HbA1c.	83

List of tables

Table	<u>Title</u>	Page
1	Criteria for the diagnosis of diabetes	27
2	International clinical diabetic retinopathy disease severity scale.	36
3	Age distribution among study groups.	65
4	Sex distribution among study groups.	66
5	Spherical equivalent distribution among study groups.	67
6	IOP distribution among study groups.	68
7	BCVA distribution among study groups.	69
8	C/D ratio distribution among study groups.	69
9	HbA1c distribution among study groups.	70
10	Duration of diabetes mellitus among study groups.	71
11	RNFL thickness distribution among study groups.	73
12	RNFL thickness in relation to sex.	76
13	RNFL thickness in relation to insulin use.	77
14	RNFL thickness in relation to macular edema (ME).	79
15	RNFL thickness in relation to diabetic	81

List of tables

	retinopathy (DR) status.	
16	RNFL thickness in relation to age, Hb A1c and duration.	82
17	Effect of independent predictors on the Inferior RNFL thickness	84
18	Effect of independent predictors on the Superior RNFL thickness	85
19	Effect of independent predictors on the Nasal RNFL thickness	86
20	Effect of independent predictors on the Temporal RNFL thickness	87
21	Effect of independent predictors on the Average RNFL thickness	88

