



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل

The Value of Tenascin Expression as a Biological Marker in Ovarian Carcinoma

Thesis

Submitted in partial fulfillment of M.D Pathology

By

Nahla Mohamed Mohamed Awad

M.B., B.Ch., M.Sc. Pathology

Supervisors

**Prof. Dr. Laila Abd
El Azim Mohamed**

*Prof. of Pathology
Ain Shams University*

**Prof. Dr. Maissa
Nour El Din El Maraghy**

*Prof. of Pathology
Ain Shams University*

**Prof. Dr. Mahmoud
Ismail Hassan**

*Prof. of Biochemistry
and Tumour Biology
Ain Shams University*

**Prof. Dr. Magda
Mohamed Abd El Salam**

*Prof. of Pathology
Ain Shams University*

Ass. Prof. Dr. Tarek Mohamed Hashem

*Ass. Prof. of Pathology
Ain Shams University*

*Faculty of Medicine
Ain Shams University*


2001

07/06

TO MY PARENTS

TO MY HUSBAND

TO MY KIDS





Acknowledgment

Before all, I would like to express my deep thanks to ALLAH without his great blessings, I would never accomplish this work.

It gives me great pleasure and honor to present my deepest gratitude to Professor Dr. Laila Abd El Azzim Mohamed, Prof. of Pathology, Faculty of Medicine, Ain Shams University, for accepting the supervision of my work and for his her helpful guidance, directions and encouraging attitude throughout this work.

I would like to express my sincere gratitude and deepest appreciation to Prof. Dr. Maysa Nor El Din El Maraghy, who spared no effort in helping me throughout this work, her valuable instructions and critical mind brought out the final points of this research.

My sincere thanks and gratitude are due Prof. Dr. Mahmoud Esmail Hassan, Prof. of Biochemistry and Molecular Biology, Ain Shams University, for his

meticulous supervision, constructive criticism and valuable efforts, which are highly appreciated.

My deepest gratitude and appreciation are also due to Prof. Dr. Magda Mohamed Abd El Salam, Prof. of Pathology, Faculty of Medicine, Ain Shams University for her valuable instructions during the practical part of this work that brought out the final points of this research.

Indeed, I would like to express my deepest thanks to Prof. Dr. Tarek Mohamed Hashem, Assistant Prof. of Pathology, Ain Shams University for his fruitful suggestion and keen supervision.

Great thanks are also to members of the Early Cancer Detection Unit, Ain Shams University, and Prof. Dr. Mohammed Ezz El Din Azzam, Prof. of Gynecology and Obstetrics, Ain Shams University and Head of the Unit.

List of Contents

	Page
Acknowledgment	
Table of Contents	
List of tables	
List of figures	
List of photos	
List of Abbreviations	
INTRODUCTION	1
AIM OF THE WORK	3
REVIEW OF LITERATURE	
- Anatomy and development of the ovary	4
- Histology	6
- Epidemiology and incidence of ovarian tumours	9
- Classification	13
- Pathology	25
I) Epithelial stromal tumours	25
II) Sex-cord stromal tumours	48
III) Germ cell tumours	62
IV) Gonadoblastoma	75
V) Metastatic tumours of the ovary	77
- Prognostic factors in the ovarian malignancy	79
- Immunohistochemistry	82
- Tenascin	88
MATERIAL AND METHODS	94
RESULTS	106
DISCUSSION	155
SUMMARY	165
CONCLUSION	168
REFERENCES	169
ARABIC SUMMARY	

Table (11): Results of histopathological diagnosis and ISST in benign ovarian cases 119

Table (12): Relation between histopathological diagnosis and score of (ISST) intensity in malignant ovarian cases 120

Table (13): Correlation between histopathological grading and score of ISST 121

Table (14): Relationship between staging and ISST intensity score in primary malignant ovarian cases 121

Table (15): Histopathological groups of cases studied by RT-PCR test 122

Table (16): Histopathological diagnosis of 29 cases which were studied by RT-PCR test 122

Table (17): Correlation between different histopathological (benign, borderline & malignant) groups and results of RT-PCR test 123

Table (18): Comparison between the results of ISST and RT-PCR test in 29 ovarian tumours 123

List of Tables

** Review of Literature*

		Page
Table (I):	Familial precancerous disorders associated with ovarian neoplasms	11
Table (II):	International Federation of Gynecology and Obstetrics (FIGO) Staging for Ovarian Malignancy	80
Table (III):	Immunohistochemical expression of Tenascin in normal adult tissues, reparative / hyperplastic processes and tumours	90

** Results*

		Page
Table (1):	Histopathologic groups studied by tenascin (TN) immunohistochemical staining	114
Table (2):	Descriptive statistics of clinical data of patients included in the study	114
Table (3):	Data of clinical presentations of patients included in the study	115
Table (4):	Histopathological diagnosis and staging of primary malignant ovarian tumours included in study	115
Table (5):	Incidence of different neoplastic ovarian tumours included in the study	116
Table (6):	Histopathological diagnosis of the benign ovarian tumours included in the study	116
Table (7):	Histopathologic diagnosis of borderline malignant tumours included in the study	117
Table (8):	Histopathologic diagnosis of the malignant cases included in the study	117
Table (9):	Histopathologic diagnosis and grading of the primary malignant ovarian tumours	118
Table (10):	Representative data of immunohistochemical stromal staining of tenascin (ISST) in benign, borderline and malignant ovarian groups	119

List of Figures

	Page
Fig. (1): Histopathological groups studied by tenascin immunohistochemical staining	125
Fig. (2): Clinical presentations of patients included in the study	126
Fig. (3): Staging of primary malignant ovarian tumours included in the study	127
Fig. (4): Incidence of different neoplastic ovarian tumours included in the study	128
Fig. (5): Grading of the primary malignant ovarian tumours	129
Fig. (6): Immunohistochemical stromal staining of tenascin (ISST) in benign, borderline and malignant ovarian groups	130
Fig. (7): Relation between histopathological diagnosis and score of (ISST) intensity in malignant ovarian cases	131
Fig. (8): Correlation between histopathological groups and results of RT-PCR test	132

